

American National Standard for Machine Tools –
Safety requirements for Shears

Secretariat and Accredited Standards Developer:
B11 Standards, Inc.,
POB 690905
Houston, TX 77069-0905, USA
www.b11standards.org

Approved: FEBRUARY 10, 2003
Reaffirmed: MAY 29, 2013

by the American National Standards Institute, Inc.



COPYRIGHT PROTECTED DOCUMENT

Copyright © 2013 by B11 Standards, Inc.

All rights reserved. Printed in the United States of America
No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise,
without the prior written permission of B11 Standards, Inc.

AMERICAN NATIONAL STANDARDS

By approving this American National Standard, the ANSI Board of Standards Review confirms that the requirements for due process, consensus, balance and openness have been met by B11 Standards, Inc., (the ANSI-accredited standards developing organization).

American National Standards are developed through a consensus process. Consensus is established when substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward resolution. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While B11 Standards, Inc., administers the process and establishes procedures to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards or guidelines.

American National Standards are promulgated through ANSI for voluntary use; their existence does not in any respect preclude anyone, whether they have approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. However, users, distributors, regulatory bodies, certification agencies and others concerned may apply American National Standards as mandatory requirements in commerce and industry.

The American National Standards institute does not develop standards and will in no circumstances give an interpretation of an American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the Secretariat (B11 Standards, Inc.,).

B11 Standards, Inc., MAKES NO WARRANTY, EITHER EXPRESSED OR IMPLIED AS TO THE FITNESS OF MERCHANTABILITY OR ACCURACY OF THE INFORMATION CONTAINED WITHIN THIS STANDARD, AND DISCLAIMS AND MAKES NO WARRANTY THAT THE INFORMATION IN THIS DOCUMENT WILL FULFILL ANY OF YOUR PARTICULAR PURPOSES OR NEEDS. B11 Standards, Inc., disclaims liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, application or reliance on this document. B11 Standards, Inc., does not undertake to guarantee the performance of any individual supplier or seller's products or services by virtue of this standard or guide, nor does it take any position with respect to the validity of any patent rights asserted in connection with the items which are mentioned in or are the subject of this document, and B11 Standards, Inc., disclaims liability for the infringement of any patent resulting from the use of or reliance on this document. Users of this document are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

In publishing or making this document available, B11 Standards, Inc. is not undertaking to render professional or other services for or on behalf of any person or entity, nor is B11 Standards, Inc., undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment, or as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

B11 Standards, Inc., has no power, nor does it undertake to police or enforce conformance to the requirements of this document. B11 Standards, Inc., does not certify, test or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of conformance to any health or safety-related information in this document shall not be attributable to B11 Standards, Inc., and is solely the responsibility of the certifier or maker of the statement.

NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that periodic action be taken to reaffirm, revise, or withdraw this standard. You may contact the Secretariat for current status information on this, or other B11 standards.

Published by: B11 Standards, Inc., www.b11standards.com
Houston, TX 77069, USA

Copyright © 2013 by B11 Standards Inc.

All rights reserved. Printed in the United States of America

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Table of Content	Page
FOREWORD	IV
INTRODUCTION	VII
1 SCOPE	1
1.1 SPECIFIC SHEAR TYPES INCLUDED	2
1.2 SPECIFIC SHEAR TYPES EXCLUDED	2
2 NORMATIVE REFERENCES	2
3 DEFINITIONS	3
4 RESPONSIBILITY	9
4.1 SUPPLIER	9
4.2 USER.....	10
4.3 PERSONNEL.....	11
5 HAZARD CONTROL	12
5.1 TASK AND HAZARD IDENTIFICATION	12
5.2 RISK ASSESSMENT / RISK REDUCTION.....	13
6 DESIGN AND CONSTRUCTION	15
6.1 GENERAL REQUIREMENTS – ALL SHEARS	15
6.2 ELECTRICAL REQUIREMENTS	17
6.3 CONTROL SYSTEMS	22
7 LAYOUT, INSTALLATION, TESTING AND START-UP	28
7.1 GENERAL	28
7.2 LAYOUT.....	28
7.3 INSTALLATION.....	29
7.4 TESTING AND START-UP	29
8 SAFEGUARDING	30
8.1 RESPONSIBILITY.....	30
8.2 SAFEGUARDING PERSONNEL	31
8.3 METHODS OF SAFEGUARDING.....	31
8.4 PERFORMANCE OF THE SAFETY-RELATED FUNCTION(S).....	34
9 SET-UP, OPERATION AND MAINTENANCE	35
9.1 SET-UP	35
9.2 OPERATION	35
9.3 MAINTENANCE	38
9.4 BLADE SERVICING.....	39
ANNEX A: GUARDING AND AWARENESS BARRIER SAFE OPENINGS	40
TABLE A.1 - MINIMUM DISTANCES FOR GUARDS IN MILLIMETERS (INCHES)	40
FIGURE A.1: LOCATION OF GUARDS VS. OPENINGS.....	41
ANNEX B : FIGURES	42
ANNEX C : TASK - BASED HAZARDS (INFORMATIVE)	53
ANNEX D: PERFORMANCE OF THE SAFETY-RELATED FUNCTION(S)	54

Foreword

(This Foreword is not part of the requirements of American National Standard B11.4–2003.)

The primary objective of this standard is to eliminate or control the risk of injuries to personnel associated with shears by establishing requirements for the machine's construction, care and use and for the production systems in which shears are used. To accomplish this objective, responsibilities have been assigned to the builder, user, modifier, rebuilders and system integrator, as well as to the employer and the employee in the working environment.

Point-of-operation safeguarding is the single most important factor in the elimination of point-of-operation injuries. A production system consists of the shear as one component, feeding methods (including part or scrap removal) as a second component, and the third component, point-of-operation safeguarding. The vital third component, point-of-operation safeguarding, can be evaluated for effectiveness only after the first two components and operator involvement is known. Since this information is known and controlled by the employer, the responsibility for compliance with clause 6 has been assigned accordingly.

The safeguarding of production systems in shearing operations is complicated by the wide variety of operations and operating conditions, the variations in size, speed, and type of shear used; the size, thickness, and kind of pieces to be worked; the required accuracy of the finished work; the skill of operators; the length of run; and the method of sheet feeding and part and scrap removal. Because of these varying factors in the operations and in the workplace, a wide variety of point-of-operation safeguarding methods (guards and devices) has been covered in this standard.

The words "safe" and "safety" are not absolutes. An element of safety is attitude. While the goal of this standard is to eliminate injuries, it is recognized that risk cannot be reduced to zero in any human activity. This standard is not intended to replace good judgment and personal responsibility. Operator skill, attitude, training, job monotony, fatigue and experience are safety factors that must be considered by the employer.

To aid all parties concerned in conforming to the requirements of this standard, explanatory information has been placed in the right column, adjacent to the applicable requirements.

Shears and associated equipment technologies are continuously evolving. This standard reflects the most commonly used and time-tested state of the art at the time of its approval. The inclusion or omission of language relative to any evolving technology, either in the requirements or explanatory area of this standard, in no way infers acceptance or rejection of such technologies.

Inquiries with respect to the application or the substantive requirements of this standard, and suggestions for its improvement, are welcomed, and should be sent to B11 Standards, Inc., POB 690905, Houston, TX 77269.

This standard was processed and approved for submittal to ANSI by the Accredited Standards Committee on Safety Standards for Machine Tools. Committee approval of this standard does not necessarily imply that all committee members voted for its approval. At the time it approved this standard, the B11 Accredited Standards Committee had the following members:

Alan Metelsky, Chairman
 Barry Boggs, Vice-Chairman
 David Felinski, Secretary

Organizations Represented

Aerospace Industries Association of America
 Aluminum Extruders Council
 American Society of Safety Engineers
 Association For Manufacturing Technology
 The Boeing Company
 Canadian Standards Association
 Deere & Co.
 FDR Safety
 General Motors Corporation
 Komatsu America Industries
 Metal Powder Industries Federation
 National Institute for Occupational Safety & Health
 Occupational Safety & Health Administration
 Omron Scientific Technologies Incorporated
 Packaging Machinery Manufacturers Institute
 Pilz Automation Safety, LP
 Precision Metalforming Association
 Presence-sensing Device Manufacturers Association
 Property Casualty Insurers
 Robotic Industries Association
 Rockwell Automation
 Safe-T-Sense
 Sheet Metal & Air Conditioning Contractors Nat'l. Assn.
 System Safety Society
 Toyota Motor Manufacturing North America
 International United Automotive Workers

Name of Representative

Delegate
 Willard Wood
 Melvin Mitchell
 Bruce Main, PE, CSP
 Russell Bensman
 Don Nelson
 Elizabeth Rankin, CRSP
 Gary Kopps
 Michael Taubitz
 Michael Douglas
 George Schreck
 Dennis R. Cloutier, CSP
 Richard Current, PE
 Kenneth Stevanus
 Frank Webster
 Charles Hayes
 Michael Beerman
 James Barrett, Jr. PhD
 James V. Kirton
 Stanford Brubaker
 Jeffrey Fryman
 Patrick Barry
 Samuel Boytor
 Michael McCullion
 John Etherton, PhD, CSP
 Barry Boggs
 Tom Ford

Alternate

Lisa Goldberg / Chris Carnahan
 Scott Burkett
 George Karosas, PE,CSP
 Alan Metelsky
 Lance Chandler, PE
 Walter Veugen
 Scott Fowler
 Flavius Brown

 James Landowski
 Teresa Stillman
 James Harris, PhD, PE
 Robert Bell
 Christopher Soranno
 Maria Ferrante
 Lee Burk
 Bill Gaskin / Christen Carmigiano
 Michael Carlson
 John Russell, PE,CSP
 Claude Dinsmoor
 Michael Miller
 Mark Witherspoon
 Roy Brown
 Rod Simmons, PhD
 Todd Mills

At the time this standard was approved, the ANSI B11 ASC **B11.4 Subcommittee** had the following members who participated in the development of this revision:

Dennis Cloutier, CSP, Chairman
 David Felinski, Secretary

Peter Barroso, Jr., PE
 Sam Boytor
 Stan Brubaker
 Christie Carmigiano
 Christopher J. Cox
 Gary Dunn
 Carolyn Reifsteck
 Chris Soranno
 Barry A. Stockton

Barroso Engineering
 Fox Controls
 Liberty Mutual
 Precision Metalforming Assn.
 Deere & Co.
 Dunn Sales
 Safe-T-Sense
 Safe-T-Sense
 High Tech Consulting

Explanation of the format, and ANSI B11 conventions

This ANSI B11.4 – 2003 (R2013) standard is divided into parts formerly referred to as sections or chapters and now referred to as clauses in line with the current ANSI style manual. Major divisions of clauses are referred to as subclauses and, when referenced by other text in the standard, are denoted by the subclause number (e.g., see 5.1).

The standard uses a two-column format to provide supporting information for requirements. The material in the left column is confined to “Standards Requirements” only, and is so captioned. The right column, captioned “Explanatory Information” contains information that the writing Subcommittee believed would help to clarify the requirements contained in the standard. This column should not be construed as being a part of the requirements of this American National Standard.

As in all American National Standards, the term “SHALL” denotes a requirement that is to be strictly followed in order to conform to this standard; no deviation is permitted. The term “SHOULD” denotes a recommendation, a practice or condition among several alternatives, or a preferred method or course of action.

Similarly, the term “CAN” denotes a possibility, ability or capability, whether physical or causal, and the term “MAY” denotes a permissible course of action within the limits of the standard.

B11 conventions: Operating rules (safe practices) are not included in either column of this standard unless they are of such nature as to be vital safety requirements, equal in weight to other requirements, or guides to assist in compliance with the standard. The B11 standards do not use the term “and/or” but instead, the term “OR” is used as an inclusive disjunction, meaning *one or the other or both*. A distinction between the terms “*individual*” and “*personnel*” is drawn. Individual includes personnel (employees, subcontractors, consultants, or other contract workers under the indirect control of the supplier or user) but also encompasses persons who are not under the direct or indirect control of the supplier or user (e.g., visitors, vendors, etc.). Gauge refers to a measuring or testing instrument; gage refers to limiting device (e.g., backgage).


Suggestions for improvement of this standard will be welcome. They should be sent to B11 Standards, Inc., POB 690905, Houston, TX 77269.

Introduction

The primary purpose of every machine tool is to process parts. This is accomplished by the machine imparting process energy onto the workpiece. Inadvertent interference with, or accidental misdirection of the released energy during production, maintenance, commissioning and de-commissioning may result in injury.

The primary purpose of the ANSI B11 series of machine tool safety standards is to devise and propose ways to minimize risks of the potential hazards. This can be accomplished either by an appropriate machine design, by restricting personnel or other individuals' access to hazard areas, and by devising work procedures to minimize personnel exposure to hazardous situations. This is the essence of the ANSI B11 series of safety standards.

The responsibility for the alleviation of these risks is divided between the equipment supplier, the equipment user and its operating personnel, as follows (numbers in parentheses refer to the clause numbers in these standards which address that responsibility):



STANDARD REQUIREMENTS**EXPLANATORY INFORMATION***American National Standard for Machine Tools –**Safety Requirements for Shears***STANDARD REQUIREMENTS****EXPLANATORY INFORMATION**

(Not part of the requirements of this American National Standard for Machine Tools — Safety Requirements for Shears - ANSI B11.4–2003 R2013)

1 Scope

This standard applies to those mechanically, hydraulically, hydro-mechanically or pneumatically powered shears used to cut material by shearing, and which utilize a fixed blade(s) and non-rotary moving blade(s).

Shears addressed in this standard are commonly found in these basic applications:

- 1) stand-alone
- 2) stand-alone, automatic
- 3) process line

For the purpose of this standard, the term shear shall be inclusive of stand-alone, stand-alone automatic, and process line shears.

E1

See the following Figures in Annex B for examples of shears:

<u>Figure #</u>	<u>Description</u>
1	Mechanical power shear, underdrive type
2	Mechanical power shear overdrive type
3	Hydraulic power shear
4	Pneumatic powered shear
5	Manually powered shear
6	Right angle shear
7	Crop shear

1) Stand-alone shears are those single units in which each stroke is activated by some action of the operator. This may include initiation of a foot or hand control or feeding a sheet until it contacts a probe or other stroke initiating device.

2) Stand-alone, automatic shears include those single units with fully automatic sheet feeder and/or positioning systems in which, once started, a continuous series of cuts are made without operator intervention.

3) Process line shears include those machines which have been integrated into an automated system including a number of processes. Cycling of the shear stroking mechanism is a slave to the system control. Examples would be coil cut-to-length lines, coil slitting lines with crop shears (ANSI B11.18), or manufacturing systems (ANSI B11.20).