

INTERNATIONAL STANDARD

IEC 62142

First edition
2005-06

IEEE 1364.1™

Verilog® register transfer level synthesis

© IEEE 2005 — Copyright - all rights reserved

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Inc.

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch

The Institute of Electrical and Electronics Engineers, Inc, 3 Park Avenue, New York, NY 10016-5997, USA
Telephone: +1 732 562 3800 Telefax: +1 732 562 1571 E-mail: stds-info@ieee.org Web: www.standards.ieee.org



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия



CONTENTS

| | |
|---------------------------------------------------------------------|----|
| FOREWORD | 4 |
| IEEE Introduction | 7 |
| 1. Overview | 8 |
| 1.1 Scope | 8 |
| 1.2 Compliance to this standard | 8 |
| 1.3 Terminology | 9 |
| 1.4 Conventions | 9 |
| 1.5 Contents of this standard | 9 |
| 1.6 Examples | 10 |
| 2. References | 10 |
| 3. Definitions | 10 |
| 4. Verification methodology | 11 |
| 4.1 Combinational logic verification | 12 |
| 4.2 Sequential logic verification | 12 |
| 5. Modeling hardware elements | 13 |
| 5.1 Modeling combinational logic | 13 |
| 5.2 Modeling edge-sensitive sequential logic | 14 |
| 5.3 Modeling level-sensitive storage devices | 17 |
| 5.4 Modeling three-state drivers | 18 |
| 5.5 Support for values x and z | 20 |
| 5.6 Modeling read-only memories (ROM) | 20 |
| 5.7 Modeling random access memories (RAM) | 22 |
| 6. Pragmas | 23 |
| 6.1 Synthesis attributes | 23 |
| 6.2 Compiler directives and implicit-synthesis defined macros | 34 |
| 6.3 Deprecated features | 35 |
| 7. Syntax | 36 |
| 7.1 Lexical conventions | 36 |
| 7.2 Data types | 41 |
| 7.3 Expressions | 46 |
| 7.4 Assignments | 48 |
| 7.5 Gate and switch level modeling | 49 |
| 7.6 User-defined primitives (UDPs) | 52 |
| 7.7 Behavioral modeling | 53 |
| 7.8 Tasks and functions | 59 |
| 7.9 Disabling of named blocks and tasks | 62 |
| 7.10 Hierarchical structures | 62 |
| 7.11 Configuring the contents of a design | 68 |
| 7.12 Specify blocks | 70 |
| 7.13 Timing checks | 70 |
| 7.14 Backannotation using the standard delay format | 70 |
| 7.15 System tasks and functions | 70 |

| | | |
|---------------------------------------------------|-------------------------------------------------------------------|-----|
| 7.16 | Value change dump (VCD) files | 70 |
| 7.17 | Compiler directives | 70 |
| 7.18 | PLI | 71 |
| Annex A (informative) Syntax summary | | 72 |
| A.1 | Source text | 72 |
| A.2 | Declarations | 74 |
| A.3 | Primitive instances | 79 |
| A.4 | Module and generated instantiation | 81 |
| A.5 | UDP declaration and instantiation | 82 |
| A.6 | Behavioral statements | 83 |
| A.7 | Specify section | 87 |
| A.8 | Expressions | 92 |
| A.9 | General | 96 |
| Annex B (informative) Functional mismatches | | 100 |
| B.1 | Non-deterministic behavior | 100 |
| B.2 | Pragmas | 100 |
| B.3 | Using `ifdef | 101 |
| B.4 | Incomplete sensitivity list | 102 |
| B.5 | Assignment statements mis-ordered | 103 |
| B.6 | Flip-flop with both asynchronous reset and asynchronous set | 104 |
| B.7 | Functions | 104 |
| B.8 | Casex | 105 |
| B.9 | Casez | 105 |
| B.10 | Making x assignments | 106 |
| B.11 | Assignments in variable declarations | 107 |
| B.12 | Timing delays | 107 |
| Annex C (informative) List of Participants | | 108 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

VERILOG[®] REGISTER TRANSFER LEVEL SYNTHESIS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC/IEEE 62142 has been processed through IEC technical committee 93: Design automation.

The text of this standard is based on the following documents:

| IEEE Std | FDIS | Report on voting |
|---------------|-------------|------------------|
| 1364.1 (2002) | 93/213/FDIS | 93/218/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

Verilog[®] is a registered trademark of Cadence Design Systems, Inc.

This publication has been drafted in accordance with the ISO/IEC Directives.

The committee has decided that the contents of this publication will remain unchanged until 2007.

IEC/IEEE Dual Logo International Standards

This Dual Logo International Standard is the result of an agreement between the IEC and the Institute of Electrical and Electronics Engineers, Inc. (IEEE). The original IEEE Standard was submitted to the IEC for consideration under the agreement, and the resulting IEC/IEEE Dual Logo International Standard has been published in accordance with the ISO/IEC Directives.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Use of an IEC/IEEE Dual Logo International Standard is wholly voluntary. The IEC and IEEE disclaim liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEC or IEEE Standard document.

The IEC and IEEE do not warrant or represent the accuracy or content of the material contained herein, and expressly disclaim any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEC/IEEE Dual Logo International Standards documents are supplied "AS IS".

The existence of an IEC/IEEE Dual Logo International Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEC/IEEE Dual Logo International Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEC and IEEE are not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Neither the IEC nor IEEE is undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEC/IEEE Dual Logo International Standards or IEEE Standards document, should rely upon the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Interpretations – Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration.

Comments for revision of IEC/IEEE Dual Logo International Standards are welcome from any interested party, regardless of membership affiliation with the IEC or IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331, USA and/or General Secretary, IEC, 3, rue de Varembe, PO Box 131, 1211 Geneva 20, Switzerland.

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

NOTE – Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents for which a license may be required by an IEEE standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

IEEE Standard for Verilog[®] Register Transfer Level Synthesis

Sponsor

Design Automation Standards Committee
of the
IEEE Computer Society

Approved 10 December 2002

IEEE-SA Standards Board

Abstract: Standard syntax and semantics for Verilog[®] HDL-based RTL synthesis are described in this standard.

Keywords: hardware description language, HDL, RTL, synthesis, Verilog[®]

IEEE Introduction

This standard describes a standard syntax and semantics for Verilog[®] HDL-based RTL synthesis. It defines the subset of IEEE Std 1364-2001 (Verilog HDL) that is suitable for RTL synthesis and defines the semantics of that subset for the synthesis domain.

The purpose of this standard is to define a syntax and semantics that can be used in common by all compliant RTL synthesis tools to achieve uniformity of results in a similar manner to which simulation and analysis tools use IEEE Std 1364-2001. This will allow users of synthesis tools to produce well-defined designs whose functional characteristics are independent of a particular synthesis implementation by making their designs compliant with this standard.

The standard is intended for use by logic designers and electronic engineers.

Initial work on this standard started as a RTL synthesis subset working group under Open Verilog International (OVI). After OVI approved of the draft 1.0 with an overwhelming affirmative response, an IEEE Project Authorization Request (PAR) was obtained in July 1998 to clear its way for IEEE standardization. Most of the members of the original group continued to be part of the Pilot Group under P1364.1 to lead the technical work. The active members at the time of OVI draft 1.0 publication were as follows:

J. Bhasker, *Chair*

Victor Berman
David Bishop
Vassilios Gerousis

Don Hejna
Mike Quayle
Ambar Sarkar

Doug Smith
Yatin Trivedi
Rohit Vora

An approved draft D1.4 was ready by April 1999, thanks very much to the efforts of the following task leaders:

David Bishop (Web Admin.)
Ken Coffman (Semantics)

Don Hejna (Syntax)

Doug Smith (Pragmas)
Yatin Trivedi (Editor)

When the working group was ready to initiate the standardization process, it was decided to postpone the process for the following reasons:

- a) The synthesis subset draft was based on Verilog IEEE Std 1364-1995.
- b) A new updated Verilog language was imminent.
- c) The new Verilog language contained many new synthesizable constructs.

It wasn't until early 2001 that Verilog IEEE Std 1364-2001 was finalized. The working group restarted their work by first looking at the synthesizability aspects of the new features in the language. Thereafter, RAM/ROM modeling features and new attributes syntax were introduced into the draft standard.

Many individuals from many different organizations participated directly or indirectly in the standardization process. A majority of the working group meetings were held via teleconferences with continued discussions on the working group reflector.

VERILOG[®] REGISTER TRANSFER LEVEL SYNTHESIS

1. Overview

1.1 Scope

This standard defines a set of modeling rules for writing Verilog[®] HDL descriptions for synthesis. Adherence to these rules guarantees the interoperability of Verilog HDL descriptions between register-transfer level synthesis tools that comply to this standard. The standard defines how the semantics of Verilog HDL are used, for example, to describe level- and edge-sensitive logic. It also describes the syntax of the language with reference to what shall be supported and what shall not be supported for interoperability.

Use of this standard will enhance the portability of Verilog-HDL-based designs across synthesis tools conforming to this standard. In addition, it will minimize the potential for functional mismatch that may occur between the RTL model and the synthesized netlist.

1.2 Compliance to this standard

1.2.1 Model compliance

A Verilog HDL model shall be considered compliant to this standard if the model:

- a) uses only constructs described as supported or ignored in this standard, and
- b) adheres to the semantics defined in this standard.

1.2.2 Tool compliance

A synthesis tool shall be considered compliant to this standard if it:

- a) accepts all models that adhere to the model compliance definition in 1.2.1.
- b) supports all pragmas defined in Clause 6.
- c) produces a netlist model that has the same functionality as the input model based on the conformance rules of Clause 4.

NOTE—A compliant synthesis tool may have more features than those required by this standard. A synthesis tool may introduce additional guidelines for writing Verilog HDL models that may produce more efficient logic, or other mechanisms for controlling how a particular description is best mapped to a particular library.

1.3 Terminology

The word *shall* indicates mandatory requirements strictly to be followed in order to conform to the standard and from which no deviation is permitted (*shall* equals *is required to*). The word *should* is used to indicate that a certain course of action is preferred but not necessarily required; or that (in the negative form) a certain course of action is deprecated but not prohibited (*should* equals *is recommended that*). The word *may* indicates a course of action permissible within the limits of the standard (*may* equals *is permitted*).

A synthesis tool is said to *accept* a Verilog construct if it allows that construct to be legal input. The construct is said to *interpret* the construct (or to provide an *interpretation* of the construct) by producing logic that represents the construct. A synthesis tool shall not be required to provide an interpretation for every construct that it accepts, but only for those for which an interpretation is specified by this standard.

The Verilog HDL constructs in this standard are categorized as:

- **Supported:** RTL synthesis shall interpret and map the construct to hardware.
- **Ignored:** RTL synthesis shall ignore the construct and shall not map that construct to hardware. Encountering the construct shall not cause synthesis to fail, but may cause a functional mismatch between the RTL model and the synthesized netlist. The mechanism, if any, by which a RTL synthesis notifies the user of such constructs is not defined. It is acceptable for a not supported construct to be part of an ignored construct.
- **Not supported:** RTL synthesis shall not support the construct. An RTL synthesis tool shall fail upon encountering the construct, and the failure mode shall be undefined.

1.4 Conventions

This standard uses the following conventions:

- a) The body of the text of this standard uses **boldface** font to denote Verilog reserved words (such as **if**).
- b) The text of the Verilog examples and code fragments is represented in a **fixed-width** font.
- c) Syntax text that is ~~struck through~~ refers to syntax that is not supported.
- d) Syntax text that is underlined refers to syntax that is ignored.
- e) “<“ and “>” are used to represent text in one of several different, but specific forms.
- f) Any paragraph starting with “NOTE—” is informative and not part of the standard.
- g) In the PDF version of this standard, colors are used in Clause 7 and Annex A. Supported reserved words are in red **boldface** font. Blue ~~struck through~~ are unsupported constructs, and blue underlined are ignored constructs.

1.5 Contents of this standard

A synopsis of the clauses and annexes is presented as a quick reference. There are seven clauses and two annexes. All the clauses are the normative parts of this standard, while all the annexes are the informative part of the standard.

- a) **Clause 1—Overview:** This clause discusses the conventions used in this standard and its contents.
- b) **Clause 2—References:** This clause contains bibliographic entries pertaining to this standard.
- c) **Clause 3—Definitions:** This clause defines various terms used in this standard.
- d) **Clause 4—Verification methodology:** This clause describes the guidelines for ensuring functionality matches before and after synthesis.
- e) **Clause 5—Modeling hardware elements:** This clause defines the styles for inferring special hardware elements.

- f) **Clause 6—Pragmas:** This clause defines the pragmas that are part of this RTL synthesis subset.
- g) **Clause 7—Syntax:** This clause describes the syntax of Verilog HDL supported for RTL synthesis.
- h) **Annex A—Syntax summary:** This informative annex provides a summary of the syntax supported for synthesis.
- i) **Annex B—Functional mismatches:** This informative annex describes some cases where a potential exists for functional mismatch to occur between the RTL model and the synthesized netlist.

1.6 Examples

All examples that appear in this document under “*Example:*” are for the sole purpose of demonstrating the syntax and semantics of Verilog HDL for synthesis. It is not the intent of this clause to demonstrate, recommend, or emphasize coding styles that are more (or less efficient) in generating synthesizable hardware. In addition, it is not the intent of this standard to present examples that represent a compliance test suite, or a performance benchmark, even though these examples are compliant to this standard.

2. References

This standard shall be used in conjunction with the following publication. When the following standards are superseded by an approved revision, the revision shall apply.

IEEE Std 1364TM-2001, IEEE Standard Verilog Language Reference Manual.^{1, 2}

¹IEEE publications are available from the Institute of Electrical and Electronics Engineers, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331, USA (<http://standards.ieee.org/>).

²The IEEE standards referred to in Clause 2 are trademarks belonging to the Institute of Electrical and Electronics Engineers, Inc.