

# INTERNATIONAL STANDARD

# IEC 60556

Second edition  
2006-04

---

---

## **Gyromagnetic materials intended for application at microwave frequencies – Measuring methods for properties**

© IEC 2006 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland  
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: [inmail@iec.ch](mailto:inmail@iec.ch) Web: [www.iec.ch](http://www.iec.ch)



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

PRICE CODE **XA**

*For price, see current catalogue*

## CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references .....	7
3 Terms and definitions .....	7
4 Saturation magnetization $M_S$ .....	7
4.1 General .....	7
4.2 Object .....	8
4.3 Theory.....	8
4.4 Test sample .....	9
4.5 Measuring apparatus for the vibrating coil method (VCM).....	9
4.6 Measuring apparatus for the vibrating sample method (VSM) .....	12
4.7 Calibration.....	15
4.8 Measuring procedure.....	16
4.9 Calculation .....	17
4.10 Accuracy .....	17
4.11 Data presentation .....	18
5 Magnetization (at specified field strength) $M_H$ .....	18
5.1 General .....	18
5.2 Object .....	18
5.3 Theory.....	18
5.4 Test specimen .....	20
5.5 Measuring apparatus.....	21
5.6 Calibration.....	23
5.7 Measuring procedure.....	24
5.8 Calculation .....	24
5.9 Accuracy .....	24
5.10 Data presentation .....	24
6 Gyromagnetic resonance linewidth $\Delta H$ and effective Landé factor $g_{\text{eff}}$ (general) .....	25
6.1 General .....	25
6.2 Object .....	25
6.3 Theory.....	25
6.4 Test specimens and cavities.....	26
6.5 Measuring apparatus.....	29
6.6 Measuring procedure.....	29
6.7 Calculation .....	31
6.8 Accuracy .....	31
6.9 Data presentation .....	31
7 Gyromagnetic resonance linewidth $\Delta H_{10}$ and effective Landé factor $g_{10}$ (at 10 GHz) .....	31
7.1 General .....	31
7.2 Object .....	31
7.3 Theory.....	31

7.4	Test specimen and cavity .....	32
7.5	Measuring apparatus .....	33
7.6	Measuring procedure .....	33
7.7	Calculation .....	34
7.8	Accuracy .....	34
7.9	Data presentation .....	35
8	Spin-wave resonance linewidth $\Delta H_k$ .....	35
8.1	General .....	35
8.2	Object .....	35
8.3	Theory .....	35
8.4	Test specimen and cavity .....	38
8.5	Measuring apparatus .....	39
8.6	Calibration .....	39
8.7	Measuring procedure .....	39
8.8	Calculation .....	40
8.9	Accuracy .....	40
8.10	Data presentation .....	40
9	Effective linewidth $\Delta H_{\text{eff}}$ .....	40
9.1	General .....	40
9.2	Object .....	40
9.3	Theory .....	41
9.4	Test specimen and cavity .....	43
9.5	Measuring apparatus .....	43
9.6	Calibration .....	44
9.7	Apparatus adjustment .....	44
9.8	Measuring procedure .....	45
9.9	Calculation .....	46
9.10	Accuracy .....	46
9.11	Data presentation .....	46
10	Complex permittivity $\epsilon_r$ .....	47
10.1	General .....	47
10.2	Object .....	47
10.3	Theory .....	47
10.4	Test specimen and cavity .....	50
10.5	Measuring apparatus .....	50
10.6	Measurement procedure .....	51
10.7	Calculation .....	51
10.8	Accuracy .....	52
10.9	Data presentation .....	52
11	Apparent density $\rho_{\text{app}}$ .....	52
11.1	General .....	52
11.2	Apparent density (by mensuration) .....	52
11.3	Apparent density (by water densitometry) .....	54
	Bibliography .....	56

Figure 1 – Vibrating coil method – Sample and coils arrangement .....	9
Figure 2 – Magnetic field configuration .....	10
Figure 3 – Measuring apparatus (VCM).....	12
Figure 4 – Vibrating sample method – Sample and coil arrangement .....	13
Figure 5 – Measuring apparatus (VSM).....	14
Figure 6 – Hysteresis curves for a magnetic material: $B(H)$ curve, $M(H)$ curve .....	19
Figure 7 – Test sample with compensation unit.....	20
Figure 8 – Test specimen.....	21
Figure 9 – Measuring circuit for determining magnetization (at specified field strength) $M_H$ .....	22
Figure 10 – Miller integrator .....	23
Figure 11 – Cavity for measurement of gyromagnetic resonance linewidth and effective Landé factor .....	27
Figure 12 – Stripline resonator for measurement of gyromagnetic resonance linewidth and effective Landé factor at low frequency .....	28
Figure 13 – Schematic diagram of the equipment required for measurement of gyromagnetic resonance linewidth and effective Landé factor .....	30
Figure 14 – Schematic diagram of the equipment required for measurement of gyromagnetic resonance linewidth and effective Landé factor at 10 GHz .....	34
Figure 15 – Subsidiary absorption and saturation of the normal resonance .....	36
Figure 16 – Pulse deterioration at onset of subsidiary resonance.....	36
Figure 17 – Measured critical r.f. field strength as a function of pulse duration $t_d$ .....	37
Figure 18 – Typical $TE_{104}$ cavity for the measurement of spin-wave resonance linewidth at about 9,3 GHz.....	38
Figure 19 – Block diagram of spin-wave resonance linewidth test equipment.....	39
Figure 20 – Sectional view of the cavity with specimen .....	42
Figure 21 – Dimensions of a cavity designed for resonance at a frequency of 9,1 GHz .....	42
Figure 22 – Schematic diagram of equipment for measuring effective linewidth $\Delta H_{eff}$ .....	44
Figure 23 – Determination of $Q_0$ .....	46
Figure 24 – Ideal resonant cavity with specimen, used for theoretical calculation (sectional view).....	48
Figure 25 – Dimensions of the resonant cavity with specimen.....	50
Figure 26 – Schematic diagram of equipment required for the measurement of complex dielectric constant.....	51

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**GYROMAGNETIC MATERIALS  
INTENDED FOR APPLICATION AT MICROWAVE FREQUENCIES –  
MEASURING METHODS FOR PROPERTIES****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60556 has been prepared by IEC technical committee 51: Magnetic components and ferrite materials.

This second edition cancels and replaces the first edition, published in 1982, its amendment 1 (1997) and amendment 2 (2004). This edition constitutes a technical revision.

This second edition is a consolidation of the first edition and its amendments 1 and 2. It includes editorial improvements as well as improvements to the figures.

This standard is to be read in conjunction with IEC 60392.

The text of this standard is based on the following documents:

FDIS	Report on voting
51/850/FDIS	51/859/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

# GYROMAGNETIC MATERIALS INTENDED FOR APPLICATION AT MICROWAVE FREQUENCIES – MEASURING METHODS FOR PROPERTIES

## 1 Scope

This International Standard describes methods of measuring the properties used to specify polycrystalline microwave ferrites in accordance with IEC 60392 and for general use in ferrite technology. These measuring methods are intended for the investigation of materials, generally referred to as ferrites, for application at microwave frequencies.

Single crystals and thin films generally fall outside the scope of this standard.

NOTE 1 For the purposes of this standard, the words “ferrite” and “microwave” are used in a broad sense:

- by “ferrites” is meant not only magneto-dielectric chemical components having a spinel crystal structure, but also materials with garnet and hexagonal structures;
- the “microwave” region is taken to include wavelengths approximately between 1 m and 1 mm, the main interest being concentrated on the region 0,3 m to 10 mm.

NOTE 2 Examples of components employing microwave ferrites are non-reciprocal devices such as circulators, isolators and non-reciprocal phase-shifters. These constitute the major field of application, but the materials may be used in reciprocal devices as well, for example, modulators and (reciprocal) phase-shifters. Other applications include gyromagnetic filters, limiters and more sophisticated devices, such as parametric amplifiers.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendment) applies.

IEC 60050-221, *International Electrotechnical Vocabulary (IEV) – Part 221: Magnetic materials components*

IEC 60205:2006, *Calculation of the effective parameters of magnetic piece parts*

IEC 60392:1972, *Guide for the drafting of specifications for microwave ferrites*