

INTERNATIONAL STANDARD

IEC
61375-2

First edition
2007-04

**Electric railway equipment –
Train bus –**

**Part 2:
Train communication network conformance testing**



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE **XH**

For price, see current catalogue

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 General	10
1.1 Scope.....	10
1.2 Normative references	10
1.3 Terms and definitions	10
2 Conformance test: approach, requirements and boundaries.....	10
2.1 The approach	10
2.2 Boundaries	14
2.3 Conformance assessment process outline	19
3 Conformance test of an MVB device	20
3.1 PICS	20
3.2 Test suites	31
4 Conformance test of a WTB node, WTB trunk cable, WTB jumper cables, WTB extension cables.....	94
4.1 PICS	94
5 Conformance test of RTP	135
5.1 Ports and Traffic_Store	136
5.2 Dataset consistency	136
5.3 Port_Address	137
5.4 Link_Process_Data_Interface primitives	138
5.5 Messages services and protocols	138
6 Conformance test of a WTB-equipped vehicle	138
6.1 General	138
6.2 PICS	138
6.3 Test suites	141
6.4 MVB interoperability test	152
6.5 Application profile.....	152
6.6 Several nodes on the vehicle.....	152
7 Conformance test of NM	152
Annex A (normative) Test laboratory role and client role	153
Annex B (informative) Test instrumentation and dedicated test bed	160
Bibliography.....	169
Figure 1 – Application of the waveshaper.....	32
Figure 2 – ESD test layout	34
Figure 3 – ESD backplane section (double-line).....	35
Figure 4 – ESD connector arrangement	37
Figure 5 – ESD terminator connector test	38
Figure 6 – ESD waveform measurement	39
Figure 7 – Frame (ESD).....	40

Figure 8 – Measurement of insertion loss.....	42
Figure 9 – EMD transmitter heavy load circuit.....	42
Figure 10 – EMD transmitter light test circuit.....	43
Figure 11 – Example of pulse waveform at EMD transmitter.....	44
Figure 12 – EMD transmitter idling test circuit.....	45
Figure 13 – Signal with end delimiter	45
Figure 14 – Example of end delimiter for EMD medium	45
Figure 15 – Example of test hardware implementation	56
Figure 16 – F_code + Address	60
Figure 17 – Concept of message data testing	67
Figure 18 – Model of the relation between TE and IUT for message data testing.....	67
Figure 19 – Relation between TE and IUT in case of test of IUT as caller	68
Figure 20 – Packet formats (transport layer body).....	69
Figure 21 – Test message task of IUT	70
Figure 22 – Caller timeout identification	73
Figure 23 – Nesting address with 0x83	79
Figure 24 – Block diagram of a line	85
Figure 25 – Frames in test RP-1.2	86
Figure 26 – Inter-frame spacing	86
Figure 27 – Pulse distortion	88
Figure 28 – Frame with out-of-place transition	88
Figure 29 – Frames in test RP-1.4	89
Figure 30 – Insertion loss measurement.....	104
Figure 31 – Measurement of the input resistance	105
Figure 32 – End setting measurement setup 1	105
Figure 33 – End setting measurement setup 2	106
Figure 34 – Switches measurement setup 1	107
Figure 35 – Direct attachment switches measurements Fixture 1	107
Figure 36 – Indirect attachment switches measurements Fixture 1	108
Figure 37 – Transmitter fixtures	109
Figure 38 – Transmitter output signal.....	110
Figure 39 – Intermediate transmitted noise test fixture	110
Figure 40 – End node transmitted noise test fixture.....	111
Figure 41 – Signal and idling at transmitter	112
Figure 42 – RF resistor example	113
Figure 43 – Short-circuit test Fixture 1	113
Figure 44 – Receiver signal envelope	115
Figure 45 – Receiver edge distortion.....	116
Figure 46 – Example of relay switch logic diagram for line A.....	119
Figure 47 – WTB orientation	122
Figure 48 – Line switch identification in position P01	123
Figure 49 – Line switch identification in position P10	123
Figure 50 – Line switch identification in position P32	123

Figure 51 – Test suite identifier TTS1	124
Figure 52 – Test suite identifier TTS2	125
Figure 53 – Test suite identifier TTS3	126
Figure 54 – Line resistance.....	143
Figure 55 – Crosstalk.....	144
Figure 56 – Propagation delay and attenuation	145
Figure 57 – Coach tester nodes	150
Figure B.1 – Hardware test bed architecture	161
Figure B.2 – Test bed configuration MRTB1.....	162
Figure B.3 – Test bed configuration MRTB2.....	162
Figure B.4 – Coach tester architecture.....	163
Figure B.5 – Configuration of the coach tester	167
Figure B.6 – WTB line redundancy switch-over	168
Table 1 – Document structure	9
Table 2 – Continuance indication	17
Table 3 – Weak statements.....	18
Table 4 – Relation to interoperability.....	19
Table 5 – Relation to performance test	19
Table 6 – ESD basic interconnection tests	33
Table 7 – EMD basic interconnection tests.....	33
Table 8 – Measurement idle.....	35
Table 9 – Measurement with load for minimum current.....	36
Table 10 – Measurement with load for maximum current.....	36
Table 11 – Measurement with load for overcurrent.....	36
Table 12 – Pin assignment for the ESD connector	37
Table 13 – ESD measurements pin to pin	38
Table 14 – Event poll strategy.....	71
Table 15 – Abbreviations	75
Table 16 – Addressing type.....	76
Table 17 – Test function directory	78
Table 18 – Test station directory.....	78
Table 19 – Nesting address	79
Table 20 – Read_Memory and Write_Memory sequence	81
Table 21 – Configuration of periodic data in BA	91
Table 22 – Configuration of periodic ports in CU-1	92
Table 23 – Configuration of periodic ports in CU-2	93
Table 24 – WTB pin to pin measurement.....	108
Table 25 – Fault tolerance parameters.....	112
Table 26 – Frequency sinusoidal signal	117
Table 27 – WTB devices configuration	120
Table 28 – TNM agent services.....	121

Table 29 – Test suite 123

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRIC RAILWAY EQUIPMENT –
TRAIN BUS –**

Part 2: Train communication network conformance testing

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61375-2 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

This standard is to be read in conjunction with IEC 61375-1, second edition.

The text of this standard is based on the following documents:

FDIS	Report on voting
9/1014/FDIS	9/1034/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61375 series, published under the general title *Electric railway equipment – Train bus* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Following the decision of the committee, some parts of the text and some figures of this publication are copied from the IEC 61375-1 for keeping the maximum of clarity.

A bilingual version of this standard may be issued at a later date.

INTRODUCTION

TCN is an International Standard with the aim of defining interfaces so as to achieve plug-in compatibility:

- a) between equipment located in different vehicles, and
- b) between equipment and devices located within the same vehicle.

One of the key success factors for deployment of any technology is the standardisation and the ensuring interoperability among various implementations. To facilitate interoperability a conformance test should be implemented.

In this part of IEC 61375, the TCN hierarchical structure deals with two levels of busses:

- a) the train bus called the Wire Train Bus (WTB);
- b) the vehicle bus called the Multifunction Vehicle Bus (MVB).

No other busses are taken into consideration even though they are foreseen by IEC 61375-1, see the note below.

WTB and MVB share the same real-time protocols, which offer two communication services:

- a) process variables, a distributed, real-time database, periodically refreshed through broadcasting;
- b) messages, transmitted on demand either as:
 - 0. unicast messages (point-to-point) or/and
 - 1. multicast messages.

WTB and MVB share a common network management, which allows debugging, commissioning and maintenance over the network.

NOTE TCN states that several vehicle busses may apply, provided that such busses are able to provide the services of Real-Time Protocols. However, this part of IEC 61375 is focused on MVB as vehicle bus, even if the conformance test may apply to other busses, the exact conformance test should be derived upon.

This standard is structured into 7 clauses and 2 annexes.

The clauses and annexes are listed and briefly described in the Table 1.

Table 1 – Document structure

Clause/sections	Description
1. General	This clause describes the scope of this standard and introduces basic terms and abbreviations not reported in IEC 61375-1.
2. Conformance test: approach, requirements and boundaries	This clause is an overview of the methods of TCN implementation verification that are available to the developer and regulatory personnel. Supplies information concerning the ICS and IXITpProforma(s).
3. Conformance test of an MVB device	This clause covers all tests on MVB devices that are grouped by classes, from Class 0 up to Class 4. The main contents are: the MVB PICS and PIXIT; the MVB test suites; the MVB test procedures.
4. Conformance test of a WTB device	Contents: All tests on WTB are classified by nodes related to WTB itself and MVB only. The main contents are: the WTB PICS and PIXIT; the WTB test suites; the WTB test procedures.
5 Conformance test of RTP	This clause lists the tests covered in Clauses 3 and 4 fulfilling the real time protocol.
6. Conformance test of a WTB-equipped vehicle	This clause covers the Physical Layer while the Services given by the WTB node are covered by the previous clauses. Application profiles are covered by other bodies, like UIC for profile UIC 556.
7 Conformance test of NM	Partially covered by Clauses 3 and 4. Remaining parts are not covered.
Annex A – Test laboratory role and client role	This annex is normative.
Annex B – Test instrumentation and dedicated test bed	This annex is informative.

ELECTRIC RAILWAY EQUIPMENT – TRAIN BUS –

Part 2: Train communication network conformance testing

1 General

1.1 Scope

This part of IEC 61375 applies to all equipment and devices implemented according to IEC 61375-1, i.e. it covers the procedures to be applied to such equipment and devices when the conformance should be proven.

The applicability of this standard to a TCN implementation allows for individual conformance checking of the implementation itself and is a pre-requisite for further interoperability checking between different TCN implementations.

NOTE 1 For a definition of TCN implementation see 1.3.

1.2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60571: *Electronic equipment used on rail vehicles*

IEC 60807, *Rectangular connectors for frequencies below 3 MHz*

IEC 61375-1: 2007, *Electric railway equipment – Train bus – Part 1: Train communication network*

ISO/IEC 9646-1:1994, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 1: General concepts* (Also available as ITU-T Recommendation X.290 (1995))

ISO/IEC 9646-7:1994, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 7: Implementation Conformance Statements* (Also available as ITU-T Recommendation X.296 (1995))

UIC 556, *Information transmission in trains (train bus)*