

INTERNATIONAL STANDARD

IEC
61156-6

Second edition
2007-06

**Multicore and symmetrical pair/quad
cables for digital communications –**

**Part 6:
Symmetrical pair/quad cables with
transmission characteristics up to 1 000 MHz –
Work area wiring – Sectional specification**



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

R

For price, see current catalogue

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	7
4 Installation considerations	7
4.1 General.....	7
4.2 Climatic conditions	7
5 Materials and cable construction	7
5.1 General remarks.....	7
5.2 Cable construction	7
5.2.1 Conductor.....	7
5.2.2 Insulation.....	7
5.2.3 Cable element	7
5.2.4 Cable make-up	8
5.2.5 Screening of the cable core	8
5.2.6 Sheath.....	8
5.2.7 Identification.....	8
5.2.8 Finished cable	8
6 Characteristics and requirements	8
6.1 General remarks.....	8
6.2 Electrical characteristics and tests	9
6.2.1 Conductor resistance.....	9
6.2.2 Resistance unbalance	9
6.2.3 Dielectric strength	9
6.2.4 Insulation resistance.....	9
6.2.5 Mutual capacitance.....	9
6.2.6 Capacitance unbalance	9
6.2.7 Transfer impedance.....	9
6.2.8 Coupling attenuation.....	10
6.2.9 Ampacity	10
6.3 Transmission characteristics	10
6.3.1 Velocity of propagation (phase velocity)	10
6.3.2 Phase delay and differential delay (delay skew)	10
6.3.3 Attenuation	11
6.3.4 Unbalance attenuation.....	11
6.3.5 Near-end crosstalk (<i>NEXT</i>).....	12
6.3.6 Far-end crosstalk (<i>FEXT</i>).....	12
6.3.7 Alien (exogenous) near-end crosstalk.....	13
6.3.8 Alien (exogenous) far-end crosstalk.....	13
6.3.9 Alien (exogenous) crosstalk of bundled cables	14
6.3.10 Mean characteristic impedance	14
6.3.11 Return loss (RL)	14
6.4 Mechanical and dimensional characteristics and requirements	14
6.4.1 Dimensional requirements	14
6.4.2 Elongation at break of the conductors.....	14
6.4.3 Tensile strength of the insulation	14

6.4.4	Elongation at break of the insulation	15
6.4.5	Adhesion of the insulation to the conductor	15
6.4.6	Elongation at break of the sheath	15
6.4.7	Tensile strength of the sheath	15
6.4.8	Crush test of the cable	15
6.4.9	Impact test of the cable	15
6.4.10	Bending under tension.....	15
6.4.11	Repeated bending of the cable	15
6.4.12	Tensile performance of the cable.....	15
6.4.13	Shock-test requirements of the cable.....	15
6.4.14	Bump-test requirements of the cable	15
6.4.15	Vibration-test requirements of a cable	15
6.5	Environmental characteristics.....	15
6.5.1	Shrinkage of insulation	15
6.5.2	Wrapping test of insulation after thermal ageing	16
6.5.3	Bending test of insulation at low temperature	16
6.5.4	Elongation at break of the sheath after ageing.....	16
6.5.5	Tensile strength of the sheath after ageing	16
6.5.6	Sheath pressure test at high temperature	16
6.5.7	Cold bend test of the cable.....	16
6.5.8	Heat shock test.....	16
6.5.9	Damp heat steady state.....	16
6.5.10	Solar radiation	16
6.5.11	Solvents and contaminating fluids.....	16
6.5.12	Salt mist and sulphur dioxide	16
6.5.13	Water immersion	16
6.5.14	Hygroscopicity.....	16
6.5.15	Wicking	16
6.5.16	Flame propagation characteristics of a single cable.....	17
6.5.17	Flame propagation characteristics of bunched cables.....	17
6.5.18	Halogen gas evolution	17
6.5.19	Smoke generation	17
6.5.20	Toxic gas emission	17
6.5.21	Integrated fire test	17
7	Introduction to the blank detail specification	17
	Bibliography.....	18
	Table 1 – Cable categories	6
	Table 2 – Transfer impedance	10
	Table 3 – Coupling attenuation	10
	Table 4 – Attenuation, constant values	11
	Table 5 – Near-end unbalance attenuation.....	12
	Table 6 – Worst-pair <i>PS NEXT</i> values	12
	Table 7 – Worst-pair <i>PS EL FEXT</i>	13
	Table 8 – <i>PS ANEXT</i>	13
	Table 9 – <i>PS AELFEXT</i>	14
	Table 10 – Return loss.....	14

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MULTICORE AND SYMMETRICAL PAIR/QUAD CABLES
FOR DIGITAL COMMUNICATIONS –****Part 6: Symmetrical pair/quad cables
with transmission characteristics
up to 1 000 MHz – Work area wiring –
Sectional specification**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61156-6 has been prepared by subcommittee 46C: Wires and symmetric cables, of IEC technical committee 46: Cables, wires, waveguides, r.f. connectors, r.f. and microwave passive components and accessories.

This second edition cancels and replaces the first edition published in 2002. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) new requirements for new cables Cat6_A, Cat7_A for 10 GBase-T applications;
- b) revised requirements and tests for the cables.

The text of this standard is based on the first edition and on the following documents:

FDIS	Report on voting
46C/818/FDIS	46C/826/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard shall be read in conjunction with IEC 61156-1.

The list of all the parts of the IEC 61156 series, under the general title *Multicore and symmetrical pair/quad cables for digital communications*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

MULTICORE AND SYMMETRICAL PAIR/QUAD CABLES FOR DIGITAL COMMUNICATIONS –

Part 6: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Work area wiring – Sectional specification

1 Scope

This part of IEC 61156 relates to IEC 61156-1. The cables described herein are intended for work area wiring as defined in ISO/IEC 11801.

It covers individually screened, common screened and unscreened pairs or quads. The transmission characteristics and the frequency range (see Table 1) of the cables are specified at 20 °C.

Table 1 – Cable categories

Cable designation	Maximum reference frequency MHz
Category 5e	100
Category 6	250
Category 6 _A	500
Category 7	600
Category 7 _A	1 000

These cables can be used for various communication channels which use as many as four pairs simultaneously. In this sense, this sectional specification provides the cable characteristics required by system developers to evaluate new systems.

The cables covered by this standard are intended to operate with voltages and currents normally encountered in communication systems. These cables are not intended to be used in conjunction with low impedance sources, for example, the electric power supplies of public utility mains.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60304, *Standard colours for insulation for low-frequency cables and wires*

IEC 61156-1, *Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification*

IEC 61156-6-1, *Multicore and symmetrical pair/quad cables for digital communications – Part 6-1: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Work area wiring – Blank detail specification*

ISO/IEC 11801, *Information technology – Generic cabling for customer premises*