

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Explosive atmospheres –
Part 11: Equipment protection by intrinsic safety "i"**

**Atmosphères explosives –
Partie 11: Protection de l'équipement par sécurité intrinsèque «i»**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch
Tél.: +41 22 919 02 11
Fax: +41 22 919 03 00



IEC 60079-11

Edition 6.0 2011-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Explosive atmospheres –
Part 11: Equipment protection by intrinsic safety "i"**

**Atmosphères explosives –
Partie 11: Protection de l'équipement par sécurité intrinsèque «i»**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XG**
CODE PRIX

ICS 29.260.20

ISBN 978-2-88912-520-3

CONTENTS

FOREWORD.....	7
1 Scope.....	9
2 Normative references.....	14
3 Terms and definitions	15
4 Grouping and classification of intrinsically safe apparatus and associated apparatus	20
5 Levels of protection and ignition compliance requirements of electrical apparatus.....	21
5.1 General	21
5.2 Level of protection "ia"	21
5.3 Level of protection "ib"	22
5.4 Level of protection "ic"	22
5.5 Spark ignition compliance	22
5.6 Thermal ignition compliance	22
5.6.1 General	22
5.6.2 Temperature for small components for Group I and Group II	23
5.6.3 Wiring within intrinsically safe apparatus for Group I and Group II	23
5.6.4 Tracks on printed circuit boards for Group I and Group II	24
5.6.5 Intrinsically safe apparatus and component temperature for Group III	25
5.7 Simple apparatus.....	26
6 Apparatus construction	27
6.1 Enclosures	27
6.1.1 General	27
6.1.2 Enclosures for Group I or Group II apparatus	27
6.1.3 Enclosures for Group III apparatus.....	28
6.2 Facilities for connection of external circuits	28
6.2.1 Terminals	28
6.2.2 Plugs and sockets.....	31
6.2.3 Determination of maximum external inductance to resistance ratio (L_0/R_0) for resistance limited power source	31
6.2.4 Permanently connected cable	32
6.2.5 Requirements for connections and accessories for IS apparatus when located in the non-hazardous area	32
6.3 Separation distances	33
6.3.1 General	33
6.3.2 Separation of conductive parts	33
6.3.3 Voltage between conductive parts	37
6.3.4 Clearance	37
6.3.5 Separation distances through casting compound	37
6.3.6 Separation distances through solid insulation	38
6.3.7 Composite separations	38
6.3.8 Creepage distance.....	38
6.3.9 Distance under coating	40
6.3.10 Requirements for assembled printed circuit boards	40
6.3.11 Separation by earthed screens.....	41
6.3.12 Internal wiring	42
6.3.13 Dielectric strength requirement	42
6.3.14 Relays	42
6.4 Protection against polarity reversal	43

6.5	Earth conductors, connections and terminals	43
6.6	Encapsulation	44
6.6.1	General	44
6.6.2	Encapsulation used for the exclusion of explosive atmospheres	45
7	Components on which intrinsic safety depends	45
7.1	Rating of components	45
7.2	Connectors for internal connections, plug-in cards and components	46
7.3	Fuses	46
7.4	Primary and secondary cells and batteries	47
7.4.1	General	47
7.4.2	Battery construction	48
7.4.3	Electrolyte leakage and ventilation	48
7.4.4	Cell voltages	49
7.4.5	Internal resistance of cell or battery	49
7.4.6	Batteries in equipment protected by other types of protection	49
7.4.7	Batteries used and replaced in explosive atmospheres	49
7.4.8	Batteries used but not replaced in explosive atmospheres	50
7.4.9	External contacts for charging batteries	50
7.5	Semiconductors	50
7.5.1	Transient effects	50
7.5.2	Shunt voltage limiters	50
7.5.3	Series current limiters	51
7.6	Failure of components, connections and separations	51
7.7	Piezo-electric devices	52
7.8	Electrochemical cells for the detection of gases	52
8	Infallible components, infallible assemblies of components and infallible connections on which intrinsic safety depends	53
8.1	Level of Protection “ic”	53
8.2	Mains transformers	53
8.2.1	General	53
8.2.2	Protective measures	53
8.2.3	Transformer construction	53
8.2.4	Transformer type tests	54
8.2.5	Routine test of mains transformers	54
8.3	Transformers other than mains transformers	54
8.4	Infallible windings	55
8.4.1	Damping windings	55
8.4.2	Inductors made by insulated conductors	55
8.5	Current-limiting resistors	56
8.6	Capacitors	56
8.6.1	Blocking capacitors	56
8.6.2	Filter capacitors	57
8.7	Shunt safety assemblies	57
8.7.1	General	57
8.7.2	Safety shunts	57
8.7.3	Shunt voltage limiters	58
8.8	Wiring, printed circuit board tracks, and connections	58
8.9	Galvanically separating components	59
8.9.1	General	59

8.9.2	Isolating components between intrinsically safe and non-intrinsically safe circuits	59
8.9.3	Isolating components between separate intrinsically safe circuits	59
9	Supplementary requirements for specific apparatus.....	60
9.1	Diode safety barriers.....	60
9.1.1	General	60
9.1.2	Construction	60
9.2	FISCO apparatus.....	60
9.3	Handlights and caplights	61
10	Type verifications and type tests	61
10.1	Spark ignition test	61
10.1.1	General.....	61
10.1.2	Spark test apparatus	61
10.1.3	Test gas mixtures and spark test apparatus calibration current	62
10.1.4	Tests with the spark test apparatus	63
10.1.5	Testing considerations	64
10.2	Temperature tests.....	65
10.3	Dielectric strength tests.....	66
10.4	Determination of parameters of loosely specified components	66
10.5	Tests for cells and batteries	66
10.5.1	General.....	66
10.5.2	Electrolyte leakage test for cells and batteries	66
10.5.3	Spark ignition and surface temperature of cells and batteries.....	67
10.5.4	Battery container pressure tests	68
10.6	Mechanical tests	68
10.6.1	Casting compound	68
10.6.2	Determination of the acceptability of fuses requiring encapsulation	68
10.6.3	Partitions.....	68
10.7	Tests for intrinsically safe apparatus containing piezoelectric devices	68
10.8	Type tests for diode safety barriers and safety shunts	69
10.9	Cable pull test.....	70
10.10	Transformer tests	70
10.11	Optical isolators tests.....	70
10.11.1	General.....	70
10.11.2	Thermal conditioning, dielectric and carbonisation test.....	70
10.11.3	Dielectric and short-circuit test	72
10.12	Current carrying capacity of infallible printed circuit board connections	72
11	Routine verifications and tests	73
11.1	Routine tests for diode safety barriers	73
11.1.1	Completed barriers	73
11.1.2	Diodes for 2-diode “ia” barriers.....	73
11.2	Routine tests for infallible transformers	73
12	Marking	74
12.1	General	74
12.2	Marking of connection facilities	74
12.3	Warning markings	75
12.4	Examples of marking	75
13	Documentation	77
Annex A (normative)	Assessment of intrinsically safe circuits.....	78

Annex B (normative) Spark test apparatus for intrinsically safe circuits	100
Annex C (informative) Measurement of creepage distances, clearances and separation distances through casting compound and through solid insulation	108
Annex D (normative) Encapsulation	111
Annex E (informative) Transient energy test	118
Annex F (normative) Alternative separation distances for assembled printed circuit boards and separation of components	121
Annex G (normative) Fieldbus intrinsically safe concept (FISCO) – Apparatus requirements	125
Annex H (informative) Ignition testing of semiconductor limiting power supply circuits	130
Bibliography	141
Figure 1 – Separation of intrinsically safe and non-intrinsically safe terminals	31
Figure 2 – Example of separation of conducting parts	36
Figure 3 – Determination of creepage distances	39
Figure 4 – Creepage distances and clearances on printed circuit boards	41
Figure 5 – Examples of independent and non-independent connecting elements	44
Figure A.1 – Resistive circuits	81
Figure A.2 – Group I capacitive circuits	82
Figure A.3 – Group II capacitive circuits	83
Figure A.4 – Inductive circuits of Group II	84
Figure A.5 – Group I inductive circuits	85
Figure A.6 – Group IIC inductive circuits	86
Figure A.7 – Simple inductive circuit	87
Figure A.8 – Simple capacitive circuit	87
Figure A.9 – Equivalent capacitance	99
Figure B.1 – Spark test apparatus for intrinsically safe circuits	104
Figure B.2 – Cadmium contact disc	105
Figure B.3 – Wire holder	105
Figure B.4 – Example of a practical design of spark test apparatus	106
Figure B.5 – Arrangement for fusing tungsten wires	107
Figure C.1 – Measurement of clearance	108
Figure C.2 – Measurement of composite distances	109
Figure C.3 – Measurement of creepage	110
Figure C.4 – Measurement of composite creepage	110
Figure D.1 – Examples of encapsulated assemblies conforming to 6.3.5 and 6.6	113
Figure D.2 – Applications of encapsulation using casting compound without an enclosure	115
Figure D.3 – Examples of assemblies using moulding conforming to 6.6	116
Figure E.1 – Example of test circuit	119
Figure E.2 – Example of output waveform	120
Figure G.1 – Typical system	129
Figure H.1 – Safety factor vs ignition probability	140

Table 1 – Applicability of specific clauses of IEC 60079-0	9
Table 2 – Temperature classification of copper wiring (in a maximum ambient temperature of 40 °C).....	24
Table 3 – Temperature classification of tracks on printed circuit boards (in a maximum ambient temperature of 40 °C)	25
Table 4 – Maximum permitted power dissipation within a component immersed in dust	26
Table 5 – Clearances, creepage distances and separations	35
Table 6 – Minimum foil thickness or minimum wire diameter of the screen in relation to the rated current of the fuse	54
Table 7 – Compositions of explosive test mixtures adequate for 1,0 safety factor	62
Table 8 – Compositions of explosive test mixtures adequate for 1,5 safety factor	63
Table 10 – Routine test voltages for infallible transformers	73
Table 11 – Text of warning markings	75
Table A.1 – Permitted short-circuit current corresponding to the voltage and the Equipment Group	88
Table A.2 – Permitted capacitance corresponding to the voltage and the Equipment Group	93
Table A.3 – Permitted reduction of effective capacitance when protected by a series resistance	99
Table F.1 – Clearances, creepage distances and separations for Level of Protection "ia" and "ib" when ingress protected, and special conditions of material and installation are fulfilled	123
Table F.2 – Clearances, creepage distances and separations for Level of Protection "ic" when ingress is protected by an enclosure or by special conditions of installation	124
Table G.1 – Assessment of maximum output current for use with 'ia' and 'ib' FISCO rectangular supplies	126
Table G.2 – Assessment of maximum output current for use with 'ic' FISCO rectangular supplies	126
Table H.1 – Sequence of tests	133
Table H.2 – Safety factor provided by several explosive test mixtures that may be used for the tests in Table H.1	135
Table H.3 – Example of a Group I circuit with characteristics described by Curve II of Figure H.1 – This passes the test sequence of Table H.1.....	136
Table H.4 – Example of a Group I circuit with characteristics described by Curve III of Figure H.1 – This does not pass the test sequence of Table H.1	138

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –**Part 11: Equipment protection by intrinsic safety "i"**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-11 has been prepared by subcommittee 31G: Intrinsically safe apparatus, of IEC technical committee 31: Equipment for explosive atmospheres.

This sixth edition cancels and replaces the fifth edition of IEC 60079-11 published in 2006, the first edition of IEC 61241-11 published in 2005, and the new Annex G replaces the apparatus requirements of the second edition of IEC 60079-27 published in 2008. This sixth edition constitutes a technical revision of these publications.

NOTE IEC 60079-25 cancels and replaces the remaining subject matter of IEC 60079-27.

The significant changes with respect to the previous edition are listed below:

- Inclusion of non-edition specific references to IEC 60079-0.
- The merging of the apparatus requirements for FISCO from IEC 60079-27.
- The merging of the requirements for combustible dust atmospheres from IEC 61241-11.

- Clarification of the requirements for accessories connected to intrinsically safe apparatus; such as chargers and data loggers.
- Addition of new test requirements for opto-isolators.
- Introduction of Annex H about ignition testing of semiconductor limiting power supply circuits.

The text of this standard is based on the following documents:

FDIS	Report on voting
31G/207/FDIS	31G/213/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This standard supplements and modifies the general requirements of IEC 60079-0, except as indicated in Table 1 (see Scope).

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60079 series, under the general title: *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

EXPLOSIVE ATMOSPHERES –

Part 11: Equipment protection by intrinsic safety "i"

1 Scope

This part of IEC 60079 specifies the construction and testing of intrinsically safe apparatus intended for use in an explosive atmosphere and for associated apparatus, which is intended for connection to intrinsically safe circuits which enter such atmospheres.

This type of protection is applicable to electrical equipment in which the electrical circuits themselves are incapable of causing an explosion in the surrounding explosive atmospheres.

This standard is also applicable to electrical equipment or parts of electrical equipment located outside the explosive atmosphere or protected by another Type of Protection listed in IEC 60079-0, where the intrinsic safety of the electrical circuits in the explosive atmosphere may depend upon the design and construction of such electrical equipment or parts of such electrical equipment. The electrical circuits exposed to the explosive atmosphere are evaluated for use in such an atmosphere by applying this standard.

The requirements for intrinsically safe systems are provided in IEC 60079-25.

This standard supplements and modifies the general requirements of IEC 60079-0, except as indicated in Table 1. Where a requirement of this standard conflicts with a requirement of IEC 60079-0, the requirements of this standard shall take precedence.

If requirements in this standard are applicable to both intrinsically safe apparatus and associated apparatus the term "apparatus" is used throughout the standard.

This standard is for electrical equipment only; therefore the term "equipment" used in the standard always means "electrical equipment".

If associated apparatus is placed in the explosive atmosphere, it shall be protected by an appropriate Type of Protection listed in IEC 60079-0, and then the requirements of that method of protection together with the relevant parts of IEC 60079-0 also apply to the associated apparatus.

Table 1 – Applicability of specific clauses of IEC 60079-0

Clause or subclause of IEC 60079-0			IEC 60079-0 clause application to IEC 60079-11		
			Intrinsically safe apparatus		Associated apparatus
Ed. 5.0 (2007) (informative)	Ed. 6.0 (2011) (informative)	Clause / Subclause title (normative)	Group I and Group II	Group III	
1	1	Scope	Applies	Applies	Applies
2	2	Normative references	Applies	Applies	Applies
3	3	Terms and definitions	Applies	Applies	Applies
4	4	Equipment grouping	Applies	Applies	Applies
4.1	4.1	Group I	Applies	Excluded	Applies
4.2	4.2	Group II	Applies	Excluded	Applies