


# American Nuclear Society

**burnup credit for LWR fuel**

**an American National Standard**

**WITHDRAWN**  
November 10, 2015  
**ANSI/ANS-8.27-2008**

**No longer being maintained as an American National Standard. This standard may contain outdated material or may have been superseded by another standard. Please contact the ANS Standards Administrator for details.**



published by the  
American Nuclear Society  
555 North Kensington Avenue  
La Grange Park, Illinois 60526 USA

ANSI/ANS-8.27-2008

**American National Standard  
Burnup Credit for LWR Fuel**

Secretariat  
**American Nuclear Society**

Prepared by the  
**American Nuclear Society  
Standards Committee  
Working Group ANS-8.27**

Published by the  
**American Nuclear Society  
555 North Kensington Avenue  
La Grange Park, Illinois 60526 USA**

Approved August 14, 2008  
by the  
**American National Standards Institute, Inc.**

## **American National Standard**

Designation of this document as an American National Standard attests that the principles of openness and due process have been followed in the approval procedure and that a consensus of those directly and materially affected by the standard has been achieved.

This standard was developed under procedures of the Standards Committee of the American Nuclear Society; these procedures are accredited by the American National Standards Institute, Inc., as meeting the criteria for American National Standards. The consensus committee that approved the standard was balanced to ensure that competent, concerned, and varied interests have had an opportunity to participate.

An American National Standard is intended to aid industry, consumers, governmental agencies, and general interest groups. Its use is entirely voluntary. The existence of an American National Standard, in and of itself, does not preclude anyone from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standard.

By publication of this standard, the American Nuclear Society does not insure anyone utilizing the standard against liability allegedly arising from or after its use. The content of this standard reflects acceptable practice at the time of its approval and publication. Changes, if any, occurring through developments in the state of the art, may be considered at the time that the standard is subjected to periodic review. It may be reaffirmed, revised, or withdrawn at any time in accordance with established procedures. Users of this standard are cautioned to determine the validity of copies in their possession and to establish that they are of the latest issue.

The American Nuclear Society accepts no responsibility for interpretations of this standard made by any individual or by any ad hoc group of individuals. Requests for interpretation should be sent to the Standards Department at Society Headquarters. Action will be taken to provide appropriate response in accordance with established procedures that ensure consensus on the interpretation.

Comments on this standard are encouraged and should be sent to Society Headquarters.

Published by

**American Nuclear Society  
555 North Kensington Avenue  
La Grange Park, Illinois 60526 USA**

Copyright © 2008 by American Nuclear Society. All rights reserved.

Any part of this standard may be quoted. Credit lines should read "Extracted from American National Standard ANSI/ANS-8.27-2008 with permission of the publisher, the American Nuclear Society." Reproduction prohibited under copyright convention unless written permission is granted by the American Nuclear Society.

Printed in the United States of America

## Foreword

(This Foreword is not a part of American National Standard “Burnup Credit for LWR Fuel,” ANSI/ANS-8.27-2008.)

Burnup credit is a term commonly used in accounting for an overall negative reactivity effect resulting from irradiation. In order to apply burnup credit, there need to be both supporting analyses and implementation steps (such as procedures, burnup assignments, and verification techniques).

Including burnup credit in the design and operation enables much improved flexibility (e.g., wider range of acceptable fuel) and efficiency (e.g., higher loading capacities), as compared to spent fuel system designs based on unirradiated fuel without credit for fixed burnable absorbers. These advantages have encouraged burnup credit to be applied in the criticality safety analysis of storage, transportation, and disposal systems containing irradiated fuel. The scope of this standard is restricted to burnup credit for commercial light water reactor fuel applications.

Burnup credit requires evaluation of the effect of irradiation on the fuel composition, which increases the *computation* complexity. However, the negative reactivity determined through burnup credit may be used to reduce the *overall* complexity of maintaining criticality safety. Several American National Standards Institute/American Nuclear Society (ANSI/ANS) standards provide guidance that is relevant to burnup credit. This standard supplements the guidance given in those standards and provides requirements and recommendations for handling the unique issues associated with the implementation of burnup credit.

This standard might reference documents and other standards that have been superseded or withdrawn at the time the standard is applied. A statement has been included in the reference section that provides guidance on the use of references.

Working Group ANS-8.27 of ANS Subcommittee 8, Fissionable Materials Outside Reactors, drafted this standard. The following members participated in the preparation:

D. B. Lancaster (Chair), *NuclearConsultants.com*  
C. T. Rombough (Secretary), *CTR Technical Services, Inc.*

S. Anton, *Holtec International*  
A. C. Attard, *U.S. Nuclear Regulatory Commission*  
S. P. Baker, *TransWare Enterprises, Inc.*  
R. Beall, *Constellation Energy*  
M. C. Brady Raap, *Pacific Northwest National Laboratory*  
J. P. Coletta, *Duke Energy*  
R. A. Hommerson, *Individual*  
L. I. Kopp, *Individual*  
Z. Martin, *Tennessee Valley Authority*  
J. R. Massari, *Constellation Energy*  
R. D. McKnight, *Argonne National Laboratory*  
D. Mennerdahl, *Individual-Sweden*  
P. Narayanan, *TransNuclear, Inc.*  
C. V. Parks, *Oak Ridge National Laboratory*  
H. Pfeifer, *Nuclear Analysis Company International*  
M. Rahimi, *U.S. Nuclear Regulatory Commission*  
D. A. Thomas, *AREVA NP, Inc.*  
S. E. Turner, *Individual*  
G. R. Walden, *Duke Energy*  
A. H. Wells, *Electric Power Research Institute*  
C. J. Withee, *U.S. Nuclear Regulatory Commission*  
A. Zimmer, *General Atomics*  
J. F. Zino, *GE Nuclear Energy*

The following is a list of people who supported the working group but were not able to actively participate throughout the entire process:

J. Boshoven, D. Cacciapouti, M. DeHart, M. DeVoe, D. Galvin, J. Gulliford, L. Hassler, D. Hutson, R. Jones, R. Kunita, A. J. Machiels, L. Markova, M. Mason, S. Mitake, D. Mueller, G. O'Connor, P. O'Donnell, H. Toffer, J. C. Wagner, C. Walker, B. Wilson.

This standard was prepared under the guidance of ANS Subcommittee 8, which had the following membership at the time of its approval:

T. P. McLaughlin (Chair), *Individual*  
B. O. Kidd (Vice Chair), *Babcock & Wilcox*  
J. A. Schlessler (Secretary), *Washington Safety Management Solutions*

F. M. Alcorn, *Individual*  
H. D. Felsher, *U.S. Nuclear Regulatory Commission*  
A. S. Garcia, *U.S. Department of Energy*  
N. Harris, *British Nuclear Fuels, PLC*  
R. A. Libby, *Pacific Northwest National Laboratory*  
D. A. Reed, *Oak Ridge National Laboratory*  
T. A. Reilly, *Individual*  
H. Toffer, *Fluor Federal Services*  
G. E. Whitesides, *Individual*

The American National Standards Committee N16, Nuclear Criticality Safety, which reviewed and approved this standard in 2008, had the following membership:

C. M. Hopper (Chair), *Oak Ridge National Laboratory*  
R. Knief (Vice Chair), *Institute of Nuclear Materials Management*

G. H. Bidinger, *Individual*  
R. D. Busch, *University of New Mexico*  
R. S. Eby, *American Institute of Chemical Engineers*  
D. Jackson, *U.S. Nuclear Regulatory Commission*  
C. D. Manning, *AREVA NP*  
S. P. Murray, *Health Physics Society*  
R. E. Pevey, *University of Tennessee*  
R. L. Reed, *Westinghouse*  
B. Rothleder, *U.S. Department of Energy*  
W. R. Shackelford, *Nuclear Fuel Services, Inc.*  
R. G. Taylor, *INM Nuclear Safety Services*  
R. M. Westfall, *Oak Ridge National Laboratory*  
L. L. Wetzels, *Babcock & Wilcox*  
R. E. Wilson, *U.S. Department of Energy*

<b>Contents</b>	<b>Section</b>	<b>Page</b>
	<b>1</b> Introduction .....	1
	<b>2</b> Scope .....	1
	<b>3</b> Definitions .....	1
	3.1 Limitations .....	1
	3.2 Shall, should, and may .....	2
	3.3 Glossary of terms .....	2
	<b>4</b> Criteria to establish subcriticality .....	2
	<b>5</b> Validation for burnup credit .....	4
	5.1 Validation of analysis components .....	4
	5.1.1 Validation of the nuclide composition analysis .....	4
	5.1.2 Validation of the analysis used to determine $k_p$ .....	4
	5.2 Combined validation approach .....	4
	5.3 Analysis of trends .....	5
	<b>6</b> Burnup credit analysis .....	5
	6.1 Calculation of the nuclide composition .....	5
	6.2 Calculation of the system $k_p$ .....	5
	6.3 Generation of loading constraints .....	5
	<b>7</b> Operational considerations .....	5
	7.1 Administrative and operating procedures .....	5
	7.2 Burnup assignment .....	5
	7.3 Independent verification .....	6
	<b>8</b> References .....	6