

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS T 9251 : 2014

(ADFJ/JSA)

**Guidelines for older persons and persons
with disabilities — Shapes, dimensions
and patterns of raised parts of tactile
walking surface indicators for persons
who are blind or with seeing impairment**

ICS 13.300 ; 93.080.30

Reference number : JIS T 9251 : 2014 (E)

PROTECTED BY COPYRIGHT

10 S

T 9251 : 2014

Date of Establishment: 2001-09-20

Date of Revision: 2014-05-20

Date of Public Notice in Official Gazette: 2014-05-20

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Support for Aged and

Handicapped Persons

JIS T 9251 : 2014, First English edition published in 2015-07

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/HN

PROTECTED BY COPYRIGHT

Contents

	Page
Introduction	1
1 Scope	1
2 Terms and definitions	1
3 Requirements	2
3.1 General principles	2
3.2 Shape, arrangement and dimensions	2
Annex JA (informative) Comparison table between JIS and corresponding International Standard	8

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry, through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by The Accessible Design Foundation of Japan (ADFJ)/ Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS T 9251:2001** is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Guidelines for older persons and persons with disabilities — Shapes, dimensions and patterns of raised parts of tactile walking surface indicators for persons who are blind or with seeing impairment

Introduction

This Japanese Industrial Standard has been prepared based on the first edition of **ISO 23599** published in 2012. Out of **ISO 23599**, this Standard aims for specifications of the shapes, dimensions and patterns of raised parts of tactile walking surface indicators for blind or vision-impaired persons, with some modifications of the technical contents and some additions of specifications not given in the corresponding International Standard based on the updated technologies, in order to correspond to the actual situation in Japan.

The portions with continuous sidelines or dotted underlines are the matters in which the contents of the corresponding International Standard have been modified. A list of modifications with the explanations is given in Annex JA.

1 Scope

This Standard specifies the shapes, dimensions and patterns of raised parts of tactile walking surface indicators for blind or vision-impaired persons.

NOTE : The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 23599 : 2012 *Assistive products for blind and vision-impaired persons — Tactile walking surface indicators* (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

2 Terms and definitions

For the purpose of this Standard, the following terms and definitions apply.

2.1 tactile walking surface indicator

attention pattern (e.g. risk of anterior hazards, notification for necessary change of direction) or guiding pattern of raised parts for blind or vision-impaired persons, to be detected through the soles of their shoes and by a long white cane

Tactile walking surface indicator can be constructed by using an integrated unit where raised parts on a plate are incorporated as a single unit (square grid), or by manufacturing discrete units and embedding them into the base plate according to the specific arrangement.