

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS C 1302 : 2014

(JEMIMA/JSA)

Insulation resistance testers

ICS 17.220.20;29.080.01;29.240.01

Reference number : **JIS C 1302 : 2014 (E)**

Date of Establishment: 1968-04-01

Date of Revision: 2014-01-20

Date of Public Notice in Official Gazette: 2014-01-20

Investigated by: Japanese Industrial Standards Committee
Standards Board
Technical Committee on Testing and Measurement
Technology

JIS C 1302:2014, First English edition published in 2015-09

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/AT

Contents

	Page
Introduction.....	1
1 Scope.....	1
2 Normative references	1
3 Terms and definitions	2
3.1 Items relating to performances	2
3.2 Items relating to safety and construction.....	4
4 Rated output voltage and effective maximum indicated value	4
5 Requirements	6
5.1 Rated operating conditions	6
5.2 Intrinsic error and permissible range of deviation	6
5.3 Open-circuit voltage	7
5.4 Rated current	7
5.5 Short-circuit current	7
5.6 Influence of a.c. component.....	7
5.7 Environmental influence	7
5.8 Instantaneous maximum voltage	9
5.9 Battery check function.....	9
5.10 Possible number of measurements.....	9
5.11 Safety.....	9
5.12 Measuring terminals	9
5.13 Resistance to vibration	10
5.14 Overload protection	10
5.15 Measuring switch	10
5.16 Test lead	11
5.17 Additional function.....	11
6 Marking and operating instructions	11
6.1 Symbols for unit or quantity	11
6.2 Marking on product.....	11
6.3 Operating instructions	12
7 Tests	12
7.1 Test conditions and reference conditions	12
7.2 Intrinsic error, intrinsic uncertainty and permissible range of deviation....	13
7.3 Open-circuit voltage	13
7.4 Rated current	13
7.5 Short-circuit current	13
7.6 Influence of a.c. component.....	14

7.7	Environmental influence	14
7.8	Instantaneous maximum voltage	15
7.9	Battery check function	15
7.10	Possible number of measurements	15
7.11	Safety	16
7.12	Measuring terminal	16
7.13	Resistance to vibration	16
7.14	Overload protection	16
7.15	Measuring switch	17
7.16	Test lead	17
7.17	Additional functions	17
7.18	Marking and operating instructions	17
7.19	Record of compliance	17
8	Inspections	17
8.1	Type inspection	17
8.2	Acceptance inspection	18
Annex JA (informative)	Comparison table between JIS and corresponding International Standards	19

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry, through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japan Electric Measuring Instruments Manufacturers' Association (JEMIMA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently, **JIS C 1302:2002** is replaced with this Standard.

However, **JIS C 1302:2002** may be applied in the **JIS** mark certification based on the relevant provisions of Article 19 Clause 1, etc. of the Industrial Standardization Law until July 19, 2015.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Insulation resistance testers

Introduction

This Japanese Industrial Standard has been prepared based on the second editions of **IEC 61557-1** and **IEC 61557-2** published in 2007 with some modifications of the technical contents.

The portions given sidelines or dotted underlines are the matters in which the contents of the corresponding International Standards have been modified. A list of modifications with the explanations is given in Annex JA.

1 Scope

This Standard specifies the portable insulation resistance testers with a rated measuring voltage not exceeding 1 000 V incorporating batteries therein to be used for the following **a)** to **c)** as the target of measurement.

- a) **Insulation measurement of low voltage distribution line** Insulation measurement of lines and devices in a distribution system not exceeding a.c. 1 000 V and d.c. 1 500 V where the power supply is interrupted.
- b) **Insulation measurement of device, appliance, components, etc.**
- c) **Insulation measurement of high-voltage equipment**

NOTE : The International Standards corresponding to this Standard and the symbol of degree of correspondence are as follows:

IEC 61557-1:2007 *Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c.—Equipment for testing, measuring or monitoring of protective measures—Part 1: General requirements*

IEC 61557-2:2007 *Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c.—Equipment for testing, measuring or monitoring of protective measures—Part 2: Insulation resistance (Overall evaluation: MOD)*

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standards and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. For standards indicated below, only the editions of the indicated year shall be applied and any revisions (including amendments) made thereafter shall not be applied.

JIS C 0920:2003 *Degrees of protection provided by enclosures (IP Code)*

NOTE : Corresponding International Standard: IEC 60529:2001 *Degrees of protection provided by enclosures (IP Code)* (IDT)