

# JIS

JAPANESE  
INDUSTRIAL  
STANDARD

Translated and Published by  
Japanese Standards Association

---

---

**JIS A 1460** : 2015

**Determination of the emission of  
formaldehyde from building  
boards—Desiccator method**

---

ICS 13.040.99;71.080.80;79.060.10

Reference number : **JIS A 1460 : 2015 (E)**

A 1460 : 2015

Date of Establishment: 2001-03-20

Date of Revision: 2015-03-20

Date of Public Notice in Official Gazette: 2015-03-20

Investigated by: Japanese Industrial Standards Committee  
Standards Board for ISO area  
Technical Committee on Architecture

---

JIS A 1460:2015, First English edition published in 2015-10

Translated and published by: Japanese Standards Association  
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

---

In the event of any doubts arising as to the contents,  
the original JIS is to be the final authority.

© JSA 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

IH/AT

PROTECTED BY COPYRIGHT

## Contents

	Page
Introduction.....	1
1 Scope.....	1
2 Normative references .....	1
3 Principle of test .....	2
4 General conditions.....	3
4.1 Test atmosphere .....	3
4.2 Common conditions .....	3
5 Apparatus and instruments .....	3
6 Preparation of reagents .....	4
7 Test specimens .....	6
7.1 Cutting off of test specimen.....	6
7.2 Dimensions and number of test specimens .....	6
7.3 Conditioning .....	6
8 Test method.....	7
8.1 Preparation of test apparatus .....	7
8.2 Attaching of sample for measurement .....	7
8.3 Monitoring of test conditions.....	7
8.4 Test duration.....	7
8.5 Sampling of test solution .....	7
8.6 Measurement for concentration of formaldehyde in test solution .....	8
8.7 Preparation of calibration curve .....	8
8.8 Calculation .....	8
8.9 Expression of test result .....	9
9 Report.....	9
Annex A (informative) Comparison table between previous and current editions of this Standard on technically significant revisions .....	11

## **Foreword**

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry, through deliberations at the Japanese Industrial Standards Committee based on the Industrial Standardization Law.

Consequently, **JIS A 1460**:2001 is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

# Determination of the emission of formaldehyde from building boards— Desiccator method

## Introduction

This Japanese Industrial Standard was established in 2001 and the revision this time is mainly to correspond to **ISO** Standard and **JIS** established thereafter, which are related to this Standard. The comparison table between previous and current editions of this Standard on technically significant revisions is given in Annex A.

No corresponding International Standard has been established at this point.

## 1 Scope

This Standard specifies the determination method of quantity of formaldehyde emitted from building boards.

## 2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS A 1902-1 *Determination of the emission of volatile organic compounds and aldehydes by building products—Sampling, preparation of test specimens and testing condition—Part 1: Boards, wallpaper and floor materials*

JIS K 0050 *General rules for chemical analysis*

JIS K 0557 *Water used for industrial water and wastewater analysis*

JIS K 8001 *General rule for test methods of reagents*

JIS K 8005 *Reference materials for volumetric analysis*

JIS K 8027 *Acetylacetone (Reagent)*

JIS K 8180 *Hydrochloric acid (Reagent)*

JIS K 8355 *Acetic acid (Reagent)*

JIS K 8359 *Ammonium acetate (Reagent)*

JIS K 8576 *Sodium hydroxide (Reagent)*

JIS K 8625 *Sodium carbonate (Reagent)*

JIS K 8637 *Sodium thiosulfate pentahydrate (Reagent)*

JIS K 8659 *Starch, soluble (Reagent)*

JIS K 8872 *Formaldehyde solution (Reagent)*

JIS K 8913 *Potassium iodide (Reagent)*

JIS K 8920 *Iodine (Reagent)*