

CONSOLIDATED VERSION



**Energy management system application program interface (EMS-API) –
Part 456: Solved power system state profiles**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC 61970-456

Edition 1.1 2015-09

CONSOLIDATED VERSION



**Energy management system application program interface (EMS-API) –
Part 456: Solved power system state profiles**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.200

ISBN 978-2-8322-2948-4

Warning! Make sure that you obtained this publication from an authorized distributor.

REDLINE VERSION



Energy management system application program interface (EMS-API) – Part 456: Solved power system state profiles

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Profile information	8
4 Overview	8
5 Use cases	9
5.1 General.....	9
5.2 EMS state estimation.....	9
5.3 ENTSO-E Process: Day-ahead congestion forecast.....	10
5.4 System planning studies process.....	11
5.5 Harmonization of planning and operations models	12
6 Architecture.....	12
6.1 General.....	12
6.2 Profile architecture	12
6.3 Profiles and datasets for EMS network analysis	15
6.4 Profiles and datasets in a planning power flow	16
6.5 Model authority sets and instance level data modularization.....	17
6.5.1 General	17
6.5.2 EMS instance modularization.....	17
6.5.3 Planning instance modularization	18
6.6 Principles of instance modularization.....	19
7 Applying the standard to business problems	21
7.1 EMS network analysis integration with external consumers	21
7.2 Planning network analysis integration with external consumers	23
8 Data model with CIMXML examples.....	24
8.1 Measurement interfaces 2 and 3.....	24
8.2 Topology interface 4.....	24
8.3 State variables interfaces 5a and 5b state estimation	26
9 Topology profile.....	30
9.1 General.....	30
9.2 Concrete classes.....	30
9.2.1 Terminal.....	30
9.2.2 TopologicalNode.....	31
9.2.3 Name	31
9.2.4 NameType.....	31
9.3 Abstract classes – IdentifiedObject.....	32
10 StateVariables profile	32
10.1 General.....	32
10.2 Concrete classes.....	32
10.2.1 TopologicalIsland	32
10.2.2 SvInjection	33
10.2.3 SvPowerFlow.....	33
10.2.4 SvShortCircuit	34
10.2.5 SvShuntCompensatorSections.....	34

10.2.6 SvTapStep.....	35
10.2.7 SvVoltage.....	35
10.2.8 TopologicalNode.....	35
10.3 Abstract classes.....	35
10.3.1 StateVariable.....	35
10.3.2 ActivePower.....	36
10.3.3 AngleDegrees.....	36
10.3.4 ApparentPower.....	36
10.3.5 ReactivePower.....	36
10.3.6 Voltage.....	37
Bibliography.....	38
Figure 1 – TSO sends a case to be merged with the overall model.....	11
Figure 2 – Profile relationships.....	13
Figure 3 – Instance example of the CIM connectivity model.....	14
Figure 4 – EMS datasets by CIM profiles.....	15
Figure 5 – Planning power flow datasets by CIM profile.....	16
Figure 6 – State estimation case sequence.....	17
Figure 7 – Instance modularization applied in an EMS.....	18
Figure 8 – Instance modularization applied to planning power flow models.....	19
Figure 9 – Model merge process.....	20
Figure 10 – EMS datasets to an external client.....	21
Figure 11 – EMS boundary dataset example.....	22
Figure 12 – Bus-branch Integration architecture.....	23
Figure 13 – Bus-branch modeling of bus coupler and line transfer.....	23
Figure 14 – CIM topology model.....	24
Figure 15 – Topology solution interface.....	25
Figure 16 – CIM state variable solution model.....	27
Figure 17 – State solution interface example.....	29
Table 1 – Profiles defined in this document.....	8

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ENERGY MANAGEMENT SYSTEM APPLICATION
PROGRAM INTERFACE (EMS-API) –**

Part 456: Solved power system state profiles

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 61970-456 bears the edition number 1.1. It consists of the first edition (2013-05) [documents 57/1327/FDIS and 57/1342/RVD] and its amendment 1 (2015-09) [documents 57/1591/FDIS and 57/1620/RVD]. The technical content is identical to the base edition and its amendment.

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 61970-456 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

IEC 61970-456:2013 is based on IEC 61970-301 Edition 4 (2013). Both are based on the 61970 UML version CIM14. The amendment is based on IEC 61970-301 Edition 5 (2013) and the 61970 UML version CIM15.

For the Topology profile Amendment 1 includes the following changes with respect to the previous edition:

- a) The classes Name and NameType classes have been added.
- b) The class TopologicalNode has been extended with the role ConnectivityNodeContainer.
- c) The attribute IdentifiedObject.description has been removed.

For the StateVariables profile this edition includes the following changes with respect to the previous edition:

- a) The role TopologicalIsland.TopologicalNodes has been replaced by TopologicalNode.TopologicalIsland.
- b) The documentation of attributes SvPowerFlow.p and SvPowerFlow.q has been updated.
- c) The attribute SvShuntCompensatorSections.sections has been changed from Integer to Float.
- d) The attribute SvShuntCompensatorSections.continuousSections is removed.
- e) The attribute SvTapStep.position is changed from Integer to Float.
- f) The attribute SvTapStep.continuousPosition is removed.
- g) The attribute SvVoltage.angle is changed from radians to degrees.
- h) The data types have been elaborated.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61970 series, under the general title: *Energy management system application program interface (EMS-API)*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This standard is one of several parts of the IEC 61970 series that defines common information model (CIM) datasets exchanged between application programs in energy management systems (EMS).

The IEC 61970-3xx series of documents specify the common information model (CIM). The CIM is an abstract model that represents the objects in an electric utility enterprise typically needed to model the operational aspects of a utility.

This standard is one of the IEC 61970-4xx series of component interface standards that specify the semantic structure of data exchanged between components (or applications) and/or made publicly available data by a component. This standard describes the payload that would be carried if applications are communicating via a messaging system, but the standard does not include the method of exchange, and therefore is applicable to a variety of exchange implementations. This standard assumes and recommends that the exchanged data is formatted in XML based on the resource description framework (RDF) schema as specified in 61970-552 CIM XML model exchange standard.

IEC 61970-456 specifies the profiles (or subsets) of the CIM required to describe a steady-state solution of a power system case, such as is produced by power flow or state estimation applications. It describes the solution with reference to a power system model that conforms to IEC 61970-452 in this series of related standards. (Thus solution data does not repeat the power system model information.) IEC 61970-456 is made up of several component profiles that describe: topology derived from switch positions, measurement input (in the case of state estimation), and the solution itself.

ENERGY MANAGEMENT SYSTEM APPLICATION PROGRAM INTERFACE (EMS-API) –

Part 456: Solved power system state profiles

1 Scope

This part of IEC 61970 belongs to the IEC 61970-450 to IEC 61970-499 series that, taken as a whole, defines at an abstract level the content and exchange mechanisms used for data transmitted between control centers and/or control center components.

The purpose of this part of IEC 61970 is to rigorously define the subset of classes, class attributes, and roles from the CIM necessary to describe the result of state estimation, power flow and other similar applications that produce a steady-state solution of a power network, under a set of use cases which are included informatively in this standard.

This standard is intended for two distinct audiences, data producers and data recipients, and may be read from those two perspectives. From the standpoint of model export software used by a data producer, the standard describes how a producer may describe an instance of a network case in order to make it available to some other program. From the standpoint of a consumer, the standard describes what that importing software must be able to interpret in order to consume solution cases.

There are many different use cases for which use of this standard is expected and they differ in the way that the standard will be applied in each case. Implementers should consider what use cases they wish to cover in order to know the extent of different options they must cover. As an example, this standard will be used in some cases to exchange starting conditions rather than solved conditions, so if this is an important use case, it means that a consumer application needs to be able to handle an unsolved state as well as one which has met some solution criteria.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61970-452, *Energy Management System Application Program Interface (EMS-API) – Part 452: CIM Static Transmission Network Model Profiles*¹

IEC 61970-453, *Energy Management System Application Program Interface (EMS-API) – Part 453: Diagram Layout Profile*

IEC 61970-552, *Energy Management System Application Program Interface (EMS-API) – Part 552: CIM XML Model Exchange Format*²

¹ To be published.

² To be published.