

INTERNATIONAL STANDARD



**Organic light emitting diode (OLED) displays –
Part 6-2: Measuring methods of visual quality and ambient performance**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

INTERNATIONAL STANDARD



Organic light emitting diode (OLED) displays – Part 6-2: Measuring methods of visual quality and ambient performance

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.260

ISBN 978-2-8322-3026-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviations	7
3.1 Terms and definitions.....	7
3.2 Abbreviations.....	10
4 Structure of measuring equipment	10
5 Standard measuring conditions.....	10
5.1 Standard measuring environmental conditions	10
5.2 Standard lighting conditions	10
5.2.1 Dark-room conditions.....	10
5.2.2 Ambient illumination conditions.....	11
5.3 Standard setup conditions.....	16
5.3.1 General	16
5.3.2 Adjustment of OLED display modules	16
5.3.3 Starting conditions of measurements	16
5.3.4 Conditions of measuring equipment	16
6 Visual inspection of static images	17
6.1 General.....	17
6.2 Classification of visible defects	17
6.2.1 General	17
6.2.2 Reference examples for subpixel defects.....	17
6.2.3 Reference example for line defects.....	19
6.2.4 Reference example for mura defects	19
6.3 Visual inspection method and criteria.....	20
6.3.1 Standard inspection conditions	20
6.3.2 Standard inspection method	21
6.3.3 Inspection criteria	23
7 Electro-optical measuring methods under ambient illumination	24
7.1 Reflection measurements.....	24
7.1.1 Purpose.....	24
7.1.2 Measuring conditions.....	24
7.1.3 Measuring the hemispherical diffuse reflectance.....	25
7.1.4 Measuring the reflectance factor for a directional light source.....	26
7.2 Ambient contrast ratio	28
7.2.1 Purpose.....	28
7.2.2 Measuring conditions.....	28
7.2.3 Measuring method	28
7.3 Display daylight colour.....	29
7.3.1 Purpose.....	29
7.3.2 Measuring conditions.....	29
7.3.3 Measuring method	29
7.4 Daylight colour gamut volume	30
7.4.1 Purpose.....	30
7.4.2 Measuring conditions.....	30
7.4.3 Measuring method	31

7.4.4 Reporting.....	32
Annex A (informative) Measuring relative photoluminescence contribution from displays	34
A.1 Purpose	34
A.2 Measuring conditions	34
A.3 Measuring the bi-spectral photoluminescence of the display	34
A.4 Determining the relative PL contribution from the display	34
Annex B (informative) Diagnostic for observing display luminance dependence from ambient illumination	37
B.1 Purpose	37
B.2 Measuring method	37
Annex C (informative) Calculation method of daylight colour gamut volume	38
C.1 Purpose	38
C.2 Procedure for calculating the colour gamut volume	38
C.3 Surface subdivision method for CIELAB gamut volume calculation.....	40
C.3.1 Purpose.....	40
C.3.2 Assumptions	40
C.3.3 Algorithm	40
C.3.4 Software example execution	40
Bibliography.....	46
Figure 1 –Example of visual inspection room setup for control of ambient room lighting and reflections	11
Figure 2 –Example of measurement geometries for a uniform hemispherical diffuse illumination condition using an integrating sphere and sampling sphere	13
Figure 3 – Directional source measurement geometry using an isolated source	15
Figure 4 – Directional source measurement geometry using a ring light source.....	15
Figure 5 – Layout diagram of measurement setup.....	16
Figure 6 – Classification of visible defects	17
Figure 7 – Bright subpixel defects	18
Figure 8 – Criteria for classifying bright and dark subpixel defects	19
Figure 9 – Bright and dark line defects.....	19
Figure 10 –Sample image of line mura	20
Figure 11 – Example of spot mura	20
Figure 12 – Setup condition for visual inspection of electro-optical visual defects	22
Figure 13 – Shape of scratch and dent defect	24
Figure 14 –Example of range in colours produced by a given display as represented by the CIELAB colour space	32
Figure A.1 – Scaled bi-spectral photoluminescence response from a display	35
Figure A.2 – Decomposed bi-spectral photoluminescence response from a display.....	35
Figure B.1 – Example of display luminance reduction caused by the high illuminance from a high intensity LED flashlight directed at the display surface	37
Figure C.1 – Analysis flow chart for calculating the colour gamut volume	38
Figure C.2 – Graphical representation of the colour gamut volume for sRGB in the CIELAB colour space	39
Table 1 – Definitions for types of scratch and dent defects	24

Table 2 – Eigenvalues M_1 and M_2 for CIE daylight Illuminants D50 and D75 26

Table 3 – Example of minimum colours required for gamut volume calculation of a 3-
primary 8-bit display 31

Table 4 – Measured tristimulus values for the minimum set of colours (see Table 3)
required for gamut volume calculation under the specified ambient illumination
condition 33

Table 5 – Calculated white point in the darkened room and daylight ambient condition 33

Table 6 – Colour gamut volume in the CIELAB colour space 33

Table C.1 – Tristimulus values of the sRGB primary colours 39

Table C.2 –Example of sRGB colour set represented in the CIELAB colour space 39

Table C.3 –Example of sRGB colour gamut volume in the CIELAB colour space 40

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ORGANIC LIGHT EMITTING DIODE (OLED) DISPLAYS –**Part 6-2: Measuring methods of visual quality and ambient performance****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62341-6-2 has been prepared by IEC technical committee 110: Electronic display devices.

This second edition cancels and replaces the first edition published in 2012. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Contents of 7.4 are changed.
- b) Contents and items of Annex C are changed.
- c) Annex B is added.

The text of this standard is based on the following documents:

FDIS	Report on voting
110/695/FDIS	110/718/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

A list of all parts of the IEC 62341 series, published under the general title *Organic light emitting diode (OLED) displays*, can be found on the IEC website.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

ORGANIC LIGHT EMITTING DIODE (OLED) DISPLAYS –

Part 6-2: Measuring methods of visual quality and ambient performance

1 Scope

This part of IEC 62341 specifies the standard measurement conditions and measurement methods for determining the visual quality and ambient performance of organic light emitting diode (OLED) display modules and panels. This document mainly applies to colour display modules.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary* (available at www.electropedia.org)

IEC 61966-2-1, *Multimedia systems and equipment – Colour measurement and management – Part 2-1: Colour management – Default RGB colour space – sRGB*

IEC 62341-1-2, *Organic light emitting diode (OLED) displays – Part 1-2: Terminology and letter symbols*

CIE 15:2004, *Colorimetry*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-845 and IEC 62341-1-2, as well as the following apply.

3.1.1

visual inspection

means for checking image quality by human visual observation for classification and comparison against limit sample criteria

3.1.2

subpixel defects

all or part of a single subpixel, the minimum colour element, which is visibly brighter or darker than surrounding subpixels of the same colour.

Note 1 to entry: Further classifications of subpixel defects are made depending on the number and configuration of multiple subpixel defects within a region of the display.

Note 2 to entry: For monochromatic displays, the term “dot defect” may be used.