

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS B 0156 : 2015

(JSMA/JSA)

Springs—Symbols

ICS 01.100.20;21.160

Reference number : **JIS B 0156 : 2015 (E)**

B 0156 : 2015

Date of Establishment: 2015-12-21

Date of Public Notice in Official Gazette: 2015-12-21

Investigated by: Japanese Industrial Standards Committee

Standards Board for ISO area

Technical Committee on Machine Elements

JIS B 0156:2015, First English edition published in 2016-04

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2016

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/AT

PROTECTED BY COPYRIGHT

Contents

	Page
Introduction.....	1
1 Scope.....	1
2 Normative references	1
3 Terms and definitions	2
4 Composition of symbol for spring	2
4.1 General.....	2
4.2 Basic characters.....	2
4.3 Subscripts	3
5 Creation of new symbol for springs	3
5.1 General.....	3
5.2 Latin letters and Greek letters for basic characters	3
5.3 Upper case letters and lower case letters for basic characters	4
5.4 Latin letters, Greek letters and Arabic numbers for subscripts	4
5.5 Upper case letters and lower case letters for subscripts	4
6 Basic character and subscript components.....	4
6.1 Basic character components.....	4
6.2 Subscript components	6
7 Application symbols for helical compression spring	7
8 Application symbols for helical extension spring	10
9 Application symbols for helical torsion spring.....	12
10 Application symbols for flat spring.....	16
11 Application symbols for leaf spring	17
Annex A (informative) Index of application symbols	19
Annex JA (informative) Comparison table between JIS and corresponding International Standard	22

Foreword

This translation has been made based on the original Japanese Industrial Standard established by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee according to the proposal for establishment of Japanese Industrial Standard submitted by Japan Spring Manufacturers Association (JSMA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Springs—Symbols

Introduction

This Japanese Industrial Standard has been prepared based on the first edition of **ISO 16249** published in 2013 with some modifications of the technical contents.

The portions given dotted underlines are the matters in which the contents of the corresponding International Standard have been modified. A list of modifications with the explanations is given in Annex JA.

1 Scope

This Standard specifies general principles for the creation of symbols indicating physical quantities, coefficients and parameters for metal springs (hereafter, referred to as “symbol for spring”).

It also specifies the presentation of basic characters, subscripts and application symbols for spring with attention to the technical documentation exchanged between the parties concerned with delivery. The scope of metallic springs in this Standard is the helical compression springs, helical extension springs, helical torsion springs, flat springs and leaf springs.

NOTE : The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 16249:2013 *Springs—Symbols* (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS B 0103 *Springs—Vocabulary*

NOTE : Corresponding International Standard: ISO 26909 *Springs—Vocabulary* (MOD)

JIS Z 8000-1 *Quantities and units—Part 1: General*

NOTE : Corresponding International Standard: ISO 80000-1 *Quantities and units—Part 1: General* (MOD)

JIS Z 8000-4 *Quantities and units—Part 4: Mechanics*

NOTE : Corresponding International Standard: ISO 80000-4 *Quantities and units—Part 4: Mechanics* (IDT)