

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**EMC IC modelling –  
Part 4: Models of integrated circuits for RF immunity behavioural simulation –  
Conducted immunity modelling (ICIM-CI)**

**Modèles de circuits intégrés pour la CEM –  
Partie 4: Modèles de circuits intégrés pour la simulation du comportement  
d'immunité aux radiofréquences – Modélisation de l'immunité conduite (ICIM-CI)**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2016 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### **About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### **IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### **IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### **IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### **IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

---

#### **A propos de l'IEC**

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### **A propos des publications IEC**

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### **Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### **Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### **Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### **Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



---

**EMC IC modelling –  
Part 4: Models of integrated circuits for RF immunity behavioural simulation –  
Conducted immunity modelling (ICIM-CI)**

**Modèles de circuits intégrés pour la CEM –  
Partie 4: Modèles de circuits intégrés pour la simulation du comportement  
d'immunité aux radiofréquences – Modélisation de l'immunité conduite (ICIM-CI)**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 31.200

ISBN 978-2-8322-3417-4

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	7
1 Scope.....	9
2 Normative references.....	9
3 Terms, definitions, abbreviations and conventions.....	10
3.1 Terms and definitions.....	10
3.2 Abbreviations.....	11
3.3 Conventions.....	11
4 Philosophy.....	12
5 ICIM-CI model description.....	12
5.1 General.....	12
5.2 PDN description.....	14
5.3 IBC description.....	15
5.4 IB description.....	16
6 CIML format.....	17
6.1 General.....	17
6.2 CIML structure.....	18
6.3 Global keywords.....	19
6.4 Header section.....	19
6.5 Lead definitions.....	20
6.6 SPICE macro-models.....	21
6.7 Validity section.....	23
6.7.1 General.....	23
6.7.2 Attribute definitions.....	23
6.8 PDN.....	25
6.8.1 General.....	25
6.8.2 Attribute definitions.....	26
6.8.3 PDN for a single-ended input or output.....	29
6.8.4 PDN for a differential input.....	36
6.8.5 PDN multi-port description.....	39
6.9 IBC.....	40
6.9.1 General.....	40
6.9.2 Attribute definitions.....	41
6.10 IB.....	42
6.10.1 General.....	42
6.10.2 Attribute definitions.....	43
6.10.3 Description.....	48
7 Extraction.....	50
7.1 General.....	50
7.2 Environmental extraction constraints.....	50
7.3 PDN extraction.....	51
7.3.1 General.....	51
7.3.2 <i>S-/Z-/Y</i> -parameter measurement.....	51
7.3.3 RFIP technique.....	51
7.4 IB extraction.....	52
7.4.1 General.....	52
7.4.2 Direct RF power injection test method.....	52

7.4.3	RF Injection probe test method.....	54
7.4.4	IB data table .....	55
7.5	IBC .....	56
8	Validation of ICIM-CI hypotheses .....	56
8.1	General.....	56
8.2	Linearity.....	57
8.3	Immunity criteria versus transmitted power .....	58
9	Model usage.....	59
Annex A (normative)	Preliminary definitions for XML representation.....	61
A.1	XML basics .....	61
A.1.1	XML declaration .....	61
A.1.2	Basic elements .....	61
A.1.3	Root element .....	61
A.1.4	Comments .....	62
A.1.5	Line terminations .....	62
A.1.6	Element hierarchy .....	62
A.1.7	Element attributes.....	62
A.2	Keyword requirements.....	62
A.2.1	General .....	62
A.2.2	Keyword characters .....	63
A.2.3	Keyword syntax.....	63
A.2.4	File structure.....	63
A.2.5	Values .....	65
Annex B (informative)	ICIM-CI example with disturbance load.....	68
Annex C (informative)	Conversions between parameter types .....	69
C.1	General.....	69
C.2	Single-ended input or output.....	69
C.3	Differential input or output .....	70
Annex D (informative)	Example of ICIM-CI macro-model in CIML format .....	74
Annex E (normative)	CIML Valid keywords and usage .....	79
E.1	Root element keywords .....	79
E.2	File header keywords .....	79
E.3	<i>Validity</i> section keywords .....	81
E.4	Global keywords .....	81
E.5	<i>Lead</i> keyword.....	82
E.6	<i>Lead_definitions</i> section attributes.....	82
E.7	<i>Macromodels</i> section attributes .....	83
E.8	<i>Pdn</i> section keywords.....	84
E.8.1	<i>Lead</i> element keywords.....	84
E.8.2	<i>Netlist</i> section keywords.....	86
E.9	<i>Ibc</i> section keywords .....	87
E.9.1	<i>Lead</i> element keywords.....	87
E.9.2	<i>Netlist</i> section keywords.....	89
E.10	<i>Ib</i> section keywords.....	89
E.10.1	<i>Lead</i> element keywords.....	89
E.10.2	<i>Max_power_level</i> section keywords .....	91
E.10.3	<i>Voltage</i> section keywords.....	91
E.10.4	<i>Current</i> section keywords .....	93

E.10.5	<i>Power</i> section keywords .....	94
E.10.6	<i>Test_criteria</i> section keywords .....	95
Annex F (informative)	PDN impedance measurement methods using vector network analyzer .....	97
F.1	General.....	97
F.2	Conventional one-port method.....	97
F.3	Two-port method for low impedance measurement.....	97
F.4	Two-port method for high impedance measurement .....	98
Annex G (informative)	RFIP measurement method description .....	99
G.1	General.....	99
G.2	Obtaining immunity parameters .....	99
Annex H (informative)	Immunity simulation with ICIM model based on pass/fail test .....	101
H.1	ICIM-CI macro-model of a voltage regulator IC .....	101
H.1.1	General .....	101
H.1.2	PDN extraction.....	101
H.1.3	IB extraction .....	101
H.1.4	SPICE-compatible macro-model .....	102
H.2	Application level simulation and failure prediction .....	102
Annex I (informative)	Immunity simulation with ICIM model based on non pass/fail test .....	104
Bibliography	.....	106
Figure 1	– Example of ICIM-CI model structure.....	13
Figure 2	– Example of an ICIM-CI model of an electronic board .....	14
Figure 3	– Example of an IBC network.....	16
Figure 4	– ICIM-CI model representation with different blocks.....	16
Figure 5	– CIML inheritance hierarchy .....	18
Figure 6	– Example of a netlist file defining a sub-circuit.....	22
Figure 7	– PDN electrical schematics .....	29
Figure 8	– PDN represented as a one-port black-box.....	29
Figure 9	– PDN represented as S-parameters in Touchstone format .....	32
Figure 10	– PDN represented as two-port S-parameters in Touchstone format .....	33
Figure 11	– Example structure for defining the PDN using circuit elements.....	34
Figure 12	– Example of a single-ended PDN Netlist main circuit definition.....	35
Figure 13	– Example of a single-ended PDN Netlist with both sub-circuit and main circuit definitions.....	35
Figure 14	– Differential input schematic.....	37
Figure 15	– PDN represented as a two-port black-box .....	37
Figure 16	– PDN data format for differential input or output.....	37
Figure 17	– Differential inputs of an operational amplifier example .....	39
Figure 18	– ICIM-CI Model for a 74HC08 component .....	40
Figure 19	– Example IB file obtained from DPI measurement .....	50
Figure 20	– Test setup of the DPI immunity measurement method as specified in IEC 62132-4 .....	52
Figure 21	– Principle of single and multi-pin DPI.....	53
Figure 22	– Electrical representation of the DPI test setup .....	54
Figure 23	– Test setup of the RFIP measurement method derived from the DPI method .....	55

Figure 24 – Example setup used for illustrating ICIM-CI hypotheses .....	57
Figure 25 – Example of linearity assumption validation .....	58
Figure 26 – Example of transmitted power criterion validation .....	59
Figure 27 – Use of the ICIM-CI macro-model for simulation .....	59
Figure A.1 – Multiple XML (CIML) files .....	64
Figure A.2 – XML files with data files (*.dat) .....	64
Figure A.3 – XML files with additional files .....	65
Figure B.1 – ICIM-CI description applied to an oscillator stage for extracting IB.....	68
Figure C.1 – Single-ended DI .....	69
Figure C.2 – Differential DI .....	70
Figure C.3 – Two-port representation of a differential DI .....	70
Figure C.4 – Simulation of common-mode injection on a differential DI based on DPI .....	72
Figure C.5 – Equivalent common-mode input impedance of a differential DI .....	72
Figure C.6 – Determination of transmitted power for a differential DI .....	72
Figure D.1 – Test setup on an example LIN transceiver .....	74
Figure D.2 – PDN data in touchstone format (s2p), data measured using VNA .....	76
Figure D.3 – PDN data of leads 6 (LIN) and 7 (VCC) .....	77
Figure D.4 – IB data in ASCII format (.txt), data measured using DPI method – Injection on VCC pin .....	77
Figure D.5 – IB data for injection on VCC pin.....	78
Figure F.1 – Conventional one-port S-parameter measurement.....	97
Figure F.2 – Two-port method for low impedance measurement.....	98
Figure F.3 – Two-port method for high impedance measurement.....	98
Figure G.1 – Test setup of the RFIP measurement method derived from DPI method .....	99
Figure G.2 – Principle of the RFIP measurement method.....	99
Figure H.1 – Electrical schematic for extracting the voltage regulator’s ICIM-CI.....	101
Figure H.2 – ICIM-CI extraction on the voltage regulator example .....	102
Figure H.3 – Example of a SPICE-compatible ICIM-CI macro-model of the voltage regulator.....	102
Figure H.4 – Example of a board level simulation on the voltage regulator’s ICIM-CI with PCB model and other components including parasitic elements .....	103
Figure H.5 – Incident power as a function of frequency that is required to create a defect with a 10 nF filter.....	103
Figure I.1 – Example of an IB file for a given failure criterion .....	104
Figure I.2 – Comparison of simulated transmitted power and measured immunity behaviour .....	105
Table 1 – Attributes of <i>Lead</i> keyword in the <i>Lead_definitions</i> section .....	20
Table 2 – Compatibility between the <i>Mode</i> and <i>Type</i> fields for correct CIML annotation.....	20
Table 3 – <i>Subckt</i> definition.....	21
Table 4 – Definition of the <i>Validity</i> section .....	23
Table 5 – Definition of the <i>Lead</i> keyword for <i>Pdn</i> section .....	25
Table 6 – Valid data formats and their default units in the <i>Pdn</i> section .....	28
Table 7 – Valid file extensions in the <i>Pdn</i> section .....	28
Table 8 – Valid fields of the <i>Lead</i> keyword for single-ended PDN .....	30

Table 9 – <i>Netlist</i> definition.....	34
Table 10 – Valid fields of the <i>Lead</i> keyword for differential PDN.....	38
Table 11 – Differences between the <i>Pdn</i> and <i>Ibc</i> section fields .....	41
Table 12 – Valid fields of the <i>Lead</i> keyword for IBC definition .....	42
Table 13 – Definition of the <i>Lead</i> keyword in <i>Ib</i> section.....	43
Table 14 – <i>Max_power_level</i> definition .....	44
Table 15 – <i>Voltage</i> , <i>Current</i> and <i>Power</i> definition .....	45
Table 16 – <i>Test_criteria</i> definition .....	45
Table 17 – Default values of <i>Unit_voltage</i> , <i>Unit_current</i> and <i>Unit_power</i> tags as a function of data format .....	48
Table 18 – Valid file extensions in the <i>Ib</i> section.....	48
Table 19 – Example of IB table pass/fail criteria .....	56
Table A.1 – Valid logarithmic units .....	66
Table C.1 – Single-ended parameter conversion.....	70
Table C.2 – Differential parameter conversion .....	71
Table C.3 – Power calculation .....	73
Table E.1 – Root element keywords .....	79
Table E.2 – <i>Header</i> section keywords.....	80
Table E.3 – <i>Validity</i> section keywords .....	81
Table E.4 – Global keywords.....	82
Table E.5 – <i>Lead</i> element definition .....	82
Table E.6 – <i>Lead_definitions</i> section keywords.....	83
Table E.7 – <i>Macromodels</i> section keywords .....	83
Table E.8 – <i>Lead</i> element keywords in the <i>Pdn</i> section.....	84
Table E.9 – <i>Netlist</i> section keywords .....	87
Table E.10 – <i>Lead</i> element keywords in the <i>Ibc</i> section .....	87
Table E.11 – <i>Lead</i> element keywords in the <i>Ib</i> section.....	90
Table E.12 – <i>Max_power_level</i> section keywords .....	91
Table E.13 – <i>Voltage</i> section keywords .....	92
Table E.14 – <i>Current</i> section keywords .....	93
Table E.15 – <i>Power</i> section keywords .....	94
Table E.16 – <i>Test_criteria</i> section keywords.....	96

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## EMC IC MODELLING –

**Part 4: Models of integrated circuits for RF immunity behavioural simulation – Conducted immunity modelling (ICIM-CI)**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62433-4 has been prepared by subcommittee 47A: Integrated circuits, of IEC technical committee 47: Semiconductor devices.

The text of this standard is based on the following documents:

FDIS	Report on voting
47A/988/FDIS	47A/989/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## EMC IC MODELLING –

### Part 4: Models of integrated circuits for RF immunity behavioural simulation – Conducted immunity modelling (ICIM-CI)

#### 1 Scope

This part of IEC 62433 specifies a flow for deriving a macro-model to allow the simulation of the conducted immunity levels of an integrated circuit (IC). This model is commonly called Integrated Circuit Immunity Model – Conducted Immunity, ICIM-CI. It is intended to be used for predicting the levels of immunity to conducted RF disturbances applied on IC pins.

In order to evaluate the immunity threshold of an electronic device, this macro-model will be inserted in an electrical circuit simulation tool.

This macro-model can be used to model both analogue and digital ICs (input/output, digital core and supply). This macro-model does not take into account the non-linear effects of the IC.

The added value of ICIM-CI is that it could also be used for immunity prediction at board and system level through simulations.

This part of IEC 62433 has two main parts:

- the electrical description of ICIM-CI macro-model elements;
- a universal data exchange format called CIML based on XML. This format allows ICIM-CI to be encoded in a more useable and generic form for immunity simulation.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62132-1, *Integrated circuits – Measurement of electromagnetic immunity – Part 1: General conditions and definitions*

IEC 62132-4, *Integrated circuits – Measurement of electromagnetic immunity 150 kHz to 1 GHz – Part 4: Direct RF power injection method*

IEC 62433-2, *EMC IC modelling – Part 2: Models of integrated circuits for EMI behavioural simulation – Conducted emissions modelling (ICEM-CE)*

ISO 8879: 1986, *Information processing – Text and office systems – Standard Generalized Markup Language (SGML)*

ISO/IEC 646: 1991, *Information technology – ISO 7-bit coded character set for information interchange (7-Bit ASCII)*

CISPR 17, *Methods of measurement of the suppression characteristics of passive EMC filtering devices*