

*Institute of Environmental Sciences and Technology*

## **IEST-RP-NANO205.1**

Contamination Control Division, Nanotechnology Committee  
Recommended Practice 205.1

# **Nanotechnology Safety: Application of *Prevention* *through Design* Principles to Nanotechnology Facilities**



Arlington Place One  
2340 S. Arlington Heights Road, Suite 620  
Arlington Heights, IL 60005-4510  
Phone: (847) 981-0100 • Fax: (847) 981-4130  
E-mail: [information@iest.org](mailto:information@iest.org) • Web: [www.iest.org](http://www.iest.org)

---

This Recommended Practice was prepared by and is under the jurisdiction of Working Group 205 of the IEST Contamination Control Division Standards & Practices Committee on Nanotechnology (WG-NANO205). The following WG voting members contributed to the development of this edition of this Recommended Practice.

John Weaver, Purdue University, Birck Nanotechnology Center  
WG-NANO205 Chair

Hal Amick, Colin Gordon Associates

Roger Diener, Analog Devices, Inc.

Anne Marie Dixon, Cleanroom Management Associates, Inc.

David S. Ensor

Matthew S. Hull, Virginia Tech

Gary W. Knoth, GWK Consulting, LLC

Ricky Meyer, Superior Laboratory Services, Inc.

Ahmad Soueid, AIA, HDR Architecture, Inc.

David C. Swinehart, Consultant

The Working Group also wishes to acknowledge the contributions of members who prefer to remain anonymous.

Copyright © 2016 by the Institute of Environmental Sciences and Technology

First printing, July 2016

ISBN: 978-1-937280-30-7 (Print format)

ISBN: 978-1-937280-31-4 (Electronic format)

**PROPOSAL FOR IMPROVEMENT:** The Working Groups of the Institute of Environmental Sciences and Technology are continually working on improvements to their Recommended Practices and Reference Documents. Suggestions from users of these documents are welcome. If you have a suggestion regarding this document, please use the online Proposal for Improvement form found on the IEST website at [www.iest.org](http://www.iest.org).

Institute of Environmental Sciences and Technology  
Arlington Place One  
2340 S. Arlington Heights Road, Suite 620  
Arlington Heights, IL 60005-4510  
Phone: (847) 981-0100 • Fax: (847) 981-4130  
E-mail: [information@iest.org](mailto:information@iest.org) • Web: [www.iest.org](http://www.iest.org)

---

**NOTICE AND DISCLAIMER:** This Recommended Practice is published by the Institute of Environmental Sciences and Technology (IEST) to advance the technical and engineering sciences. Use of this document is entirely voluntary, and determination of its applicability and suitability for any particular use is solely the responsibility of the user. Use of this Recommended Practice does not imply any warranty or endorsement by IEST.

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among all persons participating in the development of this document.

IEST standards, recommended practices, and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and seeks out the views of persons who have an interest in the topic covered by this publication. While IEST administers the process to promote fairness in the development of consensus, the organization does not write the document and does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in IEST standards, recommended practices, and guideline publications.

IEST disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. IEST disclaims and makes no guaranty or warranty, express or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of the particular purposes or needs of users of the document. IEST does not guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, IEST is not undertaking to render professional or other services for or on behalf of any person or entity, nor is IEST undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

IEST has no power, nor does it undertake to police or enforce compliance with the contents of this document. IEST does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to IEST and is solely the responsibility of the certifier or maker of the statement.

---

# Nanotechnology Safety: Application of *Prevention through Design* Principles to Nanotechnology Facilities

## IEST-RP-NANO205.1

### CONTENTS

#### SECTION

1	SCOPE AND LIMITATIONS .....	5
2	REFERENCES.....	6
3	TERMS AND DEFINITIONS .....	12
4	INTRODUCTION.....	13
5	PLANNING FOR ENVIRONMENTAL HEALTH AND SAFETY.....	15
6	HAZARDOUS MATERIAL SAFETY PRACTICES.....	24
7	SAFE HANDLING OF NANOMATERIALS .....	30
8	EQUIPMENT AND PROCESSING CONTROLS .....	34
9	WASTE MANAGEMENT .....	37
10	BUILDING SYSTEMS.....	38
11	EMERGENCY SITUATIONS.....	40
12	SAFETY TRAINING ADMINISTRATION .....	41

#### APPENDIXES

A	COMMON NANOTECHNOLOGY VOCABULARY AND DEFINITIONS.....	44
B	BIBLIOGRAPHY .....	47

# **Nanotechnology Safety: Application of *Prevention through Design* Principles to Nanotechnology Facilities**

## **IEST-RP-NANO205.1**

### **1 SCOPE AND LIMITATIONS**

#### **1.1 Scope**

This Recommended Practice (RP) provides facility design information intended to minimize risks for personnel associated with nanotechnology research and production. Using “Prevention through Design” principles disseminated by the National Institute for Occupational Safety and Health (NIOSH), issues related to incoming materials, products, processes, and byproducts are addressed and methods of risk mitigation suggested [NIOSH (2011a)]. Facility design and response systems for conditions including normal operation, external emergency, and internal emergency are described. Information is provided to assist in the development of an effective nanotechnology environmental health and safety program. This document is useful to all those involved in facilities that develop or use nanomaterials.

This Recommended Practice (RP) is intended to complement IEST-RP-NANO200: *Planning of Nanoscale Science and Technologies Facilities: Guidelines for Design, Construction, and Start-up*.

#### **1.2 Limitations**

**CAUTION:** Use of this RP is voluntary. It is the responsibility of the user to establish appropriate safety, security, and health practices and to determine the applicability of regulatory limitations prior to use of this RP. It is beyond the scope of this RP to cover all of the potential safety issues associated with the design and operation of nanotechnology facilities. Relevant safety standards, national and local regulations, and building codes must be consulted in designing facilities and developing safety plans and training programs.

Additionally, the following limitations apply:

1. This RP does NOT address toxicity and other hazards of specific nanomaterials. Use of this RP is limited to the design principles that prevent exposure to hazardous and potentially hazardous materials. This RP is intended to work in parallel with guidance documents for determining hazard levels for nanomaterials.
2. This RP is limited to operational issues as they apply to the design of the facility. A subsequent document will address specific operational safety practices.
3. This RP does not address animal facilities.
4. Fugitive emissions from a process or a delivery system of airborne molecular contaminants (AMCs) and surface molecular contaminants (SMCs) are not addressed within this RP. This RP does not address safety implications of AMCs and SMCs. However, such emissions and safety implications should be considered in any facility.
5. This RP does not address ambient nanomaterials. However, ambient nanomaterials may need to be considered in the overall internal environment of the facility and in the overall risk assessment of the facility operation.