

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Railway applications – Fixed installations – Electric traction – Copper and copper alloy grooved contact wires**

**Applications ferroviaires – Installations fixes – Traction électrique – Fils de contact rainurés en cuivre et en cuivre allié**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2016 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### **About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### **IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### **IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### **IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### **IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

---

#### **A propos de l'IEC**

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### **A propos des publications IEC**

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### **Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### **Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### **Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### **Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



---

**Railway applications – Fixed installations – Electric traction – Copper and copper alloy grooved contact wires**

**Applications ferroviaires – Installations fixes – Traction électrique – Fils de contact rainurés en cuivre et en cuivre allié**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 45.060.01

ISBN 978-2-8322-3625-3

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

|  |    |
|--|----|
| FOREWORD.....  | 5  |
| 1 Scope.....   | 7  |
| 2 Normative references .....   | 7  |
| 3 Terms and definitions .....  | 7  |
| 4 Characteristics of contact wires .....                                     | 8  |
| 4.1 Contact wire designation system.....                                     | 8  |
| 4.2 Material designation.....  | 8  |
| 4.3 Appearance and condition.....  | 8  |
| 4.4 Identification .....   | 9  |
| 4.4.1 General requirements .....   | 9  |
| 4.4.2 Normal and high strength copper (Cu-ETP, Cu-FRHC, Cu-HCP, Cu-OF) ..... | 9  |
| 4.4.3 Copper-silver alloy (CuAg 0,1).....                                    | 9  |
| 4.4.4 Copper-cadmium alloy (CuCd 0,7, CuCd 1,0) .....                        | 9  |
| 4.4.5 Copper-magnesium alloy (CuMg 0,2, CuMg 0,5) .....                      | 10 |
| 4.4.6 Copper-tin alloy (CuSn 0,2) .....                                      | 10 |
| 4.5 Configuration, profile and cross-sections .....                          | 11 |
| 4.5.1 Clamping grooves.....  | 11 |
| 4.5.2 Cross-sectional areas .....  | 11 |
| 4.5.3 Profiles .....   | 11 |
| 4.5.4 Configurations .....   | 11 |
| 4.6 Electrical properties .....  | 12 |
| 4.6.1 Resistivity.....   | 12 |
| 4.6.2 Resistance per kilometre .....   | 12 |
| 4.7 Mechanical properties.....   | 13 |
| 4.7.1 Tensile strength and percentage elongation after fracture.....         | 13 |
| 4.7.2 Additional requirements .....  | 13 |
| 4.7.3 Microwaves on longitudinal axis of contact wire .....                  | 13 |
| 4.8 Jointing feed stock.....   | 14 |
| 5 Testing of contact wires.....  | 17 |
| 5.1 Material composition .....   | 17 |
| 5.2 Appearance and condition.....  | 17 |
| 5.3 Profiles and dimensions .....  | 17 |
| 5.4 Electrical properties .....  | 17 |
| 5.5 Mechanical properties.....   | 17 |
| 5.5.1 Breaking load and percentage elongation after fracture .....           | 17 |
| 5.5.2 Reverse bend test .....  | 18 |
| 5.5.3 Torsional strength test .....  | 20 |
| 5.5.4 Winding property test.....   | 20 |
| 5.5.5 Microwaves on longitudinal axis of the contact wire .....              | 20 |
| 5.6 Mass per unit length .....   | 21 |
| 5.7 Jointing of wire .....   | 21 |
| 5.8 Integrity of contact wire.....   | 21 |
| 5.9 Type of tests .....  | 21 |
| 6 Ordering and delivery conditions .....                                     | 22 |
| 6.1 Conditions and specification of the order .....                          | 22 |
| 6.2 Packaging.....   | 23 |

|              |  |    |
|--------------|--|----|
| 6.3          | Tolerance on contact wire length .....   | 23 |
| 6.4          | Contact wire drum markings.....  | 23 |
| 7            | Verification of compliance.....  | 23 |
| 7.1          | Certification of compliance and test results .....   | 23 |
| 7.2          | Selection of samples and tests by supplier.....  | 23 |
| 7.3          | Inspection by purchaser .....  | 24 |
| Annex A      | (normative) Standardised configurations .....  | 25 |
| Annex B      | (informative) Common alloy compositions and designations.....  | 28 |
| Annex C      | (informative) Physical properties.....   | 29 |
| C.1          | Electrical resistance per kilometre.....   | 29 |
| C.2          | Minimum breaking load .....  | 30 |
| C.3          | Tolerance on diameter and cross-sectional area .....   | 30 |
| C.4          | Mass per kilometre of the contact wire .....   | 30 |
| C.5          | Contact wire coefficients .....  | 31 |
| C.6          | Calculating the cross-sectional area of contact wire .....   | 32 |
| Annex D      | (informative) A-deviations .....   | 33 |
| Annex E      | (informative) Special national conditions .....  | 34 |
| E.1          | General.....   | 34 |
| E.2          | United Kingdom .....   | 34 |
| E.3          | Austria .....  | 34 |
| E.4          | Japan.....   | 36 |
| E.5          | Russia .....   | 40 |
| E.6          | China .....  | 44 |
| Bibliography | .....  | 48 |
| Figure 1     | – Description of identification groove .....   | 9  |
| Figure 2     | – Two identification grooves (CuAg).....   | 10 |
| Figure 3     | – One identification groove (CuCd) .....   | 10 |
| Figure 4     | – Three identification grooves (CuMg).....   | 10 |
| Figure 5     | – One offset identification groove (CuSn) .....  | 11 |
| Figure 6     | – Clamping groove types A and B .....  | 11 |
| Figure 7     | – Limit on microwaves in the contact wire .....  | 14 |
| Figure 8     | – Reverse bend test – Test rig .....   | 19 |
| Figure 9     | – Reverse bend test – Method.....  | 20 |
| Figure A.1   | – Contact wire shape AC .....  | 25 |
| Figure A.2   | – Contact wire shape BC .....  | 26 |
| Figure A.3   | – Contact wire shape BF.....   | 27 |
| Figure E.1   | – Clamping groove type in Austria .....  | 35 |
| Figure E.2   | – Configurations of CF-100 and CF-120 contact wire in Austria .....  | 36 |
| Figure E.3   | – Identification grooves of contact wires in Japan (Copper-tin 0,3 % alloy) .....                                | 37 |
| Figure E.4   | – Clamping grooves of contact wires in Japan .....   | 37 |
| Figure E.5   | – Configurations of contact wires in Japan.....  | 38 |
| Figure E.6   | – Identification grooves of contact wires of type M (a), type M* (b), type Br2 (c), type Br1 (d) in Russia ..... | 41 |
| Figure E.7   | – Clamping grooves and configuration of contact wire circular profile in Russia .....                            | 42 |

|   |    |
|---|----|
| Figure E.8 – Clamping grooves and configuration of contact wire oval profile in Russia .....                                    | 43 |
| Figure E.9 – Cross-section and identification grooves in China .....  | 45 |
| Table 1 – Configurations and cross-sections for types A and B .....   | 12 |
| Table 2 – Maximum resistivity and minimum conductivity .....  | 12 |
| Table 3 – Maximum resistance per kilometre depending on material .....  | 13 |
| Table 4 – Tensile strength and percentage elongation after fracture .....   | 15 |
| Table 5 – Minimum breaking loads depending on material and cross-section .....  | 16 |
| Table 6 – Contact wire tests.....   | 22 |
| Table 7 – Guide for the selection of samples .....  | 24 |
| Table A.1 – Dimensions for contact wire shape AC .....  | 25 |
| Table A.2 – Dimensions for contact wire shape BC .....  | 26 |
| Table A.3 – Dimensions for contact wire shape BF .....  | 27 |
| Table B.1 – Some possible material compositions and designations .....  | 28 |
| Table C.1 – Maximum electrical resistance per kilometre depending on conductivity<br>and nominal cross-section (examples) ..... | 29 |
| Table C.2 – Minimum breaking loads depending on tensile strength and nominal<br>cross-section (examples) .....                  | 30 |
| Table C.3 – Contact wire mass .....   | 31 |
| Table E.1 – Dimensions of identification grooves in Japan .....   | 37 |
| Table E.2 – Dimensions of clamping grooves in Japan.....  | 38 |
| Table E.3 – Designations of contact wires in Japan .....  | 38 |
| Table E.4 – Dimensions of contact wires in Japan .....  | 39 |
| Table E.5 – Mechanical properties of contact wires in Japan .....   | 39 |
| Table E.6 – Mass of contact wires in Japan .....  | 40 |
| Table E.7 – Dimensions and mass per unit length of contact wires in Russia .....  | 43 |
| Table E.8 – Mechanical and electrical properties for contact wires of type M in Russia .....                                    | 44 |
| Table E.9 – Mechanical and electrical properties for contact wires of types Br1, Br2 in<br>Russia .....                         | 44 |
| Table E.10 – Gauge, dimensions, angle and referenced mass per unit length in China .....  | 45 |
| Table E.11 – Designations of contact wires in China .....   | 46 |
| Table E.12 – Mechanical properties of contact wires in China .....  | 46 |

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RAILWAY APPLICATIONS – FIXED INSTALLATIONS – ELECTRIC  
TRACTION – COPPER AND COPPER ALLOY GROOVED CONTACT WIRES**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62917 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

This first edition is based on European standard EN 50149:2012.

The main technical changes with regard to EN 50149:2012 are as follows:

- extended range of cross-sections,
- changed terms and definitions,
- additional electrical and mechanical properties,
- additional special national conditions,
- for grooved contact wires.

The text of this standard is based on the following documents:

| FDIS        | Report on voting |
|-------------|------------------|
| 9/2191/FDIS | 9/2202/RVD       |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

# RAILWAY APPLICATIONS – FIXED INSTALLATIONS – ELECTRIC TRACTION – COPPER AND COPPER ALLOY GROOVED CONTACT WIRES

## 1 Scope

This International Standard specifies the characteristics of copper and copper alloy grooved contact wires of cross-sections from 70 mm<sup>2</sup> to 170 mm<sup>2</sup> for use on overhead contact lines.

It establishes the product characteristics, the test methods, checking procedures to be used with the contact wires, together with the ordering and delivery condition.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60468:1974, *Method of measurement of resistivity of metallic materials*

ISO 6892-1, *Metallic materials – Tensile testing – Part 1: Method of test at room temperature*

ISO 7801:1984, *Metallic materials – Wire – Reverse bend test*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

### 3.1

#### **feed stock**

wire of a shape, whose cross-section is generally larger than the grooved wire cross-section, from which the contact wire is then drawn and/or rolled

### 3.2

#### **sideways-coiled contact wire**

contact wire coiled with vertical axis parallel or in an angle to the axis of the drum

### 3.3

#### **perpendicularly coiled contact wire**

contact wire coiled with the vertical axis perpendicular to the axis of the drum facing the drum with the bottom arc

### 3.4

#### **joint**

connection between feed stock wires before cold drawing

### 3.5

#### **joint area**

area of the contact wire influenced by a joint