

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS S 2006 : 2016

(JVBA/JSA)

Vacuum bottles

ICS 97.040.50

Reference number : **JIS S 2006 : 2016 (E)**

S 2006 : 2016

Date of Establishment: 1953-11-07

Date of Revision: 2016-01-20

Date of Public Notice in Official Gazette: 2016-01-20

Investigated by: Japanese Industrial Standards Committee

Standards Board for ISO area

Technical Committee on Consumer Life Products

JIS S 2006:2016, First English edition published in 2016-11

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2016

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

HT/AT

PROTECTED BY COPYRIGHT

Contents

	Page
1	Scope 1
2	Normative references 1
3	Terms and definitions 1
4	Classification 3
4.1	Classification of glass vacuum bottles 3
4.2	Classification of stainless steel vacuum bottles 3
5	Names of principal parts 4
5.1	Names of principal parts of glass vacuum bottles 4
5.2	Names of principal parts of stainless steel vacuum bottles 6
6	Performance 9
6.1	Performance in use 9
6.2	Quality performance 9
7	Construction 13
7.1	General requirements 13
7.2	Type-specific requirements 13
8	Appearance 14
9	Material 14
10	Test methods 15
10.1	General test conditions 15
10.2	Rounding of numbers 16
10.3	Odour of stopper and taste of hot water contained 16
10.4	Heat/cold insulation effect 16
10.5	Impact resistance 16
10.6	Adhesion of print coating 18
10.7	Plating on steel substrate 19
10.8	Plating on plastic 19
10.9	Hot water resistance of packing and other rubber products 19
10.10	Capacity 20
10.11	Overturn angle 20
10.12	Fixing strength of the handle and the hanger 20
10.13	Outflow due to overturn 20
10.14	Accidental discharge 20
10.15	Durability of pouring mechanism 20
10.16	Hot water leakage and cold water leakage 21
10.17	Fitting engagement of inner stopper 22

10.18	Strength of shoulder strap	22
10.19	Colour fastness of the bag and the shoulder strap	22
10.20	Alkali elution test	22
11	Inspection method	23
11.1	Type inspection	23
11.2	Product inspection	23
11.3	Inspection record	23
12	Marking	24
13	Instructions for use	24

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Vacuum Bottle Association (JVBA)/ Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently, **JIS S 2006:2009** is replaced with this Standard, and **JIS S 2053:2009** has been withdrawn and replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Vacuum bottles

1 Scope

This Japanese Industrial Standard specifies the vacuum bottles comprising a double-wall vacuum glass vessel (hereafter referred to as “inner bottle”), and vacuum bottles comprising a double-wall vacuum stainless steel vessel (hereafter referred to as “vessel”), which are mainly intended for heat and cold insulation of beverages (hereafter referred to as “glass vacuum bottles” and “stainless steel vacuum bottles”, respectively).

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS G 3141 *Cold-reduced carbon steel sheet and strip*

JIS G 3303 *Tinplate and blackplate*

JIS G 4305 *Cold-rolled stainless steel plate, sheet and strip*

JIS H 3100 *Copper and copper alloy sheets, plates and strips*

JIS H 4000 *Aluminium and aluminium alloy sheets, strips and plates*

JIS H 8617 *Electroplated coatings of nickel and chromium*

JIS K 6718-1 *Plastics—Poly(methyl methacrylate) sheets—Types, dimensions and characteristics—Part 1: Cast sheets*

JIS K 6718-2 *Plastics—Poly(methyl methacrylate) sheets—Types, dimensions and characteristics—Part 2: Extruded sheets*

JIS K 6744 *Polyvinyl chloride prepainted and laminated metal sheet and strip*

JIS L 0803 *Standard adjacent fabrics for staining of colour fastness test*

JIS L 0848 *Test method for colour fastness to perspiration*

JIS R 3502 *Test method of glass apparatus for chemical analysis*

JIS S 2010 *Aluminium cookwares*

JIS S 2029 *Plastics table wares*

JIS Z 1522 *Pressure sensitive adhesive cellophane tapes*

JIS Z 8401 *Guide to the rounding of numbers*

JIS Z 8703 *Standard atmospheric conditions for testing*

3 Terms and definitions

For the purpose of this Standard, the following terms and definitions apply.