

FINAL VERSION

VERSION FINALE



**Safety requirements for electrical equipment for measurement, control, and laboratory use –
Part 1: General requirements**

**Règles de sécurité pour appareils électriques de mesurage, de régulation et de laboratoire –
Partie 1: Exigences générales**

**SAFETY REQUIREMENTS FOR ELECTRICAL EQUIPMENT
FOR MEASUREMENT, CONTROL, AND LABORATORY USE –**

Part 1: General requirements

INTERPRETATION SHEET 1

This interpretation sheet has been prepared by IEC technical committee 66: Safety of measuring, control and laboratory equipment.

The text of this interpretation sheet is based on the following documents:

ISH	Report on voting
66/497A/ISH	66/505/RVD

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

IEC 61010-1:2010 contains a requirement in 6.8.3.1 pertaining to voltage testers for type tests as follows:

“The generator shall be able to supply a power of at least 500 VA.”

This has given rise to the following questions:

How does one interpret the requirement for voltage testers in 6.8.3.1 of IEC 61010-1:2010? Specifically, this subclause requires that “The generator shall be able to supply a power of at least 500 VA.” Does this requirement apply throughout the rated output range of the voltage tester? What is meant by the word “generator”? Is the “generator” the power supply within the voltage tester, or the voltage tester output, or something else?

Interpretation:

“A voltage tester used for type tests must be able to deliver at least 500 VA at its full-rated output voltage. It does not necessarily need to deliver 500 VA if set for lower voltages.

For example, a voltage tester that can deliver 100 mA at any test output voltage up to 5 000 V (and a current corresponding to 500 VA above 5 000 V) would meet the requirement.

The requirements for voltage testers used for routine (production line) tests are included in Annex F. The requirements of 6.8.3.1 do not apply to these voltage testers.”

CONTENTS

FOREWORD.....	10
INTRODUCTION.....	13
1 Scope and object.....	14
1.1 Scope.....	14
1.1.1 Equipment included in scope	14
1.1.2 Equipment excluded from scope	14
1.1.3 Computing equipment.....	15
1.2 Object	15
1.2.1 Aspects included in scope	15
1.2.2 Aspects excluded from scope	15
1.3 Verification	16
1.4 Environmental conditions	16
1.4.1 Normal environmental conditions	16
1.4.2 Extended environmental conditions	16
2 Normative references	16
3 Terms and definitions	19
3.1 Equipment and states of equipment.....	19
3.2 Parts and accessories	19
3.3 Quantities.....	20
3.4 Tests.....	20
3.5 Safety terms.....	21
3.6 Insulation	22
4 Tests.....	23
4.1 General.....	23
4.2 Sequence of tests	24
4.3 Reference test conditions	24
4.3.1 Environmental conditions.....	24
4.3.2 State of equipment	24
4.4 Testing in SINGLE FAULT CONDITION	26
4.4.1 General	26
4.4.2 Application of fault conditions	26
4.4.3 Duration of tests	29
4.4.4 Conformity after application of fault conditions.....	29
5 Marking and documentation.....	30
5.1 Marking.....	30
5.1.1 General	30
5.1.2 Identification.....	30
5.1.3 MAINS supply	31
5.1.4 Fuses	32
5.1.5 TERMINALS, connections and operating devices.....	33
5.1.6 Switches and circuit-breakers	33
5.1.7 Equipment protected by DOUBLE INSULATION or REINFORCED INSULATION.....	34
5.1.8 Field-wiring TERMINAL boxes	34
5.2 Warning markings	34
5.3 Durability of markings.....	35

5.4	Documentation	35
5.4.1	General	35
5.4.2	Equipment RATINGS	35
5.4.3	Equipment installation	36
5.4.4	Equipment operation	36
5.4.5	Equipment maintenance and service	37
5.4.6	Integration into systems or effects resulting from special conditions	37
6	Protection against electric shock	38
6.1	General	38
6.1.1	Requirements	38
6.1.2	Exceptions	38
6.2	Determination of ACCESSIBLE parts	38
6.2.1	General	38
6.2.2	Examination	39
6.2.3	Openings above parts that are HAZARDOUS LIVE	39
6.2.4	Openings for pre-set controls	39
6.3	Limit values for ACCESSIBLE parts	40
6.3.1	Levels in NORMAL CONDITION	40
6.3.2	Levels in SINGLE FAULT CONDITION	40
6.4	Primary means of protection	43
6.4.1	General	43
6.4.2	ENCLOSURES and PROTECTIVE BARRIERS	43
6.4.3	BASIC INSULATION	43
6.4.4	Impedance	43
6.5	Additional means of protection in case of SINGLE FAULT CONDITIONS	43
6.5.1	General	43
6.5.2	PROTECTIVE BONDING	44
6.5.3	SUPPLEMENTARY INSULATION and REINFORCED INSULATION	47
6.5.4	PROTECTIVE IMPEDANCE	48
6.5.5	Automatic disconnection of the supply	48
6.5.6	Current- or voltage-limiting device	48
6.6	Connections to external circuits	48
6.6.1	General	48
6.6.2	TERMINALS for external circuits	49
6.6.3	Circuits with TERMINALS which are HAZARDOUS LIVE	49
6.6.4	TERMINALS for stranded conductors	49
6.7	Insulation requirements	50
6.7.1	The nature of insulation	50
6.7.2	Insulation for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II with a nominal supply voltage up to 300 V	52
6.7.3	Insulation for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V	56
6.8	Procedure for voltage tests	62
6.8.1	General	62
6.8.2	Humidity preconditioning	63
6.8.3	Test procedures	64
6.9	Constructional requirements for protection against electric shock	65
6.9.1	General	65
6.9.2	Insulating materials	65

6.9.3	Colour coding	65
6.10	Connection to the MAINS supply source and connections between parts of equipment	65
6.10.1	MAINS supply cords	65
6.10.2	Fitting of non-detachable MAINS supply cords	66
6.10.3	Plugs and connectors	68
6.11	Disconnection from supply source	68
6.11.1	General	68
6.11.2	Exceptions	68
6.11.3	Requirements according to type of equipment	69
6.11.4	Disconnecting devices	69
7	Protection against mechanical HAZARDS	70
7.1	General	70
7.2	Sharp edges	70
7.3	Moving parts	70
7.3.1	General	70
7.3.2	Exceptions	71
7.3.3	RISK assessment for mechanical HAZARDS to body parts	71
7.3.4	Limitation of force and pressure	72
7.3.5	Gap limitations between moving parts	73
7.4	Stability	75
7.5	Provisions for lifting and carrying	76
7.5.1	General	76
7.5.2	Handles and grips	76
7.5.3	Lifting devices and supporting parts	76
7.6	Wall mounting	76
7.7	Expelled parts	77
8	Resistance to mechanical stresses	77
8.1	General	77
8.2	ENCLOSURE rigidity tests	78
8.2.1	Static test	78
8.2.2	Impact test	78
8.3	Drop test	79
8.3.1	Equipment other than HAND-HELD EQUIPMENT and DIRECT PLUG-IN EQUIPMENT	79
8.3.2	HAND-HELD EQUIPMENT and DIRECT PLUG-IN EQUIPMENT	80
9	Protection against the spread of fire	80
9.1	General	80
9.2	Eliminating or reducing the sources of ignition within the equipment	82
9.3	Containment of fire within the equipment, should it occur	82
9.3.1	General	82
9.3.2	Constructional requirements	82
9.4	Limited-energy circuit	85
9.5	Requirements for equipment containing or using flammable liquids	86
9.6	Overcurrent protection	86
9.6.1	General	86
9.6.2	PERMANENTLY CONNECTED EQUIPMENT	87
9.6.3	Other equipment	87
10	Equipment temperature limits and resistance to heat	87

10.1	Surface temperature limits for protection against burns	87
10.2	Temperatures of windings	88
10.3	Other temperature measurements	88
10.4	Conduct of temperature tests	89
10.4.1	General	89
10.4.2	Temperature measurement of heating equipment	89
10.4.3	Equipment intended for installation in a cabinet or a wall	89
10.5	Resistance to heat	90
10.5.1	Integrity of CLEARANCES and CREEPAGE DISTANCES	90
10.5.2	Non-metallic ENCLOSURES	90
10.5.3	Insulating material	90
11	Protection against HAZARDS from fluids and solid foreign objects	91
11.1	General	91
11.2	Cleaning	91
11.3	Spillage	92
11.4	Overflow	92
11.5	Battery electrolyte	92
11.6	Equipment RATED with a degree of ingress protection (IP code)	92
11.6.1	General	92
11.6.2	Conditions for testing	93
11.6.3	Protection against solid foreign objects (including dust)	93
11.6.4	Protection against water	93
11.7	Fluid pressure and leakage	94
11.7.1	Maximum pressure	94
11.7.2	Leakage and rupture at high pressure	94
11.7.3	Leakage from low-pressure parts	95
11.7.4	Overpressure safety device	95
12	Protection against radiation, including laser sources, and against sonic and ultrasonic pressure	96
12.1	General	96
12.2	Equipment producing ionizing radiation	96
12.2.1	Ionizing radiation	96
12.2.2	Accelerated electrons	97
12.3	Optical radiation	97
12.4	Microwave radiation	98
12.5	Sonic and ultrasonic pressure	98
12.5.1	Sound level	98
12.5.2	Ultrasonic pressure	99
12.6	Laser sources	99
13	Protection against liberated gases and substances, explosion and implosion	100
13.1	Poisonous and injurious gases and substances	100
13.2	Explosion and implosion	100
13.2.1	Components	100
13.2.2	Batteries and battery charging	100
13.2.3	Implosion of cathode ray tubes	101
14	Components and subassemblies	101
14.1	General	101
14.2	Motors	102
14.2.1	Motor temperatures	102

14.2.2	Series excitation motors	102
14.3	Overtemperature protection devices	103
14.4	Fuse holders	103
14.5	MAINS voltage selection devices	103
14.6	MAINS transformers tested outside equipment.....	103
14.7	Printed wiring boards.....	104
14.8	Circuits used to limit TRANSIENT OVERVOLTAGES.....	104
15	Protection by interlocks	105
15.1	General	105
15.2	Prevention of reactivating.....	105
15.3	Reliability	105
16	HAZARDS resulting from application.....	105
16.1	REASONABLY FORESEEABLE MISUSE.....	105
16.2	Ergonomic aspects	105
17	RISK assessment	106
Annex A (normative)	Measuring circuits for touch current (see 6.3).....	107
Annex B (normative)	Standard test fingers (see 6.2)	110
Annex C (normative)	Measurement of CLEARANCES and CREEPAGE DISTANCES	112
Annex D (normative)	Parts between which insulation requirements are specified (see 6.4 and 6.5.3)	116
Annex E (informative)	Guideline for reduction of POLLUTION DEGREES	119
Annex F (normative)	ROUTINE TESTS.....	120
Annex G (informative)	Leakage and rupture from fluids under pressure	122
Annex H (normative)	Qualification of conformal coatings for protection against POLLUTION	127
Annex I (informative)	Line-to-neutral voltages for common MAINS supply systems	130
Annex J (informative)	RISK assessment	132
Annex K (normative)	Insulation requirements not covered by 6.7	135
Annex L (informative)	Index of defined terms	156
	Bibliography.....	158
	Figure 1 – Measurements through openings in ENCLOSURES.....	39
	Figure 2 – Maximum duration of short-term ACCESSIBLE voltages in SINGLE FAULT CONDITION (see 6.3.2 a)	41
	Figure 3 – Capacitance level versus voltage in NORMAL CONDITION and SINGLE FAULT CONDITION (see 6.3.1 c) and 6.3.2 c)	42
	Figure 4 – Acceptable arrangement of protective means against electric shock	44
	Figure 5 – Examples of binding screw assemblies	46
	Figure 6 – Distance between conductors on an interface between two layers.....	54
	Figure 7 – Distance between adjacent conductors along an interface of two inner layers	55
	Figure 8 – Distance between adjacent conductors located between the same two layers	56
	Figure 9 – Detachable MAINS supply cords and connections	66
	Figure 10 – Impact test using a sphere	79

Figure 11 – Flow chart to explain the requirements for protection against the spread of fire	81
Figure 12 – Baffle	84
Figure 13 – Area of the bottom of an ENCLOSURE to be constructed as specified in 9.3.2 c) 1)	84
Figure 14 – Ball-pressure test apparatus	91
Figure 15 – Flow chart for conformity options 14.1 a), b), c) and d)	102
Figure 16 – Ratio between test pressure and maximum working pressure	95
Figure A.1 – Measuring circuit for a.c. with frequencies up to 1 MHz and for d.c.	107
Figure A.2 – Measuring circuits for sinusoidal a.c. with frequencies up to 100 Hz and for d.c.	108
Figure A.3 – Current measuring circuit for electrical burns	109
Figure A.4 – Current measuring circuit for wet contact	109
Figure B.1 – Rigid test finger	110
Figure B.2 – Jointed test finger	111
Figure C.1 – Examples of methods of measuring CLEARANCES and CREEPAGE DISTANCES	115
Figures D.1a) to d) – Protection between HAZARDOUS LIVE circuits and ACCESSIBLE parts	117
Figures D.1e) to h) – Protection between HAZARDOUS LIVE circuits and circuits with ACCESSIBLE external TERMINALS	117
Figures D.2 a) and D.2 b) – Protection between a HAZARDOUS LIVE internal circuit and an ACCESSIBLE part which is not bonded to other ACCESSIBLE parts	118
Figures D.2 c) and D.2 d) – Protection between a HAZARDOUS LIVE primary circuit and circuits which have ACCESSIBLE external TERMINALS	118
Figure D.3 – Protection of external ACCESSIBLE TERMINALS of two HAZARDOUS LIVE circuits	118
Figure G.1 – Conformity verification process (see G.2)	123
Figure H.1 – Test sequence and conformity	129
Figure J.1 – Iterative process of RISK assessment and RISK reduction	132
Figure J.2 – RISK reduction	133
Figure K.1 – Distance between conductors on an interface between two layers	139
Figure K.2 – Distance between adjacent conductors along an interface of an inner layer	140
Figure K.3 – Distance between adjacent conductors located between the same two layers	141
Figure K.4 – Example of recurring peak voltage	153
Table 1 – Symbols	32
Table 2 – Tightening torque for binding screw assemblies	46
Table 3 – Multiplication factors for CLEARANCES of equipment RATED for operation at altitudes up to 5 000 m	51
TABLE 4 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V	53
Table 5 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V	53
Table 6 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V	58

Table 7 – CREEPAGE DISTANCES for secondary circuits	59
Table 8 – Minimum values for distance or thickness (see 6.7.3.4.2 to 6.7.3.4.4)	61
Table 9 – Distances between TERMINALS and foil.....	62
Table 10 – Correction factors according to test site altitude for test voltages for CLEARANCES	63
Table 11 – Values for physical tests on cord anchorages	67
Table 12 – Protective measures against mechanical HAZARDS to body parts.....	72
Table 13 – Minimum maintained gaps to prevent crushing for different body parts	74
Table 14 – Maximum gaps to prevent access for different body parts.....	75
Table 15 – Impact energy levels, test height and corresponding IK codes	79
Table 16 – Acceptable perforation of the bottom of an ENCLOSURE	83
Table 17 – Limits of maximum available current.....	85
Table 18 – Values for overcurrent protection devices	86
Table 19 – Surface temperature limits in NORMAL CONDITION.....	88
Table 20 – Maximum temperatures for insulation material of windings	88
Table 21 – Impulse voltages for OVERVOLTAGECATEGORY II.....	104
Table 22 – Lamp or lamp systems considered photobiologically safe	98
Table 23 – Lamp or lamp systems considered photobiologically safe under certain conditions	98
Table C.1 – Dimensions of X.....	112
Table E.1 – Environmental situations	119
Table E.2 – Reduction of POLLUTION DEGREES	119
Table F.1 – Test voltages for ROUTINE TESTS of MAINS CIRCUITS	121
Table G.1 – Test pressures for equipment with pressures above 14 Mpa	125
Table H.1 – Test parameters, test conditions and test procedures	128
Table I.1 – Line-to-neutral voltages for common MAINS supply systems	130
Table J.1 – Severity of harm	134
Table J.2 – Probability of harm	134
Table J.3 – RISK category	134
Table K.1 – Multiplication factors for CLEARANCES for equipment RATED for operation at altitudes up to 5 000 m	136
Table K.2 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II above 300 V	136
Table K.3 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY III	137
Table K.4 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY IV	137
Table K.5 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY II above 300 V	138
Table K.6 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY III	138
Table K.7 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY IV	138
Table K.8 – Test voltages for testing long-term stress of solid insulation in MAINS CIRCUITS.....	139
Table K.9 – Minimum values for distance or thickness of solid insulation	140

Table K.10 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY II above 300 V	143
Table K.11 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY III	144
Table K.12 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY IV	145
Table K.13 – CREEPAGE DISTANCES for secondary circuits	146
Table K.14 – Minimum values for distance or thickness (see K.2.4.2 to K.2.4.4)	148
Table K.15 – CLEARANCE values for the calculation of K.3.2	151
Table K.16 – Test voltages based on CLEARANCES	152
Table K.17 – CLEARANCES for BASIC INSULATION in circuits having recurring peak voltages or WORKING VOLTAGES with frequencies above 30 kHz	154

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SAFETY REQUIREMENTS FOR ELECTRICAL EQUIPMENT FOR
MEASUREMENT, CONTROL, AND LABORATORY USE –****Part 1: General requirements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 61010-1 bears the edition number 3.1. It consists of the third edition (2010-06) [documents 66/414/FDIS and 66/423/RVD], its corrigenda 1 (2011-05) and 2 (2013-10) and its interpretation sheet (2013-02), and its amendment 1 (2016-12) [documents 66/612/FDIS and 66/620/RVD]. The technical content is identical to the base edition and its amendment.

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 61010-1 has been prepared by IEC technical committee 66: Safety of measuring, control and laboratory equipment.

It has the status of a group safety publication, as specified in IEC Guide 104.

This edition includes the following significant changes from the second edition, as well as numerous other changes.

- The scope of the standard has been expanded to include all locations where these products may be used, so that both professional and non-professional versions of these products are within the scope.
- The requirements for testing and measuring circuits (in various subclauses and the entirety of Clause 16) have been removed and included in a particular standard IEC 61010-2-030.
- Insulation requirements (6.7) have been completely rewritten.
 - Specific requirements have been added for solid insulation and thin-film insulation.
 - Subclause 6.7 now contains only the insulation requirements for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V, and for secondary circuits.
 - The insulation requirements for all other circuits have been moved to a new Annex K.
- Additional requirements for protection against mechanical HAZARDS (Clause 7) have been included.
- Surface temperature limits (Clause 10) have been modified to conform to the limits of EN 563.
- Radiation requirements (Clause 12) have been modified, and take into account a distinction between intended emission and unintended emission.
- Requirements for reasonably foreseeable misuse and ergonomic aspects have been added (Clause 16).
- A new clause (Clause 17) has been added to deal with HAZARDS and environments not covered by the standard, along with a new informative annex (Annex J) dealing with RISK assessment.
- A new informative annex (Annex E) addresses methods of reducing the POLLUTION DEGREE of a micro-environment.
- Requirements for the qualification of coatings for protection against POLLUTION have been added (Annex H).
- A new informative annex (Annex I) has been added to further explain how to determine the WORKING VOLTAGE of a MAINS CIRCUIT.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61010 series, under the general title: *Safety requirements for electrical equipment for measurement, control, and laboratory use*, may be found on the IEC website.

In this standard, the following print types are used:

- requirements and definitions: in roman type;
- NOTES: in smaller roman type;
- *conformity and tests: in italic type;*
- terms used throughout this standard which have been defined in Clause 3: SMALL ROMAN CAPITALS.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This International Standard specifies the safety requirements that are generally applicable to all equipment within its scope. For certain types of equipment, these requirements will be supplemented or modified by the special requirements of one, or more than one, particular part 2 of the standard which must be read in conjunction with the part 1 requirements.

SAFETY REQUIREMENTS FOR ELECTRICAL EQUIPMENT FOR MEASUREMENT, CONTROL, AND LABORATORY USE –

Part 1: General requirements

1 Scope and object

1.1 Scope

1.1.1 Equipment included in scope

This group safety publication is primarily intended to be used as a product safety standard for the products mentioned in the scope, but shall also be used by technical committees in the preparation of their publications for products similar to those mentioned in the scope of this standard, in accordance with the principles laid down in IEC Guide 104 and ISO/IEC Guide 51.

This part of IEC 61010 specifies general safety requirements for the following types of electrical equipment and their accessories, wherever they are intended to be used.

a) Electrical test and measurement equipment

This is equipment which by electromagnetic means tests, measures, indicates or records one or more electrical or physical quantities, also non-measuring equipment such as signal generators, measurement standards, power supplies for laboratory use, transducers, transmitters, etc.

NOTE 1 This includes bench-top power supplies intended to aid a testing or measuring operation on another piece of equipment. Power supplies intended to power equipment are within the scope of IEC 61558 (see 1.1.2 h)).

This standard also applies to test equipment integrated into manufacturing processes and intended for testing manufactured devices.

NOTE 2 Manufacturing test equipment is likely to be installed adjacent to and interconnected with industrial machinery in this application.

b) Electrical industrial process-control equipment

This is equipment which controls one or more output quantities to specific values, with each value determined by manual setting, by local or remote programming, or by one or more input variables.

c) Electrical laboratory equipment

This is equipment which measures, indicates, monitors, inspects or analyses materials, or is used to prepare materials, and includes in vitro diagnostic (IVD) equipment.

This equipment may also be used in areas other than laboratories; examples include self-test IVD equipment to be used in the home and inspection equipment to be used to check people or material during transportation.

1.1.2 Equipment excluded from scope

This standard does not apply to equipment within the scope of:

- a) IEC 60065 (Audio, video and similar electronic apparatus);