

# FINAL VERSION

# VERSION FINALE



---

**Lamps for road vehicles – Performance requirements**

**Lampes pour véhicules routiers – Exigences de performances**



## CONTENTS

FOREWORD.....	7
1 Scope.....	9
2 Normative references .....	9
3 Terms and definitions .....	11
4 Requirements and test conditions for filament lamps .....	14
4.1 Basic function and interchangeability .....	14
4.2 Torsion strength.....	14
4.3 Characteristic life <i>T</i> .....	15
4.4 Life B3 .....	15
4.5 Luminous flux maintenance.....	15
4.6 Resistance to vibration and shock.....	15
4.7 Glass-bulb strength.....	16
5 Filament lamp data .....	16
6 Requirements and test conditions for discharge lamps .....	19
6.1 Basic function and interchangeability .....	19
6.2 Mechanical strength.....	20
6.2.1 Bulb-to-cap connection .....	20
6.2.2 Cable-to-cap connection (if any) .....	20
6.3 Characteristic life <i>T</i> .....	20
6.4 Life B3 .....	20
6.5 Luminous flux maintenance.....	20
6.6 Resistance to vibration and shock.....	20
6.7 Discharge lamps with integrated starting device.....	20
6.8 Discharge lamps with integrated starting device and integrated ballast .....	20
7 Requirements and test conditions for LED light sources .....	21
7.1 Basic function and interchangeability .....	21
7.2 UV radiation.....	22
7.3 Luminous flux and colour maintenance .....	22
7.4 Resistance to vibration and shock.....	23
7.5 Electromagnetic compatibility.....	23
7.6 Powered thermal cycling test .....	23
8 Requirements and test conditions for LED packages .....	25
8.1 LED package stress test qualification.....	25
8.2 Test samples .....	25
8.2.1 Lot requirements.....	25
8.2.2 Production requirements.....	25
8.2.3 Pre- and post-stress test requirements .....	26
8.2.4 Assembly of LED packages on test boards .....	26
8.2.5 Moisture pre-conditioning (MP) .....	26
8.2.6 Thermal resistance (TR) test .....	26
8.3 Definition of failure criteria .....	26
8.4 Choice between test conditions.....	27
8.5 Criteria for passing qualification/requalification .....	27
8.6 Qualification test definition.....	27
8.6.1 Pre- and post- electrical and photometric test .....	27

8.6.2	Pre- and post- external visual (EV) test .....	27
8.6.3	High temperature operating life (HTOL) test .....	27
8.6.4	Temperature cycling (TMCL) test .....	28
8.6.5	Wet high temperature operating life (WHTOL) test .....	28
8.6.6	Power temperature cycling (PTMCL) test .....	28
8.6.7	Electrostatic discharge, human body model (ESD-HBM) test .....	29
8.6.8	Electrostatic discharge, machine model (ESD-MM) test .....	29
8.6.9	Destructive physical analysis (DPA) test .....	29
8.6.10	Physical dimensions (PD) test .....	29
8.6.11	Vibrations variable frequency (VVF) test .....	29
8.6.12	Mechanical shock (MS) test .....	29
8.6.13	Resistance to soldering heat (RSH-TTW) test .....	29
8.6.14	Resistance to soldering heat (RSH-reflow) test .....	30
8.6.15	Solderability (SO) test .....	30
8.6.16	Thermal shock (TMSK) test .....	30
8.6.17	Hydrogen sulphide (H <sub>2</sub> S) test .....	30
8.6.18	Pulsed operating life (PLT) test .....	30
8.6.19	Dew (DEW) test .....	31
8.6.20	Flowing mixed gas corrosion (FMGC) test .....	31
Annex A (normative) Life test conditions for filament lamps .....		32
A.1	Ageing .....	32
A.2	Test voltage .....	32
A.3	Operating position and operating conditions .....	32
A.4	Switching cycle .....	32
A.4.1	Single-filament lamps .....	32
A.4.2	Dual-filament lamps for headlamps .....	33
A.4.3	Dual-filament lamps for light signalling equipment .....	33
A.5	Luminous flux and colour maintenance .....	33
Annex B (normative) Vibration tests .....		34
B.1	General .....	34
B.2	Test conditions .....	35
B.2.1	General .....	35
B.2.2	Mounting (see IEC 60068-2-47) .....	35
B.2.3	Measuring points .....	35
B.2.4	Control point .....	35
B.2.5	Conditioning .....	35
B.2.6	Axis of vibration .....	35
B.2.7	WBR test – Basic motion .....	36
B.3	Test conditions .....	36
B.3.1	General .....	36
B.3.2	Narrowband random vibration tests .....	36
B.3.3	Wideband random vibration tests .....	37
Annex C (normative) Glass-bulb strength test .....		39
C.1	General .....	39
C.2	Test equipment and procedure .....	39
C.2.1	Principle of the test equipment (see Figure C.1) .....	39
C.2.2	Test conditions .....	39
C.2.3	Requirements for plates .....	40

C.3	Requirements .....	40
C.4	Evaluation.....	40
C.4.1	General .....	40
C.4.2	Assessment based on attributes .....	40
C.4.3	Assessment based on variables.....	41
Annex D (normative)	Life and luminous flux maintenance test conditions for discharge lamps.....	42
D.1	Ageing .....	42
D.2	Test circuit and test voltage .....	42
D.3	Burning position and operating conditions .....	42
D.4	Switching cycle .....	42
D.5	Luminous flux maintenance.....	44
Annex E (normative)	Bulb deflection test.....	45
E.1	General.....	45
E.2	Test set-up and procedure .....	45
E.3	Requirement .....	45
Annex F (informative)	Guidance for equipment design .....	46
F.1	Pinch temperature limit .....	46
F.2	Solder temperature limit.....	46
F.3	Maximum filament lamp outline .....	46
F.4	Maximum surge voltage .....	46
F.5	Recommended instructions for use and handling of halogen filament lamps.....	46
F.6	Recommended instructions for use and handling of discharge lamps .....	47
Annex G (informative)	Information for ballast design .....	52
Annex H (informative)	Symbols.....	53
H.1	General.....	53
H.2	Symbol indicating that lamps operate at high temperatures.....	53
H.3	Symbol indicating that care should be taken to avoid touching the bulb.....	53
H.4	Symbol indicating that the use of protective gloves is advised.....	53
H.5	Symbol indicating that lamps with scratched or otherwise damaged bulbs should not be used.....	53
H.6	Symbol indicating that before handling, the lamp shall be switched off.....	53
H.7	Symbol indicating that the use of eye protection is advised .....	54
H.8	Symbol indicating that during operation, the lamp emits UV-radiation .....	54
H.9	Symbol indicating that the lamp shall be operated only in a luminaire with a protective shield.....	54
H.10	Symbol indicating dangerous voltage .....	54
H.11	Pictogram for instruction "Non-ECE" .....	54
H.12	Pictogram for instruction "Interior lighting only" .....	55
Annex I (normative)	Luminous flux maintenance test conditions for LED light sources .....	56
I.1	Ageing .....	56
I.2	Test voltage .....	56
I.3	Operating conditions .....	56
I.3.1	Test rack .....	56
I.3.2	LED light sources with integrated thermal management.....	56
I.3.3	LED light sources with external thermal management.....	56
I.4	Switching cycle .....	57
I.4.1	Single-function LED light sources .....	57

1.4.2	Dual-function LED light sources for headlamps	57
1.4.3	Multiple-function LED light sources for light signalling equipment	57
1.5	Luminous flux maintenance measurements	58
1.6	Colour measurement	58
Annex J (normative)	Destructive physical analysis for LED packages	59
J.1	Description	59
J.2	Equipment	59
J.3	Procedure	59
J.4	Failure criteria	59
Annex K (informative)	Communication sheet LED package testing	60
Annex L (normative)	Re-testing matrix for LED package testing	63
Bibliography		64
Figure 1	– Examples of LED packages	12
Figure 2	– Example for an LED module without integrated heatsink	13
Figure 3	– Example for an LED module with integrated heatsink	13
Figure 4	– Example for a replaceable LED light source	13
Figure 5	– Example for a non-replaceable LED light source	14
Figure 6	– Position of the centre of gravity (shaded areas)	21
Figure 7	– Extract from IEC 60068-2-14 Test Nb, showing the temperature cycle profile	24
Figure B.1	– Recommended equipment layout for vibration testing	38
Figure C.1	– Diagrammatic sketch of the principle of the test equipment	39
Figure D.1	– Superposition of on/off switching and power switching cycle	43
Figure E.1	– Sketch of the test set-up	45
Figure F.1	– Voltage surges for 12 V filament lamps – Maximum tolerable duration for a voltage surge as a function of its height	47
Figure F.2	– Maximum filament lamp outlines H1	48
Figure F.3	– Maximum filament lamp outlines H2	49
Figure F.4	– Maximum filament lamp outlines H3	50
Figure F.5	– Maximum filament lamp outlines P21W, PY21W, P21/4W and P21/5W	51
Figure H.1	– Pictogram for instruction "Non-ECE"	55
Figure H.2	– Pictogram for instruction "Interior lighting only"	55
Table 1	– Conditions of compliance for life B3	15
Table 2	– Conditions of compliance for the vibration test	16
Table 3	– Rated life values for continuous operation	17
Table 4	– Rated luminous flux-maintenance values for continuous operation	19
Table 5	– Minimum $L_{70-B_{10}}$ values for standardised LED light sources	22
Table 6	– Typical "on"-times for the different functions per 100 000 km drive distance, based on an average speed of 33,6 km/h <sup>a</sup>	22
Table 7	– Example for product data	23
Table 8	– Temperature classes for the powered thermal cycling test	24
Table B.1	– Vibration test on motor vehicle lamps – Test conditions	36
Table B.2	– Vibration test on motor vehicle lamps – Standard test conditions	36

Table B.3 – Vibration test on motor vehicle lamps – Heavy-duty test conditions .....	37
Table B.4 – Vibration test on motor vehicle lamps – Standard test conditions .....	37
Table C.1 – Compression strength .....	40
Table C.2 – Inspection by attributes – Double sampling plan .....	40
Table C.3 – Inspection by variables – "S" method of assessment.....	41
Table D.1 – On/off switching cycle .....	42
Table D.2 – Power switching cycle.....	43
Table D.3 – Fast power switching cycle .....	44
Table G.1 – Open circuit voltage.....	52
Table I.1 – Examples for possible product data.....	57
Table L.1 – Retesting matrix .....	63

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### LAMPS FOR ROAD VEHICLES – PERFORMANCE REQUIREMENTS

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

#### **DISCLAIMER**

**This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.**

**This Consolidated version of IEC 60810 bears the edition number 4.1. It consists of the fourth edition (2014-12) [documents 34A/1797/FDIS and 34A/1818/RVD] and its amendment 1 (2017-03) [documents 34A/1888/CDV and 34A/1927/RVC]. The technical content is identical to the base edition and its amendment.**

**This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.**

International Standard IEC 60810 has been prepared by subcommittee 34A: Lamps, of IEC technical committee 34: Lamps and related equipment.

This edition includes the following significant technical changes with respect to the previous edition:

- a) introduction of new gas discharge light sources;
- b) introduction of requirements for non-replaceable filament lamps;
- c) introduction of requirements and test conditions for LED packages.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## LAMPS FOR ROAD VEHICLES – PERFORMANCE REQUIREMENTS

### 1 Scope

This International Standard is applicable to lamps (filament lamps, discharge lamps and LED light sources) to be used in headlamps, fog-lamps and signalling lamps for road vehicles. It is especially applicable to those lamps which are listed in IEC 60809. However, the standard may also be used for other lamps falling under the scope of this standard.

It specifies requirements and test methods for the measurement of performance characteristics such as lamp life, luminous flux maintenance, torsion strength, glass bulb strength and resistance to vibration and shock. Moreover, information on temperature limits, maximum lamp outlines and maximum tolerable voltage surges is given for the guidance of lighting and electrical equipment design.

For some of the requirements given in this standard, reference is made to data given in tables. For lamps not listed in such tables, the relevant data are supplied by the lamp manufacturer or responsible vendor.

The performance requirements are additional to the basic requirements specified in IEC 60809. They are, however, not intended to be used by authorities for legal type-approval purposes.

NOTE 1 In the various vocabularies and standards, different terms are used for "incandescent lamp" (IEC 60050-845:1987, 845-07-04) and "discharge lamp" (IEC 60050-845:1987, 845-07-17). In this standard, "filament lamp" and "discharge lamp" are used. However, where only "lamp" is written both types are meant, unless the context clearly shows that it applies to one type only.

NOTE 2 This standard does not apply to luminaires.

NOTE 3 In this standard, the term LED light source is used, in other standards the term LED lamps can be used to describe similar products.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary* (available at <http://www.electropedia.org/>)

IEC 60061-1, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 1: Lamp caps*

IEC 60068-2-6:1995, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-43, *Environmental testing – Part 2-43: Tests – Test Kd: Hydrogen sulphide test for contacts and connections*

IEC 60068-2-60, *Environmental testing – Part 2: Tests – Test Ke: Flowing mixed gas corrosion test*