

INTERNATIONAL STANDARD



**Test methods for electrical materials, printed board and other interconnection structures and assemblies –
Part 5-503: General test method for materials and assemblies – Conductive anodic filaments (CAF) testing of circuit boards**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC 61189-5-503

Edition 1.0 2017-05

INTERNATIONAL STANDARD



**Test methods for electrical materials, printed board and other interconnection structures and assemblies –
Part 5-503: General test method for materials and assemblies – Conductive anodic filaments (CAF) testing of circuit boards**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.180

ISBN 978-2-8322-4320-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|---|----|
| FOREWORD..... | 4 |
| 1 Scope..... | 6 |
| 2 Normative references | 6 |
| 3 Terms and definitions | 6 |
| 4 Testing condition | 7 |
| 4.1 Standard condition | 7 |
| 4.2 Judgment state | 8 |
| 5 Specimen | 8 |
| 5.1 Outline of CAF test vehicle design | 8 |
| 5.1.1 Evaluation design for the glass cloth direction | 8 |
| 5.1.2 Design between plated through hole (PTH)..... | 9 |
| 5.2 CAF test board..... | 10 |
| 5.2.1 Example A | 10 |
| 5.2.2 Example B..... | 11 |
| 5.3 Number of specimens | 13 |
| 6 Equipment/Apparatus or material..... | 13 |
| 6.1 Environmental test chamber..... | 13 |
| 6.2 Measuring equipment..... | 13 |
| 6.3 Power supply | 13 |
| 6.4 Current limiting resistors | 14 |
| 6.5 Connecting wire | 14 |
| 6.6 Other dedicated fixtures..... | 14 |
| 7 Resistance measurement method | 14 |
| 7.1 Manual insulation resistance measurement method | 14 |
| 7.2 Automatic insulation resistance measurement method | 15 |
| 8 Test method | 16 |
| 8.1 Test method selection | 16 |
| 8.2 Steady-state temperature and humidity test | 16 |
| 8.2.1 Object..... | 16 |
| 8.2.2 Test condition | 16 |
| 8.3 Temperature and humidity (12 h + 12 h) cycle test..... | 16 |
| 8.3.1 Object..... | 16 |
| 8.3.2 Test condition | 17 |
| 8.3.3 Number of cycles of the test | 17 |
| 8.4 Temperature and humidity cyclic test with and without low temperature exposure..... | 17 |
| 8.4.1 Object..... | 17 |
| 8.4.2 Test condition | 17 |
| 8.5 Steady-state high temperature and high humidity (unsaturated pressurized vapour) test | 17 |
| 8.5.1 Object..... | 17 |
| 8.5.2 Test condition | 18 |
| 9 Procedure..... | 18 |
| 9.1 Test specimen preparation..... | 18 |
| 9.1.1 General | 18 |
| 9.1.2 Sample identification | 18 |

- 9.1.3 Prescreen for opens and shorts 18
- 9.1.4 Cleaning 19
- 9.1.5 Connecting wire 19
- 9.1.6 Cleaning after attachment 19
- 9.1.7 Dry 19
- 9.2 Precondition 19
- 9.3 Test procedure 19
 - 9.3.1 Setting of the specimen 19
 - 9.3.2 Test voltage and measuring voltage 19
 - 9.3.3 Temperature and humidity condition at the start time of the test 20
 - 9.3.4 Measurement 20
 - 9.3.5 Procedure in test interruption 21
 - 9.3.6 End of test 21
- 9.4 Visual inspection 21
 - 9.4.1 General 21
 - 9.4.2 Shape of electrochemical migration 21
- Annex A (informative) Forms of electrochemical migration 22
 - A.1 Example of dendrite-shaped migration 22
 - A.2 CAF (Example of migration along the glass fibre) 22
- Bibliography 23

- Figure 1 – Schematic of in-line test comb, with possible failure site 8
- Figure 2 – Schematic of staggered test comb, with possible failure site 9
- Figure 3 – Manhattan distance 9
- Figure 4 – Schematic section of via pair with bias 10
- Figure 5 – Example of inner layer via pads and layer patterns 10
- Figure 6 – Example of no inner layer via pads and layer patterns 10
- Figure 7 – Insulation evaluation pattern for through-holes and via holes 11
- Figure 8 – Layouts of the two versions of the CAF test boards 12
- Figure 9 – Measurement with insulation resistance meter 15
- Figure 10 – Temperature and humidity in a test 20
- Figure A.1 – Example which is generated on the board surface 22
- Figure A.2 – Example of CAF 22

- Table 1 – Dimension of insulation evaluation pattern for through-holes 11
- Table 2 – Test structures A1 through A4 design rules 12
- Table 3 – Test structures B1 through B4 design rules 13
- Table 4 – Test condition 16
- Table 5 – Number of cycles of the test 17
- Table 6 – Test condition 17
- Table 7 – Test condition (IEC 60068-2-66) 18

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**TEST METHODS FOR ELECTRICAL MATERIALS, PRINTED BOARD
AND OTHER INTERCONNECTION STRUCTURES AND ASSEMBLIES –****Part 5-503: General test method for materials and assemblies –
Conductive anodic filaments (CAF) testing of circuit boards**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61189-5-503 been prepared by IEC technical committee 91: Electronics assembly technology.

The text of this standard is based on the following documents:

| | |
|--------------|------------------|
| FDIS | Report on voting |
| 91/1433/FDIS | 91/1443/RVD |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61189 series, published under the general title *Test methods for electrical materials, printed boards and other interconnection structures and assemblies*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

TEST METHODS FOR ELECTRICAL MATERIALS, PRINTED BOARD AND OTHER INTERCONNECTION STRUCTURES AND ASSEMBLIES –

Part 5-503: General test method for materials and assemblies – Conductive anodic filaments (CAF) testing of circuit boards

1 Scope

This part of IEC 61189 specifies the conductive anodic filament (hereafter referred to as CAF) and specifies not only the steady-state temperature and humidity test, but also a temperature-humidity cyclic test and an unsaturated pressurized vapour test (HAST).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60068-2-38, *Environmental testing – Part 2-38: Tests – Test Z/AD: Composite temperature/humidity cyclic test*

IEC 60068-2-66, *Environmental testing – Part 2: Test methods – Test Cx: Damp heat, steady state (unsaturated pressurized vapour)*

IEC 60068-2-67, *Environmental testing – Part 2: Tests – Test Cy: Damp heat, steady state, accelerated test primarily intended for components*

IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60194, *Printed board design, manufacture and assembly – Terms and definitions*

IPC-TM-650 No.2.6.14.1, *Electrochemical Migration Resistance Test [viewed 2017-01-31]. Available at: https://www.ipc.org/TM/2-6_2-6-14-1.pdf*

IPC-TM-650 No.2.6.25, *Conductive Anodic Filament (CAF) Resistance Test: X-Y Axis [viewed 2017-01-31]. Available at: https://www.ipc.org/4.0_Knowledge/4.1_Standards/test/2-6-25.pdf*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60194 and IEC 60068-1 as well as the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses: