

INTERNATIONAL STANDARD



**Flexible display devices –
Part 5-1: Measuring methods of optical performance**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

INTERNATIONAL STANDARD



Flexible display devices – Part 5-1: Measuring methods of optical performance

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.120

ISBN 978-2-8322-4354-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviated terms	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms.....	9
4 Structure of measuring equipment	9
4.1 Measuring configuration – Display mounting	9
4.1.1 General	9
4.1.2 Display mounting for uniformity measurements	10
4.1.3 Display mounting for viewing direction measurements	10
4.2 Light measuring device	11
4.3 Light source configurations	13
4.3.1 General	13
4.3.2 Uniform hemispherical diffuse illumination	13
4.3.3 Directed source illumination.....	14
5 Standard measuring conditions.....	15
5.1 Standard measuring environmental conditions	15
5.2 Standard lighting conditions	15
5.2.1 Dark room conditions.....	15
5.2.2 Standard ambient illumination spectra	15
5.2.3 Standard illumination geometries	17
5.2.4 Diffuse reflectance standard	17
5.3 Standard setup conditions.....	17
5.3.1 Adjustment of display modules	17
5.3.2 Starting conditions of measurements	17
5.3.3 Conditions of measuring equipment	18
5.4 Standard locations of measurement field.....	18
6 Optical measuring methods in dark room conditions	18
6.1 Luminance and its uniformity.....	18
6.1.1 General	18
6.1.2 Measuring equipment	19
6.1.3 Screen centre luminance measuring method.....	19
6.1.4 Luminance uniformity measuring method	19
6.1.5 Luminance uniformity definition and evaluation	20
6.2 Contrast ratio.....	20
6.2.1 General	20
6.2.2 Measuring equipment	20
6.2.3 Measuring method	20
6.2.4 Definition and evaluation	20
6.3 Chromaticity, colour uniformity, and colour gamut area	21
6.3.1 General	21
6.3.2 Measuring equipment	21
6.3.3 Screen centre chromaticity measuring method.....	21
6.3.4 Screen centre colour gamut and colour gamut area measuring method.....	22

6.3.5	Colour uniformity measuring method.....	24
6.4	Peak white field correlated colour temperature.....	25
6.4.1	General	25
6.4.2	Measuring equipment	25
6.4.3	Measuring method	25
6.5	Viewing direction dependence.....	25
6.5.1	General	25
6.5.2	Measuring equipment	25
6.5.3	Measuring method	26
6.5.4	Definition and evaluation	27
6.6	Cross-talk with display in bent state.....	28
6.6.1	General	28
6.6.2	Measuring equipment	28
6.6.3	Measuring method	29
7	Optical measuring method under ambient illumination	31
7.1	Reflection measurements.....	31
7.1.1	General	31
7.1.2	Measuring conditions.....	32
7.2	Ambient contrast ratio.....	35
7.2.1	General	35
7.2.2	Measuring conditions.....	36
7.2.3	Measuring method	36
7.3	Ambient display colour.....	36
7.3.1	General	36
7.3.2	Measuring conditions.....	37
7.3.3	Measuring method	37
7.4	Ambient colour gamut volume	38
7.4.1	General	38
7.4.2	Measuring conditions.....	38
7.4.3	Measuring method	38
7.4.4	Reporting.....	40
Annex A (informative)	Calculation method of ambient colour gamut volume	42
A.1	Purpose	42
A.2	Procedure for calculating the colour gamut volume	42
A.3	Surface subdivision method for CIELAB gamut volume calculation.....	44
A.3.1	Purpose.....	44
A.3.2	Assumptions	44
A.3.3	Algorithm	44
A.3.4	Software example execution	45
Bibliography	49
Figure 1	– Example of the coordinate system used for a convex display of a constant radius of curvature about the y -axis	10
Figure 2	– Top view example of how a convex display can be rotated within the measurement field	10
Figure 3	– Top view example of display mount that rotates in the x - z plane for viewing direction measurements.....	11
Figure 4	– Optical characteristics of a spot photometer, colorimeter, or spectroradiometer.....	12

Figure 5 – Example of the relationship between measurement field diameter and inclinations angles	13
Figure 6 – Example of reflection measurement geometries for spherical illumination.....	14
Figure 7 – Example of convex display illuminated by a directed light source	14
Figure 8 – Example of convex display illuminated by a ring light source.....	15
Figure 9 – Standard measurement positions	18
Figure 10 – Test pattern used for 4 % area window measurements.....	19
Figure 11 – Examples of the colour gamut as represented in two common chromaticity diagrams.....	23
Figure 12 – Example of contrast ratio dependence on viewing direction.....	27
Figure 13 – Cross-talk pattern with diagonal 4 % white window boxes on grey background.....	29
Figure 14 – Cross-talk pattern with diagonal 4 % black window boxes on grey background.....	30
Figure 15 – Cross-talk pattern with perpendicular 4 % white window boxes on grey background.....	30
Figure 16 – Cross-talk pattern with perpendicular 4 % black window boxes on grey background.....	31
Figure 17 – Example of the range in colours produced by a display	40
Figure A.1 – Analysis flow chart for calculating the colour gamut volume	42
Figure A.2 – Graphical representation of the colour gamut volume for sRGB in the CIELAB colour space	43
Table 1 – Input signals for CIELAB, CIE 1931 and CIE 1976 UCS colour gamut measurements	22
Table 2 – Example of CIE 1976 UCS chromaticity non-uniformity.....	24
Table 3 – Example format used for reporting viewing direction performance	28
Table 4 – Eigenvalues M_1 and M_2 for CIE daylight Illuminants D50 and D75	33
Table 5 – An example of minimum colours required for gamut volume calculation of a 3-primary 8-bit display	39
Table 6 – Measured tristimulus values for the minimum set of colours	41
Table 7 – Calculated white point in the dark room and ambient illumination conditions	41
Table 8 – Colour gamut volume in the CIELAB colour space.....	41
Table A.1 – Tristimulus values of the sRGB primary colours	43
Table A.2 – Example of sRGB colour set represented in the CIELAB colour space	43
Table A.3 – Example of sRGB colour gamut volume in the CIELAB colour space.....	44

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FLEXIBLE DISPLAY DEVICES –

Part 5-1: Measuring methods of optical performance

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62715-5-1 has been prepared by IEC technical committee 110: Electronic display devices.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
110/859/FDIS	110/870/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62715 series, published under the general title *Flexible display devices*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 62715 was designed for the standardization of measuring methods and detailed setup conditions that are used to characterize the optical performance of flexible display devices.

The surface conditions and shape of flexible displays can change depending on the application. For example, a smart watch may have a fixed convex display, a cell phone or TV a fixed concave display, and a bendable display may have either a concave or convex shape with a variable radius of curvature. Up to now, all of these displays would usually be characterized in their flat state. However, since it is possible that mechanical stress induced by bending the display can change its optical characteristics, the display should be measured in its designed bent state. This ensures that the display's optical performance is representative of its intended application. This document specifies the necessary conditions and methods to measure the optical performance of a display in a bent state.

FLEXIBLE DISPLAY DEVICES –

Part 5-1: Measuring methods of optical performance

1 Scope

This part of IEC 62715 specifies the standard measuring conditions and measuring methods for determining the optical performance of flexible displays in the dark or under ambient illumination. This document mainly applies to display modules that are bendable about one axis. The display is measured in a static mechanical state. The measuring methods apply to monochrome or colour displays with a single radius of curvature of 35 mm or greater.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-845, *International Electrotechnical Vocabulary – Part 845: Lighting* (available at <<http://www.electropedia.org>>)

IEC 61966-2-1, *Multimedia systems and equipment – Colour measurement and management – Part 2-1: Colour management – Default RGB colour space – sRGB*

IEC 62715-1-1, *Flexible display devices – Part 1-1: Terminology and letter symbols*

IEC 62341-6-2:2015, *Organic light emitting diode (OLED) displays – Part 6-2: Measuring methods of visual quality and ambient performance*

IEC 62679-3-1:2014, *Electronic paper displays – Part 3-1: Optical measuring methods*

IEC TR 62728, *Display technologies – LCD, PDP and OLED – Overview and explanation of differences in terminology*

CIE 15:2004, *Colorimetry*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62715-1-1 and IEC TR 62728 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>