

# INTERNATIONAL STANDARD



---

**Voltage sourced converter (VSC) valves for static synchronous compensator (STATCOM) – Electrical testing**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2017 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

**IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

**IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).



IEC 62927

Edition 1.0 2017-07

# INTERNATIONAL STANDARD



---

**Voltage sourced converter (VSC) valves for static synchronous compensator (STATCOM) – Electrical testing**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 29.200; 29.240.99

ISBN 978-2-8322-4521-7

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references .....	7
3 Terms and definitions .....	7
3.1 Insulation co-ordination terms .....	7
3.2 Power semiconductor terms .....	8
3.3 Operating states of converter .....	8
3.4 STATCOM construction terms.....	9
3.5 Valve structure terms.....	10
4 General requirements .....	11
4.1 Guidelines for the performance of type tests .....	11
4.1.1 General .....	11
4.1.2 Dielectric tests.....	11
4.1.3 Operational tests .....	11
4.1.4 Electromagnetic interference tests .....	11
4.1.5 Evidence in lieu .....	11
4.1.6 Test object.....	12
4.1.7 Test procedure .....	12
4.1.8 Ambient temperature for testing.....	12
4.1.9 Frequency for testing.....	12
4.1.10 Conditions to be considered in determination of type test parameters.....	12
4.1.11 Test reports .....	12
4.2 Atmospheric correction factor .....	12
4.3 Treatment of redundancy .....	13
4.3.1 Operational tests .....	13
4.3.2 Dielectric tests.....	13
4.4 Permissible component failures during type testing .....	14
5 List of tests.....	14
6 Operational tests .....	15
6.1 Purpose of tests.....	15
6.2 Test object.....	15
6.3 Test circuit.....	16
6.4 Maximum continuous operating duty test .....	16
6.5 Maximum temporary overload operating duty test .....	17
6.6 Minimum start voltage test .....	17
7 Dielectric tests on valve support .....	18
7.1 Purpose of tests.....	18
7.2 Test object.....	18
7.3 Test requirements.....	18
7.3.1 Valve support DC voltage test.....	18
7.3.2 Valve support AC voltage test.....	19
7.3.3 Valve support lightning impulse test.....	20
8 Dielectric tests on multiple valve unit (MVU) .....	20
8.1 General.....	20
8.2 Purpose of tests.....	20
8.3 Test object.....	20

8.4	Test requirements .....	20
8.4.1	MVU AC voltage test .....	20
8.4.2	MVU DC voltage test .....	21
8.4.3	MVU lightning impulse test .....	21
9	Dielectric tests between valve terminals .....	21
9.1	Purpose of the test.....	21
9.2	Test object.....	22
9.3	Test methods .....	22
9.3.1	General .....	22
9.3.2	Method 1 .....	22
9.3.3	Method 2 .....	23
9.4	Test requirements.....	23
9.4.1	Valve AC voltage or AC-DC voltage test .....	23
9.4.2	Valve switching impulse test.....	25
10	IGBT overcurrent turn-off test .....	26
10.1	Purpose of test .....	26
10.2	Test object.....	26
10.3	Test requirements .....	26
11	Tests for valve insensitivity to electromagnetic disturbance .....	27
11.1	Purpose of tests.....	27
11.2	Test object.....	27
11.3	Test requirements .....	27
11.3.1	General .....	27
11.3.2	Approach 1 .....	27
11.3.3	Approach 2.....	28
11.3.4	Acceptance criteria.....	28
12	Short-circuit current test (optional).....	28
12.1	Purpose of tests.....	28
12.2	Test object.....	28
12.3	Test requirements .....	29
13	Production tests.....	29
13.1	General.....	29
13.2	Purpose of tests.....	29
13.3	Test object.....	29
13.4	Test requirements .....	29
13.5	Production test objectives .....	30
13.5.1	Visual inspection .....	30
13.5.2	Connection check .....	30
13.5.3	Voltage-grading circuit check.....	30
13.5.4	Control, protection and monitoring circuit checks .....	30
13.5.5	Voltage withstand check .....	30
13.5.6	Turn-on/turn-off check .....	30
13.5.7	Pressure test .....	30
14	Presentation of type test results .....	30
Annex A (informative)	Overview of STATCOM valves .....	32
A.1	General.....	32
A.2	STATCOM applications and operating limits .....	32
A.3	Overview of STATCOM valve types.....	33

A.4	STATCOMs based on switch type valve .....	33
A.4.1	General .....	33
A.4.2	Two-level converter .....	34
A.4.3	Three-level converters .....	34
A.4.4	Multi-level converters.....	35
A.5	STATCOMs based on controllable voltage source type valve .....	36
A.6	Valve switching principles .....	37
Annex B (informative)	Valve component fault tolerance.....	39
Bibliography	.....	40
Figure A.1	– STATCOM $U-I$ characteristics .....	33
Figure A.2	– Two-level converter .....	34
Figure A.3	– Three-level NPC converter.....	35
Figure A.4	– Three-level flying capacitor converter .....	35
Figure A.5	– Modular multilevel converter .....	36
Figure A.6	– Single-phase full-bridge converter.....	37
Figure A.7	– Two-level converter output voltage .....	37
Figure A.8	– Output voltage shape of three-level converter and modular multi-level converter .....	38
Table 1	– Minimum number of valve levels to be tested as a function of the number of valve levels per valve.....	12
Table 2	– Valve level faults permitted during type tests.....	14
Table 3	– List of type tests.....	15

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**VOLTAGE SOURCED CONVERTER (VSC) VALVES FOR STATIC  
SYNCHRONOUS COMPENSATOR (STATCOM) –  
ELECTRICAL TESTING**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62927 has been prepared by subcommittee 22F: Power electronics for electrical transmission and distribution systems, of IEC technical committee 22: Power electronic systems and equipment.

The text of this International Standard is based on the following documents:

CDV	Report on voting
22F/412/CDV	22F/431A/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

# VOLTAGE SOURCED CONVERTER (VSC) VALVES FOR STATIC SYNCHRONOUS COMPENSATOR (STATCOM) – ELECTRICAL TESTING

## 1 Scope

This document applies to self-commutated valves, for use in voltage sourced converter (VSC) for static synchronous compensator (STATCOM). It is restricted to electrical type and production tests.

The tests specified in this document are based on air insulated valves. For other types of valves, the test requirements and acceptance criteria are agreed between the purchaser and the supplier.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060 (all parts), *High-voltage test techniques*

IEC 60060-1, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60071-1:2006, *Insulation co-ordination – Part 1: Definitions, principles and rules*

IEC 60700-1:2015, *Thyristor valves for high voltage direct current (HVDC) power transmission – Part 1: Electrical testing*

IEC 62501, *Voltage sourced converter (VSC) valves for high-voltage direct current (HVDC) power transmission – Electrical testing*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### 3.1 Insulation co-ordination terms

#### 3.1.1

##### **test withstand voltage**

value of a test voltage of standard waveshape at which a new valve, with unimpaired integrity, does not show any disruptive discharge and meets all other acceptance criteria specified for the particular test, when subjected to a specified number of applications or a specified duration of the test voltage, under specified conditions