

INTERNATIONAL STANDARD

**Digital audio – Interface for non-linear pcm encoded audio bitstreams applying
IEC 60958 –
Part 14: Non-linear PCM bit streams according to the AC-4 format**





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC 61937-14

Edition 1.0 2017-08

INTERNATIONAL STANDARD

**Digital audio – Interface for non-linear pcm encoded audio bitstreams applying
IEC 60958 –
Part 14: Non-linear PCM bit streams according to the AC-4 format**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160.30; 33.170

ISBN 978-2-8322-4705-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms, definitions and abbreviated terms	6
3.6 Abbreviated terms.....	7
4 Mapping of the audio bit stream on to IEC 61937-1	7
4.1 General.....	7
4.2 AC-4 burst-info	7
5 Format of AC-4 data-bursts	8
5.1 General.....	8
5.2 Pause data-burst	8
5.3 Audio data-burst	8
5.3.1 The AC-4 data	8
5.3.2 Latency of the AC-4 decoder	12
5.3.3 The AC-4 HBR4 data	13
5.3.4 Latency of the AC-4 HBR4 decoder	16
5.3.5 The AC-4 HBR16 data	17
5.3.6 Latency of the AC-4 HBR16 decoder	20
5.3.7 The AC-4 LD data.....	21
5.3.8 Latency of the AC-4 LD decoder.....	23
Annex A (normative) AC-4 sync frame	25
Figure 1 – AC-4 data-burst.....	9
Figure 2 – Latency of AC-4 decoding	12
Figure 3 – AC-4 HBR4 data-burst	13
Figure 4 – Latency of AC-4 HBR4 decoding	16
Figure 5 – AC-4 HBR16 data-burst.....	17
Figure 6 – Latency of AC-4 HBR16 decoding	21
Figure 7 – AC-4 LD data-burst	22
Figure 8 – Latency of AC-4 LD decoding.....	24
Figure A.1 – An AC-4 sync frame.....	25
Table 1 – Shorthand notation for fractional frame rates.....	7
Table 2 – Fields of burst-info	8
Table 3 – Repetition period of the Pause data-bursts	8
Table 4 – Data-type-dependent information for AC-4.....	9
Table 5 – AC-4 base sampling frequency, AC-4 audio framerate and corresponding AC-4 data-burst repetition period	10
Table 6 – AC-4 data-burst sequence and repetition period variance at 29,97, 59,94 and 119,88 fps.....	10
Table 7 – AC-4 data-burst: meaning of Pc bits 8 to 11 at an IEC 60958 frame rate of 48 kHz	11
Table 8 – AC-4 data-burst: meaning of Pc bits 8 to 11 at an IEC 60958 frame rate of 44,1 kHz	11
Table 9 – Maximum burst-length values per AC-4 data-burst repetition period	12

Table 10 – Data-type-dependent information for AC-4 HBR4.....	13
Table 11 – AC-4 base sampling frequency, AC-4 audio frame rate and corresponding AC-4 HBR4 data-burst repetition period.....	14
Table 12 – AC-4 HBR4 data-burst sequence and repetition period variance at 29,97, 59,94 and 119,88 fps.....	14
Table 13 – AC-4 HBR4 data-burst: meaning of Pc bits 8 to 11 at an IEC 60958 frame rate of 192 kHz.....	15
Table 14 – AC-4 HBR4 data-burst: meaning of Pc bits 8 to 11 at an IEC 60958 frame rate of 176,4 kHz.....	15
Table 15 – Maximum burst-length values per AC-4 HBR4 data-burst repetition period.....	16
Table 16 – Data-type-dependent information for AC-4 HBR16.....	18
Table 17 – AC-4 base sampling frequency, AC-4 audio frame rate and corresponding AC-4 HBR16 data-burst repetition period.....	18
Table 18 – AC-4 HBR16 data-burst sequence and repetition period variance at 29,97, 59,94 and 119,88 fps.....	19
Table 19 – AC-4 HBR16 data-burst: meaning of Pc bits 8 – 11 at an IEC 60958 frame rate of 768 kHz.....	19
Table 20 – AC-4 HBR16 data-burst: meaning of Pc bits 8 to 11 at an IEC 60958 frame rate of 705,6 kHz.....	19
Table 21 – Maximum burst-length values per AC-4 HBR16 data-burst repetition period.....	20
Table 22 – Data-type-dependent information for AC-4 LD.....	22
Table 23 – AC-4 base sampling frequency, AC-4 audio frame rate and corresponding AC-4 LD data-burst repetition period.....	22
Table 24 – AC-4 LD data-burst sequence and repetition period variance at 119,88 fps.....	23
Table 25 – AC-4 LD data-burst: meaning of Pc bits 8 to 11.....	23
Table 26 – Maximum burst-length values per AC-4 data-burst repetition period.....	23
Table A.1 – AC-4 sync frame syntax.....	25
Table A.2 – framesize().....	25
Table A.3 – AC-4 syncword values.....	26

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**DIGITAL AUDIO –
INTERFACE FOR NON-LINEAR PCM ENCODED AUDIO BITSTREAMS
APPLYING IEC 60958 –**

Part 14: Non-linear PCM bit streams according to the AC-4 format

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61937-14 has been prepared by technical area 4: Digital system interfaces and protocols, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this International Standard is based on the following documents:

CDV	Report on voting
100/2723/CDV	100/2932/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61937, under the general title *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

DIGITAL AUDIO – INTERFACE FOR NON-LINEAR PCM ENCODED AUDIO BITSTREAMS APPLYING IEC 60958 –

Part 14: Non-linear PCM bit streams according to the AC-4 format

1 Scope

This part of IEC 61937 describes the method to convey non-linear PCM bit streams encoded according to the AC-4 format.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60958 (all parts), *Digital audio interface*

IEC 61937-1:2007, *Digital audio interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 1: General*

IEC 61937-1:2007/AMD1:2011, *Digital audio interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 1: General*

IEC 61937-2, *Digital audio interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 2: Burst Information*

ETSI TS 103 190 v.1.1.1, 2014, *Digital Audio Compression (AC-4) Standard*

3 Terms, definitions and abbreviated terms

For the purpose of this standard, the following definitions and abbreviations apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

AC-4 frame

AC-4 sync frame, as specified in Annex A

3.2

audio frame rate

number of AC-4 audio frames per second, indicated by the value of the *frame_rate_index* AC-4 bit stream parameter as specified in ETSI TS 103 190