

INTERNATIONAL STANDARD



**Electricity metering data exchange –The DLMS/COSEM suite –
Part 8-5: Narrow-band OFDM G3-PLC communication profile
for neighbourhood networks**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC 62056-8-5

Edition 1.0 2017-08

INTERNATIONAL STANDARD



**Electricity metering data exchange –The DLMS/COSEM suite –
Part 8-5: Narrow-band OFDM G3-PLC communication profile
for neighbourhood networks**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 17.220; 35.110; 91.140.50

ISBN 978-2-8322-4612-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviated terms	9
3.1 Terms and definitions.....	9
3.2 Abbreviated terms.....	9
4 Targeted communication environments.....	10
5 Use of the communication layers for this profile.....	11
5.1 Information related to the use of the standard specifying the lower layers	11
5.2 Structure of the communication profiles	11
5.3 Lower protocol layers and their use.....	12
5.3.1 Overview	12
5.3.2 Physical layer	14
5.3.3 MAC layer.....	15
5.3.4 Network layer – IPv6	16
5.3.5 Transport layer – UDP	19
5.4 Service mapping and adaptation layers.....	19
5.4.1 Overview	19
5.4.2 G3-PLC Adaptation data services	19
5.4.3 G3-PLC Adaptation management services.....	19
5.5 Registration and connection management.....	20
5.5.1 PAN device Connection Manager.....	20
5.5.2 PAN Coordinator Connection Manager	21
6 Identification and addressing schemes	23
7 Specific considerations for the application layer services.....	23
7.1 Overview.....	23
7.2 Application association establishment and release: ACSE services.....	23
7.3 DLMS/COSEM services	23
7.4 Security mechanisms	24
7.5 Transferring long application messages	24
7.6 Media access, bandwidth and timing considerations	24
7.7 Other considerations.....	24
7.7.1 UDP DLMS/COSEM wrapper	24
7.7.2 DLMS/COSEM communication profile for UDP/IP networks	27
8 Communication configuration and management.....	27
9 The COSEM application process	27
10 Additional considerations for the use of this profile	27
Annex A (informative) Examples	28
A.1 Example 1: setting up a G3-PLC network dedicated to metering	28
A.2 Example 2: smart meters joining a G3-PLC PAN.....	29
Annex B (normative) New COSEM interface classes and OBIS codes.....	31
Figure 1 – Entities and interfaces of a smart metering system using the terminology of IEC 62056-1-0	10

Figure 2 – G3-PLC protocol architecture 12

Figure 3 – PAN device communication profile architecture 13

Figure 4 – PAN coordinator communication profile architecture 13

Figure 5 – IPv6 address formats 16

Figure 6 – IPv6 Addressing plan example 17

Figure 7 – IPv6 Link-local address composition 18

Figure A.1 – PAN coordinator initialisation 28

Figure A.2 – PAN device initialisation and bootstrapping..... 30

Table 1 – 16-bit short addresses allocation rule 18

Table 2 – UDP port numbering..... 19

Table 3 – Selections from IEC 62056-4-7:2015 25

Table 4 – Selections from IEC 62056-9-7:2013 27

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICITY METERING DATA EXCHANGE – THE DLMS/COSEM SUITE –

Part 8-5: Narrow-band OFDM G3-PLC communication profile for neighbourhood networks

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this International Standard may involve the use of a maintenance service concerning the stack of protocols on which the present standard IEC 62056-8-5 is based.

The IEC takes no position concerning the evidence, validity and scope of this maintenance service.

The provider of the maintenance service has assured the IEC that he is willing to provide services under reasonable and non-discriminatory terms and conditions for applicants throughout the world. In this respect, the statement of the provider of the maintenance service is registered with the IEC. Information may be obtained from:

G3-PLC Alliance
<Tour ENEDIS
34 Place des Corolles
92079 Paris La Défense Cedex>
www.g3-plc.com

International Standard IEC 62056-8-5 has been prepared by IEC technical committee 13: Electrical energy measurement and control.

The text of this International Standard is based on the following documents:

CDV	Report on voting
13/1708/CDV	13/1740/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

A list of all parts in the IEC 62056 series, published under the general title *Electricity metering data exchange – The DLMS/COSEM suite*, can be found on the IEC website.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

As defined in IEC 62056-1-0, the IEC 62056 DLMS/COSEM suite provides specific communication profile standards for communication media relevant for smart metering.

Such communication profile standards specify how the COSEM data model and the DLMS/COSEM application layer can be used on the lower, communication media-specific protocol layers.

Communication profile standards refer to communication standards that are part of the IEC 62056 DLMS/COSEM suite or to any other open communication standard.

This International Standard specifies the DLMS/COSEM communication profile for ITU-T G.9903:2014 PLC communication based on OFDM technology.

ITU-T G.9903 PLC is designed to meet the following aims:

- **Robustness:** the communication profile shall be suited to severe powerline environments (see 5.3.2);
- **Performance and scalability:** it embeds adaptive modulation to use the proper modulation according to the quality of the link (see 5.3.2) within dense environments (up to 2 000 nodes in the same PAN);
- **Security:** it shall offer a secure environment (see 7.4);
- **Openness:** it shall be based on open standards in order to support multi-supplier solutions (see Clause 5);
- **Flexibility and future proof:** it shall be able to support future applications through using IPv6 networking capabilities (see 5.3.4).

This standard follows the rules defined in IEC 62056-5-3:2017, Annex A.

ELECTRICITY METERING DATA EXCHANGE – THE DLMS/COSEM SUITE –

Part 8-5: Narrow-band OFDM G3-PLC communication profile for neighbourhood networks

1 Scope

This part of IEC 62056 specifies the IEC 62056 DLMS/COSEM communication profile for metering purposes based on the Recommendations ITU-T G.9901: *Narrowband orthogonal frequency division multiplexing power line communication transceivers – Power spectral density specification* and ITU-T G.9903:2014, *Narrowband orthogonal frequency division multiplexing power line communication transceivers for G3-PLC networks*, an Orthogonal Frequency Division Multiplexing (OFDM) Power Line Communications (PLC) protocol.

The physical layer provides a modulation technique that efficiently utilizes the allowed bandwidth within the CENELEC A (3 kHz – 95 kHz), CENELEC B (95 kHz – 125 kHz), ARIB (10 kHz – 450 kHz) and FCC (no specific frequency band limitations) bands, thereby allowing the use of advanced channel coding techniques. This enables a robust communication in the presence of narrowband interference, impulsive noise, and frequency selective attenuation.

The medium access control (MAC) layer allows the transmission of MAC frames through the use of the power line physical channel. It provides data services, frame validation control, node association and secure services.

The 6LoWPAN adaptation sublayer enables an efficient interaction between the MAC and the IPv6 network layer. The use of the IPv6 network protocol – the latest generation of IP protocols – opens a wide range of potential applications and services for metering purposes (but the applications are not limited to metering).

The transport layer, the application layer and the data model are as specified in the IEC 62056 DLMS/COSEM suite.

The scope of this communication profile standard is restricted to aspects concerning the use of communication protocols in conjunction with the COSEM data model and the DLMS/COSEM application layer. Data structures specific to a communication protocol are out of the scope of this communication profile standard.

NOTE They are specified in the specific protocol standards.

Any project specific definitions of data structures and data contents may be provided in project specific companion specifications.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-300, *International Electrotechnical Vocabulary – Electrical and electronic measurements and measuring instruments – Part 311: General terms relating to measurements – Part 312: General terms relating to electrical measurements – Part 313:*