

AN AMERICAN NATIONAL STANDARD
IAPMO/ANSI UPC 1 – 2018

2018 UNIFORM PLUMBING CODE®



READ ME
TABLE OF CONTENTS



2018 UNIFORM PLUMBING CODE[®]

AN AMERICAN NATIONAL STANDARD
IAPMO/ANSI UPC 1 – 2018



Copyright © 2018
International Association of Plumbing and Mechanical Officials
All Rights Reserved

No part of this work may be reproduced or recorded in any form or by any means,
except as may be expressly permitted in writing by the publisher.

Twenty-Eighth Edition
First Printing, January 2018

Published by the International Association of Plumbing and Mechanical Officials
4755 E. Philadelphia Street • Ontario, CA 91761-2816 – USA
Main Phone: (909) 472-4100 • Main Fax: (909) 472-4150

Important Notices and Disclaimers

The 2018 edition of the *Uniform Plumbing Code* is developed through a consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on plumbing issues. While the International Association of Plumbing and Mechanical Officials (IAPMO) administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in its codes and standards.

IAPMO disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document. IAPMO also makes no guarantee or warranty as to the accuracy or completeness of any information published herein.

In issuing and making this document available, IAPMO is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is IAPMO undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Updating IAPMO Codes

Users of IAPMO codes should be aware that IAPMO codes may be amended from time to time through the issuance of Tentative Interim Amendments or corrected by Errata. IAPMO codes consist of the current edition of the document together with any Tentative Interim Amendment and any Errata in effect.

In order to determine whether an IAPMO code has been amended through the issuance of Tentative Interim Amendments or corrected by Errata, please visit the IAPMO Group codes information pages on IAPMO's website (www.iapmo.org). The codes information pages provide a list of IAPMO codes with up-to-date, specific information including any issued Tentative Interim Amendments and Errata.

To access the codes information pages for a specific code, go to <http://codes.iapmo.org> to select from the list of IAPMO codes. For Tentative Interim Amendments, go to the standard council decisions. For Errata, select the archived revision information.

Origin and Development

The advantages of a statewide adopted *Uniform Plumbing Code* are recognized throughout the industry. Disorder in the industry because of widely divergent plumbing practices and the use of many different, often conflicting, plumbing codes by local jurisdictions influenced the Western Plumbing Officials Association (now the International Association of Plumbing and Mechanical Officials [IAPMO]) to form a committee. This committee of plumbing inspectors, master and journeyman plumbers, and plumbing engineers, backed by public utility companies and the plumbing industry to create a basic plumbing document for general use. The product of this effort, the first edition of the *Uniform Plumbing Code*[®] (UPC[®]) was adopted by IAPMO in 1945. The widespread use of this code over the past seven decades by jurisdictions throughout the United States and internationally is testament to its merit.

Publishing the 2003 *Uniform Plumbing Code*, is a significant milestone because it is the first time in the history of the United States, a plumbing code was developed through a true consensus process. The 2018 edition represents the most current approaches in the plumbing field and is the sixth edition developed under the ANSI consensus process. Contributions to the content of this code consists of diverse interests as consumers, enforcing authorities, installers/maintainers, labor, manufacturers, research/standards/testing laboratories, special experts, and users.

The *Uniform Plumbing Code* provides consumers with safe and sanitary plumbing systems while, at the same time, allowing latitude for innovation and new technologies. The public at large is invited and encouraged to take part in IAPMO's open consensus code development process. This code is updated every three years. The *Uniform Plumbing Code* is dedicated to all those who, in working to achieve "the ultimate plumbing code," have unselfishly devoted their time, effort, and personal funds to create and maintain this, the finest plumbing code in existence today.

The *Uniform Plumbing Code* updates every three years in revision cycles that begin twice each year that takes two years to complete.

Each revision cycle advances according to a published schedule that includes final dates for all major events and contains four basic steps as follows:

1. Public and Committee Proposal Stage;
2. Comment Stage;
3. Association Technical Meeting;
4. Council Appeals and Issuance of Code.

IAPMO develops "full consensus" codes built on a foundation of maximum participation and agreement by a broad range of interests. This philosophy has led to producing technically sound codes that promote health and safety, yet do not stifle design or development.

It is important to stress that; the process remains committed to the principles of consensus code development where consensus Technical Committees and Correlating Committees revise codes. The public and membership is offered multiple opportunities to debate, provide input and raise concerns through Amending Motions at the annual Assembly Consideration Session. Anyone may submit an appeal related to the issuance of a document through the IAPMO Standards Council.

The 2018 *Uniform Plumbing Code* is supported by the Mechanical Contractors Association of America (MCAA), the Plumbing-Heating-Cooling Contractors National Association (PHCC-NA), the United Association (UA), and the World Plumbing Council (WPC). The presence of these logos, while reflecting support, does not imply any ownership of the copyright to the UPC, which is held exclusively by IAPMO. Further, the logos of these associations indicate the support of IAPMO's open consensus process being used to develop IAPMO's codes and standards.

The addresses of the organizations are as follows:

ASSE – 18927 Hickory Creek Drive, Suite 220 • Monkena, IL 60448 • 995-3019

MCAA – 1385 Piccard Drive • Rockville, MD 20850 • (301) 869-5800

PHCC-NA – PO Box 6808 • Falls Church, VA 22040-6808 • (800) 533-7694

UA – Three Park Place • Annapolis, MD 21401 • (410) 269-2000

WPC – World Plumbing Council Secretariat, Auf der Mauer 11 • Postfach CH 8021 • Zurich
Switzerland • WWW.WorldPlumbing.org

Adoption

The *Uniform Plumbing Code* is available for adoption and use by jurisdictions in the United States and Internationally. Its use within a governmental jurisdiction is accomplished through adoption by reference in accordance with applicable jurisdictional laws. At adoption, jurisdictions should insert the applicable information in bracketed words in the sample ordinance. The sample legislation for adoption of the *Uniform Plumbing Code* on page xii provides key components, regulations and resolutions.

Revision Markings

Solid vertical lines in the margins indicate a technical change from the requirements of the 2015 edition. An arrow (←) in the margin indicates where an entire section, paragraph, exception or table has been deleted, or an item in a list of items or a table has been deleted.

A double right angle (◀◀) in the margin indicates that the text or a table has been relocated within the code. The table found on page xiv points out the relocations in the 2018 edition of the *Uniform Plumbing Code*.

TIA TIA indicates that the revision is the result of a Tentative Interim Amendment.

TIA

TIA For further information on tentative interim amendments see Section 5 of the IAPMO Regulations Governing Committee Projects available at <http://codes.iapmo.org/>

A reference in brackets [] following a section or paragraph indicates material that has been extracted from another document. This reprinted material is not the complete and official position of the source document on the referenced subject that is represented by the standard in its entirety.

Text that is extracted pursuant to IAPMO's Extract Guidelines, but outside of the regular revision process is denoted with the use of the source document in the margin. This text is not fully processed by IAPMO in accordance with ANSI's public announcement consensus requirements for an American National Standard (ANS) nor approved by ANSI's Board of Standards Review. The next revision cycle processes such text in accordance with those requirements.

FORMAT OF THE UNIFORM PLUMBING CODE

The format of the *Uniform Plumbing Code* (UPC) arranges each chapter in accordance with a specific subject matter. However, Chapter 3 is dedicated to general requirements that are applicable to every chapter. The subject matters are divided as follows:

CHAPTERS	SUBJECTS
1	Administration
2	Definitions
3	General Regulations
4	Plumbing Fixtures and Fixture Fittings
5	Water Heaters
6	Water Supply and Distribution
7	Sanitary Drainage
8	Indirect Wastes
9	Vents
10	Traps and Interceptors
11	Storm Drainage
12	Fuel Gas Piping
13	Health Care Facilities and Medical Gas and Medical Vacuum Systems
14	Firestop Protection
15	Alternate Water Sources for Nonpotable Applications
16	Nonpotable Rainwater Catchment Systems
17	Referenced Standards
Appendix A	Recommended Rules for Sizing the Water Supply System
Appendix B	Explanatory Notes on Combination Waste and Vent Systems
Appendix C	Alternate Plumbing Systems
Appendix D	Sizing Storm Water Drainage Systems
Appendix E	Manufactured/Mobile Home Parks and Recreational Vehicle Parks
Appendix F	Firefighter Breathing Air Replenishment Systems
Appendix G	Sizing of Venting Systems
Appendix H	Private Sewage Disposal Systems
Appendix I	Installation Standard
Appendix J	Combination of Indoor and Outdoor Combustion and Ventilation Opening Design
Appendix K	Potable Rainwater Catchment Systems
Appendix L	Sustainable Practices
Appendix M	Peak Water Demand Calculator

The following is a summary of the scope and intent of the provisions addressed within the chapters and appendices of the *Uniform Plumbing Code*:

Chapter 1 Administration.

Chapter 1 regulates the application, enforcement, and administration of subsequent requirements of the code. As well as establishing the scope of the code, this chapter is concerned with enforcing the requirements contained in the body of the code. A plumbing code, as with any other code, is intended to be adopted as a legally enforceable document to safeguard health, safety, property and public welfare. The code cannot be effective without satisfactory provisions for its administration and enforcement. The Authority Having Jurisdiction is to review the proposed and completed work and to decide whether a plumbing system conforms to the code requirements. As a public servant, the Authority Having Jurisdiction enforces the code in an unbiased, proper manner. The design professional is responsible for the design of a safe plumbing system. The contractor is responsible for installing the system in accordance with the plans.

Chapter 2 Definitions.

To maintain consistency and encourage the use of common terminology, Chapter 2 establishes definitions to provide clarity of terms and promote the use of a common language throughout the code. Understanding definitions within the context of their application enables greater collaboration, efficiency, standardization and interpretation in applying and enforcing terms used throughout the code. Codes are technical documents, and every term can impact the meaning of the code text. Terms not defined have a normally accepted meaning.

Chapter 3 General Regulations.

Chapter 3 regulates the general requirements, not specific to other chapters, for installing plumbing systems. Many regulations are not specific plumbing requirements, but relate to the overall plumbing system. This chapter contains safety requirements for installing plumbing and also contains nonplumbing requirements for identifying pipe, pipe fittings, traps, fixtures, materials and devices used in plumbing systems. Listing method of approval, based on applicable nationally recognized standards, for the safe and proper installation of plumbing systems is essential to ensure protection of public health, safety, and welfare. The safety requirements provide protection for piping, material, and structures, with provisions for installation practices, removing stress and strain of the pipe, sleeving, and hanger support. The building's structural stability is protected by the regulations for cutting and notching of structural members.

Chapter 4 Plumbing Fixtures and Fixture Fittings.

This chapter regulates the minimum number of plumbing fixtures of a specific type and quality for each building. The fixtures must be properly installed to be usable by the individuals occupying the building. The quality and design of every fixture must conform to the applicable referenced standard. Compliance with this chapter will result in a building or structure having acceptable plumbing fixtures for the sanitary, hygienic, cleaning, washing and food preparation needs of the occupants.

Chapter 5 Water Heaters.

Chapter 5 regulates the design, approval, installation, and safety devices of fuel burning and other types of water heaters with the combustion air requirements for ventilation and dilution of flue gases for appliances installed in buildings. This chapter does not apply to direct vent appliances. In addition, this chapter regulates the design, construction, installation, maintenance of chimneys, vents and their connections to fuel burning appliances. Methods to supply combustion air may be supplied from an indoor air supply, outdoor air supply, a combination of indoor and outdoor air supply, mechanical air supply, or an engineered system. Combustion air provisions are based on the number of openings and the total opening size required based on the total energy input rating of the appliance. Acceptable air supply for combustion and ventilation is necessary for proper operation of fuel burning appliances. A shortage of combustion air can result in incomplete combustion and production of poisonous gases, such as carbon monoxide or appliance overheating. Ventilation air provides cooling for the appliance casing and internal controls. Inadequate ventilation of the space in which an appliance is installed can result in increased surrounding temperatures that stress the appliance itself or other appliances in the vicinity.

Chapter 6 Water Supply and Distribution.

Chapter 6 regulates the design, material and installation of water supply and distribution systems, including residential fire sprinklers. The water supply and distribution system is designed to achieve the correct water pressure and flow rates and avoid cross connections. For fixtures to perform properly, an acceptable supply of potable water is essential to their operation

FORMAT OF THE UNIFORM PLUMBING CODE

and use. Cross connections and backflow are ranked as the highest priority because of the long history of recognized health risks posed by cross connections, outbreaks, or cases of waterborne disease. Piping materials and components are evaluated for their possible effect on the potable water with which they are in contact. The intent is to control the potential adverse health effects produced by indirect additives, products, and materials that come in contact with potable water. When selecting materials for water supply and distribution systems, consider water pressure, water temperature, compatibility with the water supply, durability, support, and sustainability.

In addition, this chapter regulates the design, location, materials, and installation of multipurpose and stand-alone sprinkler systems that do not include the use of antifreeze. Where systems are installed as a portion of the water distribution system under the requirements of this chapter and are not provided with a fire department connection, backflow protection for the water supply system is not required.

Chapter 7 Sanitary Drainage.

This chapter regulates the design and installation of sanitary drainage systems to ensure they will work as intended. Drainage piping should not be oversized nor undersized, and constructed of approved materials to guard against fouling, deposit of solids, clogging, and with cleanouts so arranged that the pipes may be readily cleaned. The purpose of the sanitary drainage system is to remove effluent discharged from plumbing fixtures and other equipment to an approved point of disposal, such as a public sanitary system or private sewage disposal system.

The basics of a sanitary drainage system include public and private sewage disposal; selection of materials; installation of the building drain and sewer; joining methods for pipe and fittings; drainage fixture units for sizing the drainage system; sumps and ejectors; vent sizing and length of vents; and testing.

Chapter 8 Indirect Wastes.

Chapter 8 regulates indirect waste connections that are required for plumbing fixtures and plumbing appliances dealing with food preparation, dishwashing, potable liquids, and similar equipment. An indirect connection prevents sewage from backing up into a fixture or appliance, thus providing protection against potential health hazards. The waste pipe discharges through an air gap or air break into a waste receptor or standpipe. The protection in the form of an air gap is necessary when the contamination is a potential health hazard or cross connection with the potable water system. Where there is no possibility of contaminating the potable water (nonpotable discharge), the indirect waste pipe may connect in the form of an air break. This method is often preferred to prevent splashing. In addition, health care facilities and special wastes must be protected from contamination that may result from the connection to the drainage system. The waste must be treated to prevent any damage to the piping or sewage treatment process. Waste receptors are sized and designed to prevent splashing and allow for peak discharge conditions.

Chapter 9 Vents.

Chapter 9 regulates the material, design, and installation of vents. A vent system is a pipe or pipes installed in a drainage system that provide a flow of air to and from the system to ventilate it, provide a circulation of air to eliminate trap siphonage, and reduce back-pressure and vacuum surge. In addition, vents provide the rapid and silent flow of waste without exposing occupants of the building to any sewer gases. Proper installation of vents is crucial, as a telltale sign that there is a problem in the drain and vent system is related to the elevation of the horizontal portion of the venting. Venting is not limited to sanitary drainage systems. Venting methods are applicable to other drainage systems such as those for chemical waste, graywater waste, and clear water waste. Sizing the venting system is directly tied to the design of the drainage system. For example, the velocities in the drainage system and its peak flow rates affect the diameters in the venting system. Where the vertical distance between a fixture outlet and trap is excessive, velocities in the entire drainage system will be greater than those in the vent sizing table. All venting methods in this chapter are categorized as either dry vents or wet vents. Vent stacks, stack vents, branch vents, island vents, relief vents, and individual vents are dry vents. Wet vents (horizontal or vertical), circuit vents, combination drain and vents are versions of "wet venting" in which the vent is wetted by drainage flow.

Chapter 10 Traps and Interceptors.

Chapter 10 regulates the material, design, and installation of traps, interceptors, and separators. Traps are required on drainage type plumbing fixtures and must be self-scouring without interior partitions. Interceptors, on the other hand, are designed to control what goes down a drain. Interceptors are used to keep harmful substances from entering the sanitary drainage system, such as grease, sand, oil and other materials. The retained materials need periodic removal to maintain

efficiency and function of the separating device. The capacity of an interceptor is based on retention and flow rate. There are many types of interceptors that are used at beauty salons, hospitals, meat, fish or fowl packaging, refineries, repair garages, gas stations, car washing facilities, various plants, factories, and processing sites. The designer of the building is responsible for locating interceptors with the expectation for the frequency of maintenance, ease of cleaning and floor space for equipment.

Chapter 11 Storm Drainage.

Chapter 11 regulates the removal of stormwater from roofs, yards, paved areas, and similar areas. The objective of storm drainage systems is to provide a conduit or channel through which runoff will be carried from a point of collection to a point of disposal; this protects the property and the public from the uncontrolled flow of runoff and ensures that drains and inlets are adequately sized to receive the volume of runoff that flows to the drains. For the purpose of system design, it's necessary to specify the duration of a selected storm. All methods used to determine volumes and peak flow use historical data. Drain location must be coordinated with the architectural design of the building. When selecting the type of roof drain to use, the roof construction and its thickness, along with the intended use of the roof, are required. Where the roof perimeter extends above the roof in such a manner that water is entrapped and causes ponding, or if any portion of the roof is designed so water can pond, secondary drainage is required. Where secondary drainage is required, scuppers, or a secondary system of roof drains and pipes, are installed to prevent the accumulation of excessive rainwater.

Chapter 12 Fuel Gas Piping.

Chapter 12 regulates the installation of gas piping in a building, structure or within the property lines of buildings up to 5 psi. Gas piping systems must supply the minimum volume of gas required by each gas appliance to perform their proper operation under working conditions without exceeding the maximum pressure specified by each manufacturer. Because of the hazards associated with fuel gas, it is important to ensure the gas system has been inspected and tested, and that it is safe to turn on the gas supply to the building.

Chapter 13 Health Care Facilities and Medical Gas and Medical Vacuum Systems.

Chapter 13 regulates the installation, inspection, testing, maintenance, performance, and safe practices for medical gas and vacuum systems located in health care facilities. This chapter addresses the installation and maintenance of health care fixtures, devices, and equipment. The purpose of medical gas and medical vacuum systems is to provide safe and sufficient flows at required pressures to the medical gas outlet or vacuum inlet terminals. System design and layout should allow convenient access by the medical staff to outlet and inlet terminals, valves, and equipment during patient care or emergencies, as safety is of primary concern.

Chapter 14 Firestop Protection.

Chapter 14 regulates piping penetrations of fire-resistance-rated walls, partitions, floors, floor and ceiling assemblies, roof and ceiling assemblies, or shaft enclosures through firestopping. To firestop is to create a physical barrier that impedes the spread of smoke, gases, and flames from one compartment in the building design to the next. The firestop is seen as a part that is essential to protecting the lives of people who live or work in the structure, increasing the chances of not succumbing to smoke or gases before they are able to evacuate the building. Fireproofing of this type helps to restore the fire-resistant properties of the building materials before the openings were created as part of the construction process.

Chapter 15 Alternate Water Sources for Nonpotable Applications.

Chapter 15 regulates gray water sources, reclaimed (recycled) water sources and on-site treated nonpotable water systems. Water sources include subsurface irrigation, subsoil irrigation, and mulch basin systems. Subsoil water irrigation provides a means to disperse shallow drip irrigation lines and mulch basins that collect and spread water in various applications. The reclaimed water provisions to on-site nonpotable water systems include gray water and other nonpotable water sources that are used for on-site applications. Water reuse is integral to sustainable water management because it allows water to remain in the environment and be preserved for future use while meeting the water requirements of the present. Water reuse reduces energy use by removing added potable water treatment, offsetting water demands, and providing water for energy production.

Chapter 16 Nonpotable Rainwater Catchment Systems.

Chapter 16 regulates nonpotable rainwater catchment systems that include irrigation; toilet and urinal flushing with proper treatment; provisions where permits are required; maintenance of alternate water sources; and minimum water quality. This chapter provides guidance on how to optimize rainwater use while ensuring there is a decrease of risk to consumers from poor

FORMAT OF THE UNIFORM PLUMBING CODE

design, installation, and maintenance. Rainwater harvesting is the process of capturing, channeling, and storing water runoff for later use. Most systems are constructed of three principal components: the catchment area, the collection device, and the conveyance system.

Chapter 17 Referenced Standards.

Chapter 17 provides two comprehensive tables with referenced standards. The standards listed in Table 1701.1 are applied as indicated in the applicable reference section(s). A list of additional standards, publications, practices, and guides that are not referenced in specific sections appear in Table 1701.2 and shall be submitted to the Authority Having Jurisdiction for approval.

Referenced standards set forth specific details of accepted practices, materials specifications, or test methods in many specialized applications. Standards provide an efficient method of conveying complex information and specifications on the performance requirements for materials, products, systems, application, and installation. The manner and purpose for a standard's use and, in turn, code compliance, must be definitive in all references to the standard. If the standard is intended to be a requirement for judging code compliance, the code must state its intent for use. The standard should adequately address a defined need and at the same time specify the minimum performance requirements, technical characteristics and methods of testing, and required test results.

The referenced standards table is organized in a manner that makes it easy to find specific standards in alphabetical order, and by acronym of the publishing agency of the standard. The table lists the title of the standard, the edition, any addenda, and the section or sections of the code that reference the standard. Contact information for each publishing agency is provided at the end of the chapter.

Appendix A Recommended Rules for Sizing the Water Supply System.

Appendix A provides a method of sizing the water supply and distribution system that provides precise calculations to establish the proper pressures and flow to the system's fixtures. The goal of sizing the system is to deliver an acceptable volume of water to the most hydraulically remote fixture during minimum pressure and maximum flow conditions; provide satisfactory water pressure to the most hydraulically remote fixture during minimum pressure and maximum flow conditions; and to prevent excessive water velocity during maximum flow conditions.

Appendix B Explanatory Notes on Combination Waste and Vent Systems.

Appendix B contains general guidelines for the design and installation of combination waste and vent systems. These systems are designed for waste piping and are purposely oversized to serve as both a waste and vent pipe to avoid excessive pneumatic effects at fixture drains.

Appendix C Alternate Plumbing Systems.

The intent of this appendix is to provide clarification of procedures for the design and approval of engineered plumbing systems, alternate materials, and equipment that are not specifically covered in other parts of the code. Alternative methods are allowed to be used where approved by the authority having jurisdiction. Approval of alternatives is based on a demonstration showing that the method or material used is at least equivalent in strength, deflection, and capacity to that provided by the prescriptive methods and materials.

Appendix D Sizing Storm Water Drainage Systems.

Appendix D provides general guidelines for the sizing of stormwater drainage systems. There are two pieces of information that must always be a given. They are the roof size and the rate of rainfall for the area.

Appendix E Manufactured/Mobile Home Parks and Recreational Vehicle Parks.

The provisions of this appendix apply to the plumbing and drainage systems of mobile home and recreational vehicle parks. These provisions also apply to the use, maintenance, and installation for supplying fuel gas, water, electricity, and disposal of sewage from accessory buildings or structures, and building components.

Appendix F Firefighter Breathing Air Replenishment Systems.

Appendix F provides guidance on installing firefighter breathing air replenishment systems. System components include outside fire department connection panel, interior air fill panel or station, interconnected piping distribution system and pressure monitoring switch. Fire departments access the system through an outside connection panel and are able to pump air into the system. The firefighters inside the structure access the system at fill stations that are found throughout the building. The piping distribution system is made from stainless tubing or other approved materials. It delivers compressed air to the building interior air fill stations and interior air fill panels. The tubing also acts as a conduit in the interior of the building between the outside connection panel and the air storage system. If the system becomes over-pressurized, the air monitoring system also acts as a pressure relief. A system isolation valve is placed alongside each interior air fill station and interior air fill panel to isolate the system.

Appendix G Sizing of Venting Systems.

Appendix G provides added information on the sizing of gas vents. This appendix is useful to the end user for the proper sizing of venting systems. A series of examples are given that show how to use the tables and other requirements of Chapter 5.

Appendix H Private Sewage Disposal Systems.

Appendix H provides general guidelines for the materials, design, and installation of new or existing private sewage disposal systems. Where a building cannot be served by a public sewer system, the building site must be provided with a system for treating the waste water generated from the use of plumbing fixtures in the building. The appendix addresses site evaluations, materials, soil absorption systems, holding tanks, cesspools and on-site waste-water treatment systems. Private sewage disposal systems must be designed based on the soil conditions, constructed using approved materials, and installed according to prescribed dimensions.

Appendix I Installation Standard for PEX Tubing Systems for Hot- and Cold-Water Distribution.

The installation standard provides guidelines for SDR 9 crosslinked polyethylene (PEX) tubing and fittings intended for hot- and cold-water distribution systems. Provisions include joining methods, clearances, sizing and flow velocities, handling, storage, exposure to heat and chemicals, and thermal expansion and contraction.

Appendix J Combination of Indoor and Outdoor Combustion and Ventilation Opening Design.

Appendix J provides an example of how to determine the required combination of indoor and outdoor combustion air opening sizes for appliances. The combustion air example also provides a table that contains the required volume of a space per the appliance BTU/h input that is based on the standard method.

Appendix K Potable Rainwater Catchment Systems.

Potable rainwater catchment system is defined as a system that uses the principal of collecting and using rain from a rooftop or other man-made, aboveground collection surface. This appendix applies to new rainwater catchment installations, as well as changes, additions, maintenance, and repairs to existing installations. Rainwater harvesting is the practice of collecting the water produced during rainfall events before it has a chance to run off into a river or stream or soak into the ground and become groundwater.

Appendix L Sustainable Practices.

This appendix provides a comprehensive set of technically sound provisions that encourage sustainable practices and works toward improving the design and construction of plumbing systems that result in a positive long-term environmental impact. Environmental sustainability is important because it involves natural resources that human beings need for economic or manufactured capital. Their sustainability is defined by their reliance on infinitely available resources that are naturally occurring, constant, and free to access.

Appendix M Peak Water Demand Calculator.

This appendix provides a method for estimating the demand load for the building water supply and principal branches for single- and multi-family dwellings with water-conserving plumbing fixtures, fixture fittings, and appliances.

SAMPLE LEGISLATION FOR ADOPTION OF THE UNIFORM PLUMBING CODE

The Uniform Codes are designed to be adopted by jurisdictions through an ordinance. Jurisdictions wishing to adopt the 2018 *Uniform Plumbing Code* as an enforceable regulation governing plumbing systems by reference should ensure the legal basis under which adoption and implementation are included in the ordinance.

The following sample ordinance is a guide for drafting an ordinance for adoption that addresses key components regulations and resolutions.

ORDINANCE NO.

An ordinance of the [JURISDICTION] adopting the 2018 edition of the *Uniform Plumbing Code*, regulating and controlling the design, construction, quality of materials, erection, installation, alteration, repair, location, relocation, replacement, addition to, use or maintenance of plumbing systems in the [JURISDICTION]; providing for the issuance of permits and collection of fees therefor; repealing Ordinance No. of the [JURISDICTION] and all other ordinances and parts of the ordinances in conflict therewith.

The [GOVERNING BODY] of the [JURISDICTION] does ordain as follows:

Section 1 Codes Adopted by Reference. That certain documents, three (3) copies of which are on file in the office of the [JURISDICTION'S KEEPER OF RECORDS] and the [JURISDICTION], being marked and designated as the 2018 *Uniform Plumbing Code*, including Appendix Chapters [FILL IN THE APPENDIX CHAPTERS BEING ADOPTED], as published by the International Association of Plumbing and Mechanical Officials, be and is hereby adopted as the Code of the [JURISDICTION], in the State of [STATE NAME] regulating and controlling the design, construction, quality of materials, erection, installation, alteration, repair, location, relocation, replacement, addition to, use or maintenance of plumbing systems as herein provided; providing for the issuance of permits and collection of fees therefor; and each and all of the regulations, provisions, penalties, conditions and terms of such 2018 *Uniform Plumbing Code* on file in the office of the [JURISDICTION] are hereby referred to, adopted, and made a part hereof, as if fully set out in this ordinance.

Section 2 Modifications. The following sections are hereby revised:

Section 101.1. Insert: [NAME OF JURISDICTION]

Section 104.5. Insert: [APPROPRIATE FEE SCHEDULE]

Section 3 Conflicting Ordinances Repealed. That Ordinance No. of [JURISDICTION] entitled [TITLE OF THE ORDINANCE OR ORDINANCES IN EFFECT AT THE PRESENT TIME SO THAT THEY WILL BE REPEALED BY MENTION] and all other ordinances or parts of ordinances in conflict herewith are hereby repealed.

Section 4 Preemption. [JURISDICTION] hereby fully occupies and preempts the entire field of regulation of design, construction, quality of materials, erection, installation, alteration, repair, location, relocation, replacement, addition to, use or maintenance of plumbing systems; and provision for the issuance of permits and collection of fees therefor; within the boundaries of [JURISDICTION]. [AS APPROPRIATE] Cities, towns, and counties or other municipalities may enact only those laws and ordinances relating to this field as specifically authorized by state law and consistent with this ordinance. Local laws and ordinances that are inconsistent with, more restrictive than, or exceed the requirements of [ORDINANCE NO.] shall not be enacted and are hereby expressly preempted and repealed, regardless of the nature of the code, charter, or home rule status of such city, town, county, or municipality.

Section 5 Severability. That if any section, subsection, sentence, clause or phrase of this ordinance is, for any reason, held to be unconstitutional, such decision shall not affect the validity of the remaining portions of this ordinance. The [GOVERNING BODY] hereby declares that it would have passed this ordinance, and each section, subsection, clause or phrase thereof, irrespective of the fact that any one or more sections, subsections, sentences, clauses and phrases be declared unconstitutional.

Section 6 Legal Notice. That the [JURISDICTION'S KEEPER OF RECORDS] is hereby ordered and directed to cause this ordinance to be published. (An additional provision may be required to direct the number of times the ordinance is to be published and to specify that it is to be in a newspaper in general circulation. Posting may also be required.)

Section 7 Violations and Penalties. [INCORPORATE PENALTIES FOR VIOLATIONS]

Section 8 Effective Date. That this ordinance and the rules, regulations, provisions, requirements, orders and matters established and adopted hereby shall take effect and be in full force and effect [TIME PERIOD] from and after the date of its final passage and adoption.

COMMITTEE ON UNIFORM PLUMBING CODE

These lists represent the membership at the time the Committee was balloted on the final text of this edition. Since that time, changes in the membership may have occurred.

IAPMO Standards Council

Linden Raimer, *Chairman*

Raimer Consulting Services, LLC [U]

Carl Crimmins, MN State Pipe Trades [SE]
Bill Erickson, CJ Erickson Plumbing Company [U]
James Majerowicz, UA Instructor [L]
Rich Prospal, ASSE [C]

Ron Rice, City of St. Paul [C]
Robert “Bud” Riestenberg, Piping Systems, Inc. [U]
Bob Siemsen, City of Lincoln [E]
Kevin Tindall, Tindall & Ranson Plumbing, Heating & A/C, Inc. [I/M]

Nonvoting

Gabriella M. Davis, Secretary
International Association of Plumbing and Mechanical Officials

Lynne Simnick, Recording Secretary
International Association of Plumbing and Mechanical Officials

IAPMO Uniform Plumbing Code Technical Committee

Dan Daniels, *Chairman*

Self [C]

Bob Adler, City of San Jose, California [E]
Sarah Aguilar, Southland Industries [I/M]
Julius Ballanco, American Society of Plumbing Engineers [SE]
DJ Berger, Plumbers and Steamfitters [L]
Sylvanus Bloice, Roots Plumbing Services [I/M]
Jeremy Brown, NSF International [R/S/T]
Phil Campbell, United Association [L]
Maggie Carroll, Underwriters Laboratories [R/S/T]
Ian Chang, Intertek Testing Services [R/S/T]
Richard Church, Plastic Pipe and Fittings Association [M]
Adel Salah-Eddine, City of Los Angeles - Department of Building and Safety [E]
Pennie Feehan, Copper Development Association [M]
John “Jack” Fischer, Self [C]
William LeVan, Cast Iron Soil Pipe Institute [M]
Doug Marian, ASSE [R/S/T]

David L. Mann, CA Pipe Trades Council [L]
John Nielsen, State of Idaho - Div. of Building Safety [E]
Thomas Pape, Alliance for Water Efficiency (AWE) [C]
Phil Ribbs, PHR Consultants [SE]
Arnold Rodio, Jr., Pace Setter Plumbing [I/M]
Martin “Mo” Salberg, Plumbers, Steamfitters and Refrigeration Fitters UA Local 393 [L]
Anthony Scarano, Plastics Piping Consultant [SE]
Matt Sigler, Plumbing Manufacturers International [M]
Larry Soskin, Ace Duraflo [I/M]
Jim Stack, Plumbing-Heating-Cooling Contractors National Association [I/M]
Donald Surrena, National Association of Home Builders [U]
Amir Tabakh, City of Los Angeles - Department of Water and Power [E]
April Trafton, Donald Dickerson Associates [SE]

Alternates

Dan Buuck, National Association of Home Builders [U]
Terry Burger, NSF International [R/S/T]
Carl Cimino, Pipe Trades Training Center [L]
Michael Cudahy, Plastic Pipe & Fittings Association [M]
Shawn Hargis, City of Los Angeles - Department of Building and Safety [E]
James Pavesic, United Association [L]
Leonard Ramociotti, LAR Consulting [SE]

Arnold Rodio, Sr., Pace Setter Plumbing [I/M]
Robert Sewell, Plumbers & Steamfitters, Local 159 [L]
Billy Smith, American Society of Plumbing Engineers [SE]
Don Summers, ASSE [R/S/T]
John Taecker, Underwriters Laboratories [R/S/T]
Che Timmons, Local 342 [L]
James Walls, Cast Iron Soil Pipe Institute [M]

Nonvoting

Enrique Gonzalez, IAPMO Staff Liaison
Laura Montville, NFPA [R/S/T]

Eric Nette, NFPA [R/S/T]
DJ Nunez, Ex -Officio IAPMO [E]

COMMITTEE MEMBERSHIP CLASSIFICATION ABBREVIATIONS

These classifications apply to Technical Committee members and represent their principal interest in the activity of a committee.

- M** *Manufacturer*: A representative of a maker or marketer of a product, assembly or system, or portion thereof, that is affected by the standard.
- U** *User*: A representative of an entity that is subject to the provisions of the standard or that voluntarily uses the standard.
- I/M** *Installer/Maintainer*: A representative of an entity that is in the business of installing or maintaining a product, assembly or system affected by the standard.
- L** *Labor*: A labor representative or employee concerned with safety in the workplace.
- R/S/T** *Research/Standards/Testing Laboratory*: A representative of an independent research organization; an organization that develops codes, standards or other similar documents; or an independent testing laboratory.
- E** *Enforcing Authority*: A representative or an agency or an organization that promulgates and/or enforces standards.
- C** *Consumer*: A person who is, or represents, the ultimate purchaser of a product, system, or service affected by the standard, but who is not included in the *User* classification.
- SE** *Special Expert*: A person not representing any of the previous classifications, but who has special expertise in the scope of the standard or portion thereof.

SECTION RELOCATION

2018 Location	2015 Location
404.2	404.1
422.2.2	422.2.1
Table 501.1(1)	Table 501.1(2)
Table 501.1(2)	Table 501.1(1)
Figure 506.4.1(1) – Figure 506.4.1(3)	Figure 506.4(1) — Figure 506.4(3)
509.2.4 – 509.2.7	509.2.2 – 509.2.5
509.6(1) – 509.6(4)	509.6 – 509.6.1
509.6.1 – 509.6.1.7	509.6.2 – 509.6.2.7
509.6.2	509.6.3
Figure 509.6.1	Figure 509.6.2
Table 509.6.1	Table 509.6.2
509.6.2.1 – 509.6.2.2	509.6.3.1 – 509.6.3.2
509.6.2.4	509.6.3.3
509.6.3 – 509.6.3.1	509.6.4 – 509.6.4.1
Figure 509.6.3.1	Figure 509.6.4.1
509.6.3.2	509.6.4.2
509.6.4 – 509.6.5	509.6.6
Table 509.7.3.4(1)	Table 509.7.3(1)
Figure 509.7.3.4(1) – Figure 509.7.3.4(3)	Figure 509.7.3(1) – Figure 509.7.3(3)
Table 509.7.3.4(2)	Table 509.7.3(2)
509.12 – 509.12.6	509.11 – 509.11.6
509.13	509.12
509.14 – 509.14.1	509.13 – 509.13.1
509.15	509.14
510.2.7 – 510.2.27	510.2.6 – 510.2.26
Figure 510.10	Figure 510.1.2(6)
605.2.1.1	605.2.1
705.6 – 705.6.3	705.5 – 705.5.3
705.7 – 705.7.2	705.6 – 705.6.2
705.8 – 705.8.1	705.7 – 705.7.1
705.9 – 705.9.4	705.8 – 705.8.4
705.10 – 705.10.4	705.9 – 705.9.4
1107.0 – 1107.2.3	1106.0 – 1106.2.3
Table 1103.1	Table 1101.12
Table 1103.2	Table 1101.8
1208.3 – 1208.3.1	1214.1 – 1214.2

2018 Location	2015 Location
1208.5	1210.5
1208.6 – 1208.6.6	1208.5 – 1208.5.4.1
1208.6.7	1208.5.4.2 – 1208.5.4.2.3
1208.6.8 – 1208.6.13, Table 1208.6.10.2	1208.5.5 – 1208.5.10, Table 1208.5.7.2
1208.6.13.6 – 1208.6.13.7	1208.5.10.1 – 1208.5.10.2
1208.6.14 – 1208.6.14.1	1208.5.11 – 1208.5.11
1208.7 – 1208.7.4	1208.6 – 1208.6.4
1208.8	1208.7
1208.8.1 – 1208.8.8	1208.7.2 – 1208.7.9
1208.11 – 1208.14.1	1208.8 – 1208.11.1
1210.5 – 1210.5.3	1210.7 – 1210.7.3
1210.6 – 1210.12	1210.8 – 1210.14
1212.5 – 1212.11	1212.4 – 1212.10
Figure 1212.9	Figure 1212.8
1213.6.1.2 – 1213.6.1.5	1213.6.1.1 – 1213.6.1.4
1214.0 – 1214.4	1215.0 – 1215.4
1215.0 – 1215.6	1216.0 – 1216.6
Figure 1215.1.1	Figure 1216.1.1
Table 1215.2(1) – Table 1215.2(36)	Table 1216.2(1) – Table 1216.2(36)
Equation 1215.3(1) – Equation 1215.3(2)	Equation 1216.3(1) – Equation 1216.3(2)
Table 1215.3	Table 1216.3
1304.5 – 1304.6.3	1304.4 – 1304.5.3
1309.3 – 1309.10.4	1309.2.1 – 1309.3.10.4
1309.11 – 1309.18	1309.4.1 – 1309.6
1310.2.1	1310.2(1)
1310.2.2 – 1310.2.3	1310.2(3) – 1310.2(4)
1310.2.4 – 1310.2.6	1310.2.1 – 1310.2.3
1310.4.2	1310.4.1(3)
1310.4.3	1310.4.2
1310.8.2	1310.8.1
1311.0	1312.0
1311.2 – 1311.2.1	1312.2 – 1312.2.1
1311.3	1312.3
1311.3.1	1312.3.2
1311.4 – 1311.7	1312.4 – 1312.7

SECTION RELOCATION

2018 Location	2015 Location
1311.8	1312.1.3, 1312.1.3.1
1311.9.1	1312.8.1
1311.10 – 1311.10.6	1312.9 – 1312.9.2
1312.0 – 1313.2.1	1313.0 – 1314.1.1
1313.2.2	1314.1.2, 1314.1.2.1
1313.4	1314.1.2.2
1313.5 – 1313.7	1314.1.3 – 1314.2
1313.7.2	1314.2.1
1314.0 – 1315.1	1315.0 – 1316.1
1315.2.2	1316.2.3
1315.3	1316.3
1316.0 – 1317.1	1317.0 – 1318.1
1317.1.1, 1317.3	1318.2
1317.4	1318.3
1318.0 – 1318.5.3	1319.0 – 1319.5.3
1318.8 – 1318.8.6	1319.6 – 1319.6.6
1318.9 – 1318.10.7	1319.7 – 1319.8.7
1318.12 – 1318.12.2	1319.9 – 1319.9.2
1318.14 – 1318.15	1319.10 – 1319.11
Table 1318.15	Table 1319.11
1318.16 – 1319.3	1319.12 – 1320.3
1501.9 – 1501.9.1	1501.10 – 1501.10.1
1501.10	1501.9
1502.0, 1502.1	1501.11
1502.2 – 1503.9.7, Table 1503.4	1501.11.1 – 1502.9.7, Table 1502.4
1504.0, 1504.1	1502.10
1504.2	1502.10.1
Table 1504.2	Table 1502.10
1504.3 – 1504.5.7	1502.10.2 – 1502.11.1.6
Table 1504.5.5	Table 1502.11
1504.6 – 1504.7.3	1502.11.2 – 1502.11.3.3
Table 1504.7.3	Table 1502.11.3
1504.8 – 1505.9	1502.12 – 1503.9
Figure 1505.9	Figure 1503.9
1505.10 – 1602.9.6	1503.10 – 1602.9.4
Table 1602.9.6	Table 1602.9.4

2018 Location	2015 Location
1603.0, 1603.1	1602.9.5
1603.2 – 1603.16	1602.9.5.1 – 1602.9.12
1604.0, 1604.1	1602.10
1604.2 – 1604.3	1602.10.1 – 1602.10.2
1605.0, 1605.1	1602.11
1605.2 – 1605.3.4	1602.11.1 – 1602.11.2.4
Table A 104.4(1)	Table A 104.4
Table C 303.2 – Table C 303.3	Table C 303.1(1) – Table C 303.1(2)
E 101.2	E 102.1
E 201.0, E 201.1	E 101.2
E 301.0 – E 301.1	E 201.0 – E 201.1
E 301.2	E 203.1
Table E 301.2(1) – Table E 301.2(2)	Table E 203.1(1) – Table E 203.1(2)
E 301.2.1 – E 301.2.2	E 206.1 – E 206.2
E 301.2.3 – E 301.3.2	E 202.1 – E 204.3
E 301.4 – E 301.4.1	E 207.1 – E 207.2
E 302.0, E 302.1	E 301.0, E 301.1
E 302.2	E 302.1
E 302.2.1	E 310.1
E 302.2.2	E 305.1
E 302.2.3	E 304.1
E 302.2.4	E 303.1
E 302.3-302.6	E 306.1-E 309.1
E 302.7 – E 302.7.2	E 311.1 – E311.3
E 302.8	E 312.1
E 402.2 – E 402.2.1	E 402.1.1 – E 402.1.2
E 402.3	E 403.1
E 402.4 – E 402.4.2	E 404.1 – E 404.3
E 403.1	E 406.1
E 403.2	E 407.0, E 407.1
Table E 403.2	Table E 407.1
E 403.3 – E 403.4	E 408.1 – E 408.2
E 403.5	E 409.0, E 409.1
E 403.6 – E 403.7	E 409.2 – E 409.3
E 403.8 – E 403.9	E 410.1 – E 410.4
E 403.10	E 411.0, E 411.1

SECTION RELOCATION

2018 Location	2015 Location
E 403.11	E 412.0, E 412.1
E 403.12 – E 403.13	E 412.2 – E 412.3
E 404.0 – E 406.4	E 413.0 – E 415.4
E 501.2	E 601.0, E601.1
E 501.2.1	E 602.0, E 602.1
E 501.2.2	E 604.0, E 604.1
E 501.2.3	E 611.0, E 611.1
E 501.2.4	E 614.0, E 614.1
E 501.2.5	E 615.0, E 615.1
E 501.3	E 603.0, E 603.1
E 501.3.1	E 608.0, E 608.1
E 501.3.2	E 609.0, E 609.1
E 501.3.3	E 610.0, E 610.1
E 501.4	E 606.0, E 606.1
E 501.5	E 607.0, E 607.1
E 501.6	E 605.0, E 605.1
E 501.7	E 612.0, E 612.1
E 501.7.1	E 613.0, E 613.1
E 501.8	E 803.0, E 803.1
E 502.0 – E 502.1	E 701.0 – E 701.1
E 502.2	E 702.0, E 702.1
E 502.3	E 703.0, E 703.1
E 502.4	E 704.0, E 704.1
E 502.5	E 705.0, E 705.1
E 502.6	E 706.0, E 706.1
E 502.7	E 707.0, E 707.1
E 503.0 – E 503.1	E 801.0 – E 801.1
E 503.2	E 802.0, E 802.1
E 504.0 – E 504.1	E 901.0 – E 901.1
E 504.2	E 904.0, E 904.1
E 504.3	E 902.0, E 902.1
E 504.4	E 903.0, E 903.1
Table E 504.4	Table E 903.1
E 504.5	E 905.0, E 905.1
E 504.6	E 1001.0, E 1001.1
E 504.6.1	E 1002.0, E 1002.1
E 504.6.2	E 1003.0, E 1003.1

2018 Location	2015 Location
E 505.0 – E 505.1	E 1101.0 – E 1101.1
E 505.2	E 1102.0, E 1102.1
E 505.3	E 1103.0, E 1103.1
E 505.4	E 1104.0, E 1104.1
E 506.0 – E 506.1	E 1201.0 – E 1201.1
Table H 201.1(2) – Table H 201.1(3)	Table H 201.1(3) – Table H 201.1(4)
Table H 201.1(4)	Table H 201.1(2)
Table K 101.5.1	Table K 101.5
K 104.2	K 104.1.1
K 104.3	K 104.2
Table K 104.3(1) – Table K 104.3(2)	Table K 104.2(1) – Table K 104.2(2)
K 104.4 – K 104.6	K 104.2.1 – K 104.3
K 105.0, K 105.1	K 104.4
K 105.2 – K 105.12	K 104.4.1 – K 104.6
K 106.0, K 106.1	K 104.7
K 106.2 – K 106.4.4	K 104.7.1 – K 104.9.4
K 106.5 – K 106.7	K 104.11 – K 104.13
K 107.0 – K 107.1	K 105.0 – K 105.1
K 108.0 – K 108.1	K 106.0 – K 106.1
L 402.5.2	L 402.5.2.1, L 402.5.2.2
L 407.3 – L 407.4	L 407.2 – L 407.3
L 501.0 – L 502.7	L 601.0 – L 602.7
Table L 502.7	Table L 602.7
L 502.7.1 – L 502.7.3	L 602.7.1 – L 602.7.3
L 503.0 – L 503.4.5	L 603.0 – L 603.4.3.1
Table L 503.3.2 – Table L 503.3.3	Table L 603.3.2 – Table L 603.3.3
L 503.5	L 603.5
L 504.0 – L 506.1	L 604.1 – L 606.1
L 601.0 – L 602.1	L 701.0 – L 702.1
L 701.0 – L 701.2	L 801.9 – L 801.2
Table L 701.2(1) – Table L 701.2(2)	Table L 801.2(1) – Table L 801.2(2)

TABLE OF CONTENTS

CHAPTER 1	ADMINISTRATION1		
101.0	General1	107.2	Limitations of Authority6
101.1	Title1	Table 104.5	Plumbing Permit Fees7
101.2	Scope1	CHAPTER 2	DEFINITIONS9
101.3	Purpose1	201.0	General9
101.4	Unconstitutional1	201.1	Applicability9
101.5	Validity1	202.0	Definition of Terms9
102.0	Applicability1	202.1	General9
102.1	Conflicts Between Codes1	CHAPTER 3	GENERAL REGULATIONS21
102.2	Existing Installations1	301.0	General21
102.3	Maintenance1	301.1	Applicability21
102.4	Additions, Alterations, Renovations, or Repairs1	301.2	Minimum Standards21
102.5	Health and Safety1	301.3	Alternate Materials and Methods of Construction Equivalency21
102.6	Changes in Building Occupancy1	301.4	Flood Hazard Areas21
102.7	Moved Structures1	301.5	Alternative Engineered Design22
102.8	Appendices1	302.0	Iron Pipe Size (IPS) Pipe22
103.0	Duties and Powers of the Authority Having Jurisdiction2	302.1	General22
103.1	General2	303.0	Disposal of Liquid Waste22
103.2	Liability2	303.1	General22
103.3	Applications and Permits2	304.0	Connections to Plumbing System Required22
103.4	Right of Entry2	304.1	General22
104.0	Permits2	305.0	Damage to Drainage System or Public Sewer22
104.1	Permits Required2	305.1	Unlawful Practices22
104.2	Exempt Work2	306.0	Industrial Wastes22
104.3	Application for Permit2	306.1	Detrimental Wastes22
104.4	Permit Issuance3	306.2	Safe Discharge22
104.5	Fees4	307.0	Location22
105.0	Inspections and Testing4	307.1	System22
105.1	General4	307.2	Ownership23
105.2	Required Inspections4	308.0	Improper Location23
105.3	Testing of Systems5	308.1	General23
105.4	Connection to Service Utilities5	309.0	Workmanship23
106.0	Violations and Penalties5	309.1	Engineering Practices23
106.1	General5	309.2	Concealing Imperfections23
106.2	Notices of Correction or Violation5	309.3	Burred Ends23
106.3	Penalties5	309.4	Installation Practices23
106.4	Stop Orders6	309.5	Sound Transmission23
106.5	Authority to Disconnect Utilities in Emergencies6	310.0	Prohibited Fittings and Practices23
106.6	Authority to Condemn6	310.1	Fittings23
107.0	Board of Appeals6		
107.1	General6		

310.2	Drainage and Vent Piping	23
310.3	Waste Connection	23
310.4	Use of Vent and Waste Pipes . . .	23
310.5	Obstruction of Flow	23
310.6	Dissimilar Metals	23
310.7	Direction of Flow	23
310.8	Screwed Fittings	23
311.0	Independent Systems	23
311.1	General	23
312.0	Protection of Piping, Materials, and Structures	23
312.1	General	23
312.2	Installation	23
312.3	Building Sewer and Drainage Piping	24
312.4	Corrosion, Erosion, and Mechanical Damage	24
312.5	Protectively Coated Pipe	24
312.6	Freezing Protection	24
312.7	Fire-Resistant Construction	24
312.8	Waterproofing of Openings	24
312.9	Steel Nail Plates	24
312.10	Sleeves	24
312.11	Structural Members	24
312.12	Rodentproofing	24
313.0	Hangers and Supports	24
313.1	General	24
313.2	Material	24
313.3	Suspended Piping	24
313.4	Alignment	24
313.5	Underground Installation	24
313.6	Hanger Rod Sizes	24
Table 313.6	Hanger Rod Sizes	24
313.7	Gas Piping	24
314.0	Trenching, Excavation, and Backfill	25
314.1	Trenches	25
314.2	Tunneling and Driving	25
314.3	Open Trenches	25
314.4	Excavations	25
315.0	Joints and Connections	25
315.1	Unions	25
315.2	Prohibited Joints and Connections	25
316.0	Increases and Reducers	25
316.1	General	25
317.0	Food-Handling Establishments . . .	25
317.1	General	25

318.0	Test Gauges	25
318.1	General	25
318.2	Pressure Tests (10 psi or less) . .	25
318.3	Pressure Tests (greater than 10 psi to 100 psi)	25
318.4	Pressure Tests (exceeding 100 psi)	25
318.5	Pressure Range	26
319.0	Medical Gas and Vacuum Systems	26
319.1	General	26
320.0	Rehabilitation of Piping Systems .	26
320.1	General	26
Table 313.3	Hangers and Supports	26

CHAPTER 4

PLUMBING FIXTURES AND FIXTURE FITTINGS	27
General	27
Applicability	27
Quality of Fixtures	27
Installation	27
Cleaning	27
Joints	27
Securing Fixtures	27
Wall-Hung Fixtures	27
Setting	27
Flanged Fixture Connections	27
Supply Fittings	27
Installation	27
Design and Installation of Plumbing Fixtures	28
Slip Joint Connections	28
Future Fixtures	28
Accessible Plumbing Facilities . . .	28
General	28
Fixtures and Fixture Fittings for Persons with Disabilities	28
Exposed Pipes and Surfaces	28
Waste Fittings and Overflows	28
Waste Fittings	28
Overflows	28
Prohibited Fixtures	28
Prohibited Water Closets	28
Prohibited Urinals	28
Miscellaneous Fixtures	28
Special Fixtures and Specialties . .	28
Water and Waste Connections . . .	28
Special Use Sinks	28
Special Use Fixtures	28

406.4	Zinc Alloy Components	28	413.3	Flush Tanks	32
407.0	Lavatories	28	413.4	Water Supply for Flush Tanks . . .	32
407.1	Application	28	413.5	Overflows in Flush Tanks	32
407.2	Water Consumption	28	414.0	Dishwashing Machines	32
407.3	Limitation of Hot Water Temperature for Public Lavatories	28	414.1	Application	32
407.4	Transient Public Lavatories	29	414.2	Backflow Protection	32
407.5	Waste Outlet	29	414.3	Drainage Connection	32
407.6	Overflow	29	415.0	Drinking Fountains	32
408.0	Showers	29	415.1	Application	32
408.1	Application	29	415.2	Drinking Fountain Alternatives . . .	32
408.2	Water Consumption	29	415.3	Drainage Connection	32
408.3	Individual Shower and Tub-Shower Combination Control Valves	29	415.4	Location	32
408.4	Waste Outlet	29	416.0	Emergency Eyewash and Shower Equipment	32
408.5	Finished Curb or Threshold	29	416.1	Application	32
408.6	Shower Compartments	29	416.2	Water Supply	32
408.7	Lining for Showers and Receptors	29	416.3	Installation	32
408.8	Public Shower Floors	30	416.4	Location	32
408.9	Location of Valves and Heads . . .	30	416.5	Drain	32
408.10	Water Supply Riser	30	417.0	Faucets and Fixture Fittings	32
409.0	Bathtubs and Whirlpool Bathtubs	30	417.1	Application	32
409.1	Application	30	417.2	Deck Mounted Bath/Shower Valves	32
409.2	Waste Outlet	30	417.3	Handheld Showers	32
409.3	Overflow	30	417.4	Faucets and Fixture Fittings with Hose Connected Outlets	32
409.4	Limitation of Hot Water in Bathtubs and Whirlpool Bathtubs	30	417.5	Separate Controls for Hot and Cold Water	32
409.5	Backflow Protection	30	418.0	Floor Drains	33
409.6	Installation and Access	31	418.1	Application	33
410.0	Bidets	31	418.2	Strainer	33
410.1	Application	31	418.3	Location of Floor Drains	33
410.2	Backflow Protection	31	418.4	Food Storage Areas	33
410.3	Limitation of Water Temperature in Bidets	31	418.5	Floor Slope	33
411.0	Water Closets	31	419.0	Food Waste Disposers	33
411.1	Application	31	419.1	Application	33
411.2	Water Consumption	31	419.2	Drainage Connection	33
411.3	Water Closet Seats	31	419.3	Water Supply	33
411.4	Personal Hygiene Devices	31	420.0	Sinks	33
412.0	Urinals	31	420.1	Application	33
412.1	Application	31	420.2	Water Consumption	33
412.2	Backflow Protection	31	420.3	Pre-Rinse Spray Valve	33
413.0	Flushing Devices	31	420.4	Waste Outlet	33
413.1	Where Required	31	421.0	Floor Sinks	33
413.2	Flushometer Valves	31	421.1	Application	33
			421.2	Strainers	33
			422.0	Minimum Number of Required Fixtures	33

422.1	Fixture Count	33	507.1	Dielectric Insulator	46
422.2	Separate Facilities	34	507.2	Seismic Provisions	46
422.3	Fixture Requirements for Special Occupancies	34	507.3	Appliance Support	46
422.4	Toilet Facilities Serving Employees and Customers	34	507.4	Ground Support	46
422.5	Toilet Facilities for Workers	34	507.5	Drainage Pan	46
Table 422.1	Minimum Plumbing Facilities	35	507.6	Added or Converted Equipment or Appliances	46
CHAPTER 5	WATER HEATERS	41	507.7	Types of Gases	46
501.0	General	41	507.8	Safety Shutoff Devices for Unlisted LP-Gas Appliance Used Indoors	46
501.1	Applicability	41	507.9	Use of Air or Oxygen Under Pressure	46
Table 501.1(1)	Water Heaters	41	507.10	Protection of Gas Appliances from Fumes or Gases other than Products of Combustion	46
502.0	Permits	41	507.11	Process Air	46
502.1	General	41	507.12	Flammable Vapors	46
503.0	Inspection	41	507.13	Installation in Residential Garages	46
503.1	Inspection of Chimneys or Vents	41	507.14	Installation in Commercial Garages	47
503.2	Final Water Heater Inspection	41	507.15	Installation in Aircraft Hangars	47
504.0	Water Heater Requirements	41	507.16	Venting of Flue Gases	47
504.1	Location	41	507.17	Extra Device or Attachment	47
504.2	Vent	41	507.18	Adequate Capacity of Piping	47
Table 501.1(2)	First Hour Rating	41	507.19	Avoiding Strain on Gas Piping	47
504.3	Clearance	42	507.20	Gas Appliance Pressure Regulators	47
504.4	Pressure-Limiting Devices	42	507.21	Venting of Gas Appliance Pressure Regulators	47
504.5	Temperature-Limiting Devices	42	507.22	Bleed Lines for Diaphragm-Type Valves	47
504.6	Temperature, Pressure, and Vacuum Relief Devices	42	507.23	Combination of Appliances and Equipment	47
505.0	Oil-Burning and Other Water Heaters	42	507.24	Installation Instructions	47
505.1	Water Heaters	42	507.25	Protection of Outdoor Appliances	48
505.2	Safety Devices	42	507.26	Accessibility for Service	48
505.3	Oil-Fired Water Heaters	42	507.27	Clearance to Combustible Materials	48
505.4	Indirect-Fired Water Heaters	42	508.0	Appliances on Roofs	48
506.0	Air for Combustion and Ventilation	42	508.1	General	48
506.1	General	42	508.2	Installation of Appliances on Roofs	48
506.2	Indoor Combustion Air	43	508.3	Appliances on Roofs	48
506.3	Indoor Opening Size and Location	43	508.4	Appliances in Attics and Under-Floor Spaces	48
506.4	Outdoor Combustion Air	43	509.0	Venting of Appliances	49
506.5	Combination Indoor and Outdoor Combustion Air	45	509.1	Listing	49
506.6	Engineered Installations	45	509.2	Connection to Venting Systems	49
506.7	Mechanical Combustion Air Supply	45			
506.8	Louvers, Grilles, and Screens	45			
506.9	Combustion Air Ducts	45			
507.0	Appliance and Equipment Installation Requirements	46			

509.3	Design and Construction	49
509.4	Type of Venting System to be Used	50
Table 509.4	Type of Venting System to be Used	50
509.5	Masonry, Metal, and Factory-Built Chimneys	50
509.6	Gas Vents	52
Table 509.6.1	Roof Slope Heights	53
509.7	Single-Wall Metal Pipe	55
Table 509.7.3.4(1)	Clearance for Connectors	55
Table 509.7.3.4(2)	Reduction of Clearances with Specified Forms of Protection	57
509.8	Through-the-Wall Vent Termination	58
509.9	Condensation Drain	59
509.10	Vent Connectors for Category I Appliances	59
Table 509.10.1.3	Minimum Thickness for Galvanized Steel Vent Connectors for Low-Heat Appliances	60
Table 509.10.1.4	Minimum Thickness for Steel Vent Connectors for Medium-Heat Appliances	60
509.11	Vent Connectors for Category II, Category III, and Category IV Appliances	61
509.12	Draft Hoods and Draft Controls	61
509.13	Manually Operated Dampers	62
509.14	Automatically Operated Vent Dampers	62
509.15	Obstructions	62
510.0	Sizing of Category I Venting Systems	62
510.1	Single Appliance Vent Table 510.1.2(1) through Table 510.1.2(6)	62
510.2	Multiple Appliance Vent Table 510.2(1) through Table 510.2(9)	63
Table 510.2.1	Vent Connector Maximum Length	64
Table 510.1.2(1)	Type B Double-Wall Gas Vent	68
Table 510.1.2(2)	Type B Double-Wall Gas Vent	71
Table 510.1.2(3)	Masonry Chimney	73
Table 510.1.2(4)	Masonry Chimney	75
Table 510.1.2(5)	Single-Wall Metal Pipe or Type B Asbestos-Cement Vent	77
Table 510.1.2(6)	Exterior Masonry Chimney	78
Table 510.2(1)	Type B Double-Wall Vent	79
Table 510.2(2)	Type B Double-Wall Vent	83

Table 510.2(3)	Masonry Chimney	85
Table 510.2(4)	Masonry Chimney	87
Table 510.2(5)	Single-Wall Metal Pipe or Type B Asbestos-Cement Vent	89
Table 510.2(6)	Exterior Masonry Chimney	89
Table 510.2(7)	Exterior Masonry Chimney	90
Table 510.2(8)	Exterior Masonry Chimney	91
Table 510.2(9)	Exterior Masonry Chimney	92

CHAPTER 6

WATER SUPPLY AND DISTRIBUTION

	CHAPTER 6 WATER SUPPLY AND DISTRIBUTION	93
601.0	General	93
601.1	Applicability	93
601.2	Hot and Cold Water Required	93
601.3	Identification of a Potable and Nonpotable Water System	93
Table 601.3.2	Minimum Length of Color Field and Size of Letters	93
602.0	Unlawful Connections	93
602.1	Prohibited Installation	93
602.2	Cross-Contamination	93
602.3	Backflow Prevention	94
602.4	Approval by Authority	94
603.0	Cross-Connection Control	94
603.1	General	94
603.2	Approval of Devices or Assemblies	94
603.3	Backflow Prevention Devices, Assemblies, and Methods	94
603.4	General Requirements	94
Table 603.2	Backflow Prevention Devices, Assemblies, and Methods	95
Table 603.3.1	Minimum Air Gaps for Water Distribution	97
603.5	Specific Requirements	97
604.0	Materials	100
604.1	Pipe, Tube, and Fittings	100
604.2	Lead Content	100
604.3	Copper or Copper Alloy Tube	100
604.4	Hard-Drawn Copper or Copper Alloy Tubing	100
604.5	Flexible Connectors	100
604.6	Cast-Iron Fittings	100
604.7	Malleable Iron Fittings	100
604.8	Previously Used Piping and Tubing	100
604.9	Epoxy Coating	100
604.10	Plastic Materials	100
604.11	Solder	100

604.12	Flexible Corrugated Connectors . . .100	608.3	Expansion Tanks, and Combination Temperature and Pressure-Relief Valves106
Table 604.1	Materials for Building Supply and Water Distribution Piping and Fittings101	608.4	Pressure Relief Valves107
604.13	Water Heater Connectors101	608.5	Discharge Piping107
605.0	Joints and Connections101	608.6	Water-Heating Devices107
605.1	Copper or Copper Alloy Pipe, Tubing, and Joints101	608.7	Vacuum Relief Valves107
605.2	CPVC Plastic Pipe and Joints . . .102	609.0	Installation, Testing, Unions, and Location107
605.3	CPVC/AL/CPVC Plastic Pipe and Joints103	609.1	Installation107
605.4	Ductile Iron Pipe and Joints103	609.2	Trenches107
605.5	Galvanized Steel Pipe and Joints103	609.3	Under Concrete Slab107
605.6	PE Plastic Pipe/Tubing and Joints103	609.4	Testing107
605.7	PE-AL-PE Plastic Pipe/Tubing and Joints104	609.5	Unions107
605.8	PE-RT104	609.6	Location108
605.9	PEX Plastic Tubing and Joints . . .104	609.7	Abutting Lot108
605.10	PEX-AL-PEX Plastic Tubing and Joints104	609.8	Low-Pressure Cutoff Required on Booster Pumps for Water Distribution Systems108
605.11	Polypropylene (PP) Piping and Joints104	609.9	Disinfection of Potable Water System108
605.12	PVC Plastic Pipe and Joints105	609.10	Water Hammer108
605.13	Stainless Steel Pipe and Joints . .105	609.11	Pipe Insulation108
605.14	Slip Joints105	610.0	Size of Potable Water Piping . . .108
605.15	Dielectric Unions105	610.1	Size108
605.16	Joints Between Various Materials105	610.2	Pressure Loss108
606.0	Valves105	610.3	Quantity of Water109
606.1	General105	610.4	Sizing Water Supply and Distribution Systems109
606.2	Fullway Valve106	610.5	Sizing per Appendices A and C109
606.3	Multidwelling Units106	610.6	Friction and Pressure Loss109
606.4	Multiple Openings106	610.7	Conditions for Using Table 610.4109
606.5	Control Valve106	610.8	Size of Meter and Building Supply Pipe Using Table 610.4 . .109
606.6	Accessible106	610.9	Size of Branches109
606.7	Multiple Fixtures106	610.10	Sizing for Flushometer Valves . . .109
607.0	Potable Water Supply Tanks . . .106	Table 610.10	Flushometer Fixture Units for Water Sizing Using Table 610.3109
607.1	General106	610.11	Sizing Systems for Flushometer Tanks110
607.2	Potable Water Tanks106	610.12	Sizing for Velocity110
607.3	Venting106	610.13	Exceptions110
607.4	Overflow106	611.0	Drinking Water Treatment Units110
607.5	Valves106	611.1	Application110
608.0	Water Pressure, Pressure Regulators, Pressure Relief Valves, and Vacuum Relief Valves106	611.2	Air Gap Discharge110
608.1	Inadequate Water Pressure106	611.3	Connection Tubing110
608.2	Excessive Water Pressure106		

611.4	Sizing of Residential Softeners	110	701.6	Caulking Ferrules	125
612.0	Residential Fire Sprinkler Systems	110	701.7	Soldering Bushings	125
612.1	Where Required	110	Table 701.6	Caulking Ferrules	125
Table 610.3	Water Supply Fixture Units (WSFU) and Minimum Fixture Branch Pipe Sizes	111	Table 701.7	Soldering Bushings	125
Table 610.4	Fixture Unit Table for Determining Water Pipe and Meter Sizes	112	702.0	Fixture Unit Equivalents	125
Table 611.4	Sizing of Residential Water Softeners	113	702.1	Trap Size	125
612.2	Types of Systems	113	702.2	Intermittent Flow	125
612.3	Sprinklers	113	Table 701.2	Materials for Drain, Waste, Vent Pipe and Fittings	126
Table 612.3.3.1	Locations Where Intermediate Temperature Sprinklers are Required	114	Table 702.1	Drainage Fixture Unit Values (DFU)	127
612.4	Sprinkler Piping System	114	702.3	Continuous Flow	128
612.5	Sprinkler Piping Design	114	Table 702.2(1)	Maximum Drainage Fixture Units for a Trap and Trap Arm	128
Table 612.3.6	Minimum Separation From Obstruction	115	Table 702.2(2)	Discharge Capacity in Gallons Per Minute for Intermittent Flow Only	128
Table 612.5.3.2(1)	Water Service Pressure Loss (PL_{WS})	117	703.0	Size of Drainage Piping	128
Table 612.5.3.2(2)	Minimum Water Meter Pressure Loss (PL_M)	118	703.1	Minimum Size	128
612.6	Instructions and Signs	118	703.2	Maximum Number of Fixture Units	128
612.7	Inspection and Testing	118	703.3	Sizing per Appendix C	128
Table 612.5.3.2(3)	Elevation Loss (PL_e)	118	704.0	Fixture Connections (Drainage)	128
Table 612.5.3.2(4)	Allowable Pipe Length for $\frac{3}{4}$ Inch Type M Copper Water Tubing	119	704.1	Inlet Fittings	128
Table 612.5.3.2(5)	Allowable Pipe Length for 1 Inch Type M Copper Water Tubing	120	704.2	Single Vertical Drainage Pipe	128
Table 612.5.3.2(6)	Allowable Pipe Length for $\frac{3}{4}$ Inch IPS CPVC Pipe	121	704.3	Commercial Sinks	128
Table 612.5.3.2(7)	Allowable Pipe Length for 1 Inch IPS CPVC Pipe	122	705.0	Joints and Connections	128
Table 612.5.3.2(8)	Allowable Pipe Length for $\frac{3}{4}$ Inch PEX Tubing	123	705.1	ABS and ABS Co-Extruded Plastic Pipe and Joints	128
Table 612.5.3.2(9)	Allowable Pipe Length for 1 Inch PEX Tubing	124	705.2	Cast-Iron Pipe and Joints	128
CHAPTER 7	SANITARY DRAINAGE	125	Table 703.2	Maximum Unit Loading and Maximum Length of Drainage and Vent Piping	129
PART I	Drainage Systems	125	705.3	Copper or Copper Alloy Pipe (DWV) and Joints	129
701.0	General	125	705.4	Galvanized Steel Pipe and Joints	130
701.1	Applicability	125	705.5	Polyethylene (PE) Sewer Pipe	130
701.2	Drainage Piping	125	705.6	PVC and PVC Co-Extruded Plastic Pipe and Joining Methods	130
701.3	Drainage Fittings	125	705.7	Stainless Steel Pipe and Joints	130
701.4	Continuous Wastes	125	705.8	Vitrified Clay Pipe and Joints	131
701.5	Lead	125	705.9	Special Joints	131
			705.10	Joints Between Various Materials	131
			706.0	Changes in Direction of Drainage Flow	131
			706.1	Approved Fittings	131
			706.2	Horizontal to Vertical	131
			706.3	Horizontal to Horizontal	131

706.4	Vertical to Horizontal	131
707.0	Cleanouts	131
707.1	Plug	131
Table 707.1	Cleanouts	132
707.2	Approved	132
707.3	Watertight and Gastight	132
707.4	Location	132
707.5	Cleaning	132
707.6	Extension	132
707.7	Interceptor	132
707.8	Access	132
707.9	Clearance	132
707.10	Fittings	132
707.11	Pressure Drainage Systems	132
707.12	Countersunk Cleanout Plugs	132
707.13	Hubless Blind Plugs	132
707.14	Trap Arms	132
708.0	Grade of Horizontal Drainage Piping	132
708.1	General	132
709.0	Gravity Drainage Required	132
709.1	General	132
710.0	Drainage of Fixtures Located Below the Next Upstream Manhole or Below the Main Sewer Level	132
710.1	Backflow Protection	132
710.2	Sewage Discharge	133
710.3	Sewage Ejector and Pumps	133
710.4	Discharge Line	133
710.5	Size of Building Drains and Sewers	133
710.6	Backwater Valves	133
710.7	Drainage and Venting Systems	133
710.8	Sump and Receiving Tank Construction	133
710.9	Alarm	133
710.10	Sump and Receiving Tank Covers and Vents	133
710.11	Air Tanks	133
710.12	Grinder Pump Ejector	133
710.13	Macerating Toilet Systems and Pumped Waste Systems	134
711.0	Suds Relief	134
711.1	General	134
712.0	Testing	134
712.1	Media	134
712.2	Water Test	134
712.3	Air Test	134

PART II

713.0	
713.1	
713.2	
713.3	
713.4	
713.5	
713.6	
713.7	
714.0	
714.1	
714.2	
714.3	
714.4	
714.5	
715.0	
715.1	
715.2	
715.3	
716.0	
716.1	
717.0	
717.1	
Table 717.1	
718.0	
718.1	
718.2	
718.3	
719.0	
719.1	
719.2	
719.3	
719.4	
719.5	
719.6	
720.0	
720.1	
721.0	
721.1	
Table 721.1	
721.2	

Building Sewers	134
Sewer Required	134
Where Required	134
Private Sewage Disposal System	134
Public Sewer	134
Public Sewer Availability	134
Permit	134
Lot	134
Installation	135
Damage to Public Sewer or Private Sewage Disposal System	135
Unlawful Practices	135
Prohibited Water Discharge	135
Prohibited Sewer Connection	135
Commercial Food Waste Disposer	135
Tanks	135
Building Sewer Materials	135
Materials	135
Joining Methods and Materials	135
Existing Sewers	135
Markings	135
General	135
Size of Building Sewers	135
General	135
Table 717.1 Maximum/Minimum Fixture Unit Loading on Building Sewer Piping	135
Grade, Support, and Protection of Building Sewers	135
Slope	135
Support	135
Protection from Damage	136
Cleanouts	136
Locations	136
No Additional Cleanouts	136
Building Sewer Cleanouts	136
Cleaning	136
Access	136
Manholes	136
Sewer and Water Pipes	136
General	136
Location	136
Building Sewer	136
Table 721.1 Minimum Horizontal Distance Required from Building Sewer	136
Abutting Lot	136

722.0	Abandoned Sewers and Sewage Disposal Facilities	137	810.2	Sumps, Condensers, and Intercepting Tanks	141
722.1	Building (House) Sewer	137	810.3	Cleaning	141
722.2	Cesspools, Septic Tanks, and Seepage Pits	137	810.4	Strainers	141
722.3	Filling	137	811.0	Chemical Wastes	141
722.4	Ownership	137	811.1	Pretreatment	141
722.5	Disposal Facilities	137	811.2	Waste and Vent Pipes	141
723.0	Building Sewer Test	137	811.3	Joining Materials	141
723.1	General	137	811.4	Access	141
			811.5	Permanent Record	141
			811.6	Chemical Vent	141
CHAPTER 8	INDIRECT WASTES	139	811.7	Discharge	141
801.0	General	139	811.8	Diluted Chemicals	141
801.1	Applicability	139	812.0	Clear Water Wastes	141
801.2	Air Gap or Air Break Required	139	812.1	General	141
801.3	Food and Beverage Handling Establishments	139	813.0	Swimming Pools	141
801.4	Bar and Fountain Sink Traps	139	813.1	General	141
801.5	Connections from Water Distribution System	139	814.0	Condensate Waste and Control	141
801.6	Sterilizers	139	814.1	Condensate Disposal	141
801.7	Drip or Drainage Outlets	139	814.2	Condensate Control	142
802.0	Approvals	139	814.3	Condensate Waste Pipe Material and Sizing	142
802.1	General	139	Table 814.3	Minimum Condensate Pipe Size	142
803.0	Indirect Waste Piping	139	814.4	Appliance Condensate Drains	142
803.1	Materials	139	814.5	Point of Discharge	142
803.2	Copper and Copper Alloys	139	814.6	Condensate Waste From Air-Conditioning Coils	142
803.3	Pipe Size and Length	139	814.7	Plastic Fittings	142
804.0	Indirect Waste Receptors	140			
804.1	Standpipe Receptors	140	CHAPTER 9	VENTS	143
805.0	Pressure Drainage Connections	140	901.0	General	143
805.1	General	140	901.1	Applicability	143
806.0	Sterile Equipment	140	901.2	Vents Required	143
806.1	General	140	901.3	Trap Seal Protection	143
807.0	Appliances	140	902.0	Vents Not Required	143
807.1	Non-Classed Apparatus	140	902.1	Interceptor	143
807.2	Undiluted Condensate Waste	140	902.2	Bars, Soda Fountains, and Counter	143
807.3	Domestic Dishwashing Machine	140	903.0	Materials	143
808.0	Cooling Water	140	903.1	Applicable Standards	143
808.1	General	140	903.2	Use of Copper or Copper Alloy Tubing	143
809.0	Drinking Fountains	140	903.3	Changes in Direction	143
809.1	General	140	904.0	Size of Vents	143
810.0	Steam and Hot Water Drainage Condensers and Sumps	140	904.1	Size	143
810.1	High-Temperature Discharge	140	904.2	Length	143
Table 810.1	Pipe Connections in Blowoff Condensers and Sumps	141	905.0	Vent Pipe Grades and Connections	143

905.1	Grade	143	1001.2	Where Required	147
905.2	Horizontal Drainage Pipe	144	1002.0	Traps Protected by Vent Pipes	147
905.3	Vent Pipe Rise	144	1002.1	Vent Pipes	147
905.4	Roof Termination	144	1002.2	Fixture Traps	147
905.5	Location of Opening	144	Table 1002.2	Horizontal Lengths of Trap Arms	147
905.6	Common Vertical Pipe	144	1002.3	Change of Direction	147
906.0	Vent Termination	144	1002.4	Vent Pipe Opening	147
906.1	Roof Termination	144	1003.0	Traps — Described	147
906.2	Clearance	144	1003.1	General Requirements	147
906.3	Use of Roof	144	1003.2	Slip Joint Fittings	147
906.4	Outdoor Installations	144	1003.3	Size	147
906.5	Joints	144	1004.0	Traps	147
906.6	Lead	144	1004.1	Prohibited	147
906.7	Frost or Snow Closure	144	1004.2	Movable Parts	147
907.0	Vent Stacks and Relief Vents	144	1005.0	Trap Seals	148
907.1	Drainage Stack	144	1005.1	General	148
907.2	Yoke Vent	144	1006.0	Floor Drain Traps	148
908.0	Wet Venting	144	1006.1	General	148
908.1	Vertical Wet Venting	144	1007.0	Trap Seal Protection	148
908.2	Horizontal Wet Venting for a Bathroom Group	144	1007.1	General	148
909.0	Special Venting for Island Fixtures	145	1007.2	Trap Seal Primers	148
909.1	General	145	1008.0	Building Traps	148
910.0	Combination Waste and Vent Systems	145	1008.1	General	148
910.1	Where Permitted	145	1009.0	Interceptors (Clarifiers) and Separators	148
910.2	Approval	145	1009.1	Where Required	148
910.3	Vents	145	1009.2	Approval	148
910.4	Size	145	1009.3	Design	148
910.5	Vertical Waste Pipe	145	1009.4	Relief Vent	148
910.6	Cleanouts	145	1009.5	Location	148
910.7	Fixtures	145	1009.6	Maintenance of Interceptors	148
911.0	Circuit Venting	145	1009.7	Discharge	148
911.1	Circuit Vent Permitted	145	1010.0	Slaughterhouses, Packing Establishments, etc	148
911.2	Vent Size and Connection	146	1010.1	General	148
911.3	Slope and Size of Horizontal Branch	146	1011.0	Minimum Requirements for Auto Wash Racks	148
911.4	Relief Vent	146	1011.1	General	148
911.5	Additional Fixtures	146	1012.0	Commercial and Industrial Laundries	148
912.0	Engineered Vent System	146	1012.1	General	148
912.1	General	146	1013.0	Bottling Establishments	148
912.2	Minimum Requirements	146	1013.1	General	148
CHAPTER 10	TRAPS AND INTERCEPTORS	147	1014.0	Grease Interceptors	148
1001.0	General	147	1014.1	General	148
1001.1	Applicability	147	1014.2	Hydromechanical Grease Interceptors	149

Table 1014.2.1	Hydromechanical Grease Interceptor Sizing Using Gravity Flow Rates	149	1102.2	Dome Strainers Required	155
1014.3	Gravity Grease Interceptors	150	1102.3	Roof Drain Flashings	155
Table 1014.3.6	Gravity Grease Interceptor Sizing	150	1103.0	Size of Leaders, Conductors, and Storm Drains	155
1015.0	FOG (Fats, Oils, and Greases) Disposal System	151	1103.1	Vertical Conductors and Leaders	155
1015.1	Purpose	151	1103.2	Size of Horizontal Storm Drains and Sewers	155
1015.2	Components, Materials, and Equipment	151	1103.3	Size of Roof Gutters	155
1015.3	Sizing and Installation	151	1103.4	Side Walls Draining onto a Roof	155
1015.4	Performance	151	1104.0	Values for Continuous Flow	156
1016.0	Sand Interceptors	151	1104.1	General	156
1016.1	Discharge	151	1105.0	Controlled-Flow Roof Drainage	156
1016.2	Authority Having Jurisdiction	151	1105.1	Application	156
1016.3	Construction and Size	151	Table 1105.1(1)	Controlled-Flow Maximum Roof Water Depth	156
1016.4	Separate Use	151	Table 1105.1(2)	Distance of Scupper Bottoms Above Roof	156
1017.0	Oil and Flammable Liquid Interceptors	151	1105.2	Setback Roofs	156
1017.1	Interceptors Required	151	1106.0	Engineered Storm Drainage System	156
1017.2	Design of Interceptors	151	1106.1	General	156
CHAPTER 11	STORM DRAINAGE	153	1106.2	Siphonic Roof Drainage Systems	157
1101.0	General	153	1106.3	Siphonic Roof Drains	157
1101.1	Applicability	153	1107.0	Testing	157
1101.2	Where Required	153	1107.1	Testing Required	157
1101.3	Storm Water Drainage to Sanitary Sewer Prohibited	153	1107.2	Methods of Testing Storm Drainage Systems	157
1101.4	Material Uses	153	Table 1103.1	Sizing Roof Drains, Leaders, and Vertical Rainwater Piping	158
Table 1101.4.6	Materials for Subsoil Drain Pipe and Fittings	153	Table 1103.2	Sizing of Horizontal Rainwater Piping	159
1101.5	Expansion Joints Required	153	Table 1103.3	Size of Gutters	160
1101.6	Subsoil Drains	153	CHAPTER 12	FUEL GAS PIPING	161
1101.7	Building Subdrains	154	1201.0	General	161
1101.8	Areaway Drains	154	1201.1	Applicability	161
1101.9	Window Areaway Drains	154	1202.0	Coverage of Piping System	161
1101.10	Filling Stations and Motor Vehicle Washing Establishments	154	1202.1	General	161
1101.11	Paved Areas	154	1202.2	Piping System Requirements	161
1101.12	Roof Drainage	154	1202.3	Applications	161
1101.13	Cleanouts	155	1203.0	Inspection	161
1101.14	Rainwater Sumps	155	1203.1	Inspection Notification	161
1101.15	Traps on Storm Drains and Leaders	155	1203.2	Excavation	161
1101.16	Leaders, Conductors, and Connections	155	1203.3	Type of Inspections	161
1102.0	Roof Drains	155	1203.4	Inspection Waived	162
1102.1	Applications	155	1204.0	Certificate of Inspection	162
			1204.1	Issuance	162

1204.2	Gas Supplier	162	1210.8	Branch Pipe Connection	172
1204.3	Unlawful	162	1210.9	Manual Gas Shutoff Valves	172
1205.0	Authority to Render Gas Service	162	1210.10	Prohibited Devices	172
1205.1	Authorized Personnel	162	1210.11	Systems Containing Gas-Air Mixtures Outside the Flammable Range	172
1205.2	Outlets	162	1210.12	Systems Containing Flammable Gas-Air Mixtures	172
1206.0	Authority to Disconnect	162	1211.0	Electrical Bonding and Grounding	173
1206.1	Disconnection	162	1211.1	Pipe and Tubing other than CSST	173
1206.2	Notice	162	1211.2	Bonding of CSST Gas Piping	173
1206.3	Capped Outlets	162	1211.3	Prohibited Use	174
1207.0	Temporary Use of Gas	162	1211.4	Lightning Protection System	174
1207.1	General	162	1211.5	Electrical Circuits	174
1208.0	Gas Piping System Design, Materials, and Components	162	1211.6	Electrical Connections	174
1208.1	Installation of Piping System	162	1212.0	Appliance and Equipment Connections to Building Piping	174
1208.2	Provision for Location of Point of Delivery	162	1212.1	Connecting Appliances and Equipment	174
1208.3	Interconnections Between Gas Piping Systems	162	1212.2	Suspended Low-Intensity Infrared Tube Heaters	174
1208.4	Sizing of Gas Piping Systems	162	1212.3	Use of Nonmetallic Gas Hose Connectors	174
Table 1208.4.1	Approximate Gas Input for Typical Appliances	163	1212.4	Injection (Bunsen) Burners	174
1208.5	Maximum Design Operating Pressure	163	1212.5	Connection of Portable and Mobile Industrial Gas Appliances	174
1208.6	Acceptable Piping Materials and Joining Methods	163	1212.6	Appliance Shutoff Valves and Connections	175
Table 1208.6.10.2	Specifications for Threading Metallic Pipe	165	1212.7	Quick-Disconnect Devices	175
1208.7	Gas Meters	166	1212.8	Gas Convenience Outlets	175
1208.8	Gas Pressure Regulators	166	1212.9	Sediment Trap	175
1208.9	Overpressure Protection Devices	167	1212.10	Installation of Piping	175
1208.10	Pressure Limitation Requirements	167	1212.11	Liquefied Petroleum Gas Facilities and Piping	175
1208.11	Backpressure Protection	167	1213.0	Pressure Testing, Inspection, and Purging	175
1208.12	Low-Pressure Protection	168	1213.1	Piping Installations	175
1208.13	Shutoff Valves	168	1213.2	Test Preparation	176
1208.14	Expansion and Flexibility	168	1213.3	Test Pressure	176
1209.0	Excess Flow Valve	168	1213.4	Detection of Leaks and Defects	176
1209.1	General	168	1213.5	Piping System Leak Test	176
1210.0	Gas Piping Installation	168	1213.6	Purging Requirements	176
1210.1	Piping Underground	168	Table 1213.6.1	Size and Length of Piping	177
1210.2	Installation of Piping	169	1214.0	Required Gas Supply	178
Table 1210.2.4.1	Support of Piping	170	1214.1	General	178
1210.3	Concealed Piping in Buildings	170	1214.2	Volume	178
1210.4	Piping in Vertical Chases	171	1214.3	Gas Appliances	178
1210.5	Gas Pipe Turns	171	1214.4	Size of Piping Outlets	178
1210.6	Drips and Sediment Traps	171			
1210.7	Outlets	171			

1215.0	Required Gas Piping Size	178
1215.1	Pipe Sizing Methods	178
1215.2	Tables for Sizing Gas Piping Systems	178
1215.3	Sizing Equations	178
Table 1215.3	Cr and Y for Natural Gas and Undiluted Propane at Standard Conditions	179
1215.4	Sizing of Piping Sections	179
1215.5	Engineering Methods	179
1215.6	Variable Gas Pressure	179
Table 1215.2(1)	Schedule 40 Metallic Pipe	181
Table 1215.2(2)	Schedule 40 Metallic Pipe	182
Table 1215.2(3)	Schedule 40 Metallic Pipe	183
Table 1215.2(4)	Schedule 40 Metallic Pipe	184
Table 1215.2(5)	Schedule 40 Metallic Pipe	185
Table 1215.2(6)	Schedule 40 Metallic Pipe	186
Table 1215.2(7)	Semi-Rigid Copper Tubing	187
Table 1215.2(8)	Semi-Rigid Copper Tubing	188
Table 1215.2(9)	Semi-Rigid Copper Tubing	189
Table 1215.2(10)	Semi-Rigid Copper Tubing	190
Table 1215.2(11)	Semi-Rigid Copper Tubing	191
Table 1215.2(12)	Semi-Rigid Copper Tubing	192
Table 1215.2(13)	Semi-Rigid Copper Tubing	193
Table 1215.2(14)	Corrugated Stainless Steel Tubing (CSST)	194
Table 1215.2(15)	Corrugated Stainless Steel Tubing (CSST)	195
Table 1215.2(16)	Corrugated Stainless Steel Tubing (CSST)	196
Table 1215.2(17)	Corrugated Stainless Steel Tubing (CSST)	197
Table 1215.2(18)	Corrugated Stainless Steel Tubing (CSST)	198
Table 1215.2(19)	Polyethylene Plastic Pipe	199
Table 1215.2(20)	Polyethylene Plastic Pipe	200
Table 1215.2(21)	Polyethylene Plastic Pipe	201
Table 1215.2(22)	Polyethylene Plastic Tubing	202
Table 1215.2(23)	Polyethylene Plastic Tubing	202
Table 1215.2(24)	Schedule 40 Metallic Pipe	203
Table 1215.2(25)	Schedule 40 Metallic Pipe	204
Table 1215.2(26)	Schedule 40 Metallic Pipe	205
Table 1215.2(27)	Schedule 40 Metallic Pipe	206
Table 1215.2(28)	Semi-Rigid Copper Tubing	207
Table 1215.2(29)	Semi-Rigid Copper Tubing	208
Table 1215.2(30)	Semi-Rigid Copper Tubing	209
Table 1215.2(31)	Corrugated Stainless Steel Tubing (CSST)	210
Table 1215.2(32)	Corrugated Stainless Steel Tubing (CSST)	211

Table 1215.2(33)	Corrugated Stainless Steel Tubing (CSST)	212
Table 1215.2(34)	Polyethylene Plastic Pipe	213
Table 1215.2(35)	Polyethylene Plastic Pipe	214
Table 1215.2(36)	Polyethylene Plastic Tubing	215

CHAPTER 13

HEALTH CARE FACILITIES AND MEDICAL GAS AND MEDICAL VACUUM SYSTEMS217

PART I

General Requirements217

1301.0	General	217
1301.1	Applicability	217
1301.2	Where Not Applicable	217
1301.3	Conflict of Requirements	217
1301.4	Terms	217
1301.5	Where Required	217
1301.6	Existing Systems	217
1302.0	Design Requirements	217
1302.1	Building System Risk Categories	217
1302.2	Patient Care Spaces	217
1302.3	Anesthesia	217
1302.4	Wet Procedure Locations	217
1303.0	Health Care Facilities	217
1303.1	Drinking Fountain Control Valves	217
1303.2	Psychiatric Patient Rooms	217
1303.3	Locations for Ice Storage	217
1303.4	Sterilizers and Bedpan Steamers	217
1303.5	Aspirators	218
1303.6	Drains	218
1303.7	Clinical Sinks	218
1303.8	Water Supply for Hospitals	218
1304.0	Medical Gas and Medical Vacuum Piping Systems	218
1304.1	General	218
1304.2	Manufacturer's Instructions	218
1304.3	Category 2 Piped Medical Gas and Medical Vacuum	218
1304.4	Category 3 Piped Medical Gas and Medical Vacuum	218
1304.5	Certification of Systems	218
1304.6	Construction Documents	218
1305.0	System Performance	218
1305.1	Required Operating Pressures	218
1305.2	Minimum Flow Rates	218
1305.3	Minimum Station Outlets and Inlets	219

Table 1305.1	Standard Designation Colors and Operating Pressures for Gas and Vacuum Systems	219	1309.18	Prohibited Joints	224
1306.0	Qualifications of Installers	219	1310.0	Installation of Piping	224
1306.1	General	219	1310.1	General	224
Table 1305.2	Minimum Flow Rates	219	1310.2	Required Pipe Sizing	224
1306.2	Brazing	219	Table 1310.2.1(1)	System Sizing – Flow Requirements for Station Outlets and Inlets	225
1306.3	Health Care Organization Personnel	219	Table 1310.2.2(1)	Maximum Permitted Pressure Loss in Medical Gas and Medical Vacuum Systems	225
1307.0	Brazing Procedures	219	1310.3	Pipe Protection	225
1307.1	General	219	1310.4	Location of Piping	225
1307.2	Examination	219	1310.5	Pipe Support	225
1307.3	Brazing Procedure Specification	219	Table 1310.5.4(1)	Maximum Pipe Support Spacing	226
1307.4	Documentation	219	Table 1310.5.4(2)	Maximum Plastic Pipe Support Spacing	226
Table 1305.3	Minimum Outlets and Inlets Per Station	220	1310.6	Backfilling and Trenching	226
1307.5	Procedures	220	1310.7	Connectors	226
1307.6	Conditions of Acceptance	220	Table 1310.2.1(2)	Pressure Loss for Medical Air	227
1307.7	Qualifications	220	Table 1310.2.1(3)	Pressure Loss for Nitrogen	227
PART II	Medical Gas and Vacuum System Piping	220	Table 1310.2.1(4)	Pressure Loss for Nitrous Oxide and Carbon Dioxide	228
1308.0	Pipe Materials	220	Table 1310.2.1(5)	Pressure Loss for Oxygen	228
1308.1	General	220	Table 1310.2.1(6)	Pressure Loss for Vacuum	229
1308.2	Cleaning	220	Table 1310.2.1(7)	Pressure Loss for Vacuum (Category 3)	229
1308.3	Delivery	220	1310.8	Prohibited System Interconnections	230
1308.4	Tubes for Medical Gas Systems	220	1310.9	Changes in System Use	230
1308.5	Tubes for Medical Vacuum Systems	221	1310.10	Breaching or Penetrating Medical Gas Piping	230
1308.6	Category 3 Systems	221	1310.11	Labeling, Identification and Operating Pressure.	230
1309.0	Joints and Connections	221	1311.0	Valves	230
1309.1	General	221	1311.1	General	230
1309.2	Changes in Direction	221	1311.2	Source Valves	231
1309.3	Medical Vacuum Systems	221	1311.3	Main Line Valve	231
1309.4	Brazed Joints and Fittings	221	1311.4	Riser Valves	231
1309.5	Tube Ends	221	1311.5	Service Valves	231
1309.6	Cleaning Procedures	222	1311.6	Zone Valves	231
1309.7	Brazing Dissimilar Metals	222	1311.7	In-Line Shutoff Valves	231
1309.8	Nitrogen Purge	222	1311.8	Emergency Shutoff Valves	231
1309.9	Assembling and Heating Brazed Joints	223	1311.9	Valves for Future Connections	232
1309.10	Inspection of Brazed Joints	223	1311.10	Identification of Shutoff Valves	232
1309.11	Memory Metal Fittings	223	PART III	Systems, Equipment, and Components	232
1309.12	Axially Swaged Fittings	223	1312.0	Central Supply Systems	232
1309.13	Threaded Fittings	223	1312.1	Permitted Locations for Medical Gas	232
1309.14	Dielectric Fittings	224			
1309.15	Other Types of Fittings	224			
1309.16	Welded Joints	224			
1309.17	Welding for Stainless Tube	224			

1312.2	Materials	232	1318.8	Cross-Connection Tests – Medical Gas and Vacuum Systems	238
1312.3	Pressure-Relief Valve Requirements	232	1318.9	Standing Pressure Tests – for Positive Pressure Medical Gas Piping Systems	239
1313.0	Medical Air Supply Systems	233	1318.10	Standing Pressure Tests – Medical Vacuum Piping Systems	239
1313.1	Quality of Medical Air	233	1318.11	Standing Pressure Tests – for Category 3 Gas Powered Device Distribution Piping	239
1313.2	Medical Air Compressors	233	1318.12	Medical Gas Piping System Purge Tests	239
1313.3	Category 2 Medical Air Supply Systems	233	1318.13	Category 3 Dental Air and Nitrogen Supply Systems Purge Tests	239
1313.4	Category 3 Systems	233	1318.14	Operational Pressure Test	240
1313.5	Air Sources	233	1318.15	Medical Gas Concentration Test	240
1313.6	Air Intakes	234	Table 1318.15	Gas Concentrations	240
1313.7	Medical Air Receivers	234	1318.16	System Verification	240
1314.0	Medical Vacuum System	234	1319.0	System Certification	240
1314.1	General	234	1319.1	Certification	240
1314.2	Medical-Surgical Vacuum Sources	234	1319.2	Certification Tests	240
1314.3	Vacuum Pumps	235	1319.3	Report Items	240
1314.4	Vacuum Receivers	235			
1314.5	Vacuum Source Exhausts	235	CHAPTER 14	FIRESTOP PROTECTION	241
1315.0	Pressure-Regulating Equipment	235	1401.0	General	241
1315.1	Where Required	235	1401.1	Applicability	241
1315.2	Pressure Relief Valves	235	1402.0	Construction Documents	241
1315.3	Pressure and Vacuum Indicator Locations	235	1402.1	Penetrations	241
1316.0	Station Outlets and Inlets	236	1403.0	Installation	241
1316.1	General	236	1403.1	Materials	241
1316.2	Required Valves	236	1404.0	Combustible Piping Installations	241
1316.3	Post Installation	236	1404.1	General Requirements	241
1316.4	Identification	236	1404.2	Fire-Resistance Rating	241
1317.0	Warning Systems	236	1404.3	Firestop Systems	241
1317.1	Category 1	236	1404.4	Connections	241
1317.2	Category 2 Systems	236	1404.5	Insulation and Coverings	241
1317.3	Category 3 Systems	237	1404.6	Sleeves	241
1317.4	Components	237	1405.0	Noncombustible Piping Installations	241
PART IV	Testing, Inspection, and Certification	237	1405.1	General Requirements	241
1318.0	Testing and Inspection	237	1405.2	Fire-Resistance Rating	241
1318.1	Where Required	237	1405.3	Firestop Systems	241
1318.2	Breached Systems	237	1405.4	Connections	241
1318.3	Reports	237	1405.5	Unshielded Couplings	242
1318.4	Initial Piping Blowdown	237	1405.6	Sleeves	242
1318.5	Initial Pressure Tests – Medical Gas and Vacuum Systems	237	1405.7	Insulation and Coverings	242
1318.6	Initial Pressure Test - Category 3 Copper Piping Systems	237			
1318.7	Initial Leak Test – Category 3 Plastic Vacuum Piping Systems	238			

1406.0	Required Inspection	.242
1406.1	General	.242
1406.2	Examination	.242
1406.3	Penetrations	.242
1406.4	Field Installations	.242

CHAPTER 15 ALTERNATE WATER SOURCES FOR NONPOTABLE APPLICATIONS .243

1501.0	General	.243
1501.1	Applicability	.243
1501.2	System Design	.243
1501.3	Permit	.243
1501.4	Component Identification	.243
1501.5	Maintenance and Inspection	.243
Table 1501.5	Minimum Alternate Water Source Testing, Inspection, and Maintenance Frequency	.243
1501.6	Operation and Maintenance Manual	.243
1501.7	Minimum Water Quality Requirements	.244
1501.8	Material Compatibility	.244
1501.9	Commercial, Industrial, and Institutional Restroom Signs	.244
1501.10	System Controls	.244
1502.0	Inspection and Testing	.244
1502.1	General	.244
1502.2	Supply System Inspection and Test	.244
1502.3	Annual Cross-Connection Inspection and Testing	.244
1502.4	Separation Requirements	.245
1502.5	Abandonment	.245
1502.6	Sizing	.245
1503.0	Gray Water Systems	.245
1503.1	General	.245
1503.2	System Requirements	.245
1503.3	Connections to Potable and Reclaimed (Recycled) Water Systems	.245
1503.4	Location	.246
Table 1503.4	Location of Gray Water System	.246
1503.5	Plot Plan Submission	.246
1503.6	Prohibited Location	.246
1503.7	Drawings and Specifications	.246
1503.8	Procedure for Estimating Gray Water Discharge	.246
1503.9	Gray Water System Components	.247

1504.0	Subsurface Irrigation System Zones	.247
1504.1	General	.247
1504.2	Required Area of Subsurface Irrigation Fields, Subsoil Irrigation Fields, and Mulch Basins	.247
1504.3	Determination of Maximum Absorption Capacity	.247
1504.4	Groundwater Level	.248
Table 1504.2	Design of Six Typical Soils	.248
1504.5	Subsurface and Subsoil Irrigation Field Design and Construction	.248
Table 1504.5.5	Subsurface Irrigation Design Criteria for Six Typical Soils	.248
1504.6	Mulch Basin Design and Construction	.248
1504.7	Subsoil Irrigation Field	.249
Table 1504.7.3	Subsoil Irrigation Field Construction	.249
1504.8	Gray Water System Color and Marking Information	.249
1504.9	Other Collection and Distribution Systems	.249
1504.10	Testing	.249
1504.11	Maintenance	.249
1505.0	Reclaimed (Recycled) Water Systems	.249
1505.1	General	.249
1505.2	Permit	.249
1505.3	System Changes	.249
1505.4	Connections to Potable or Reclaimed (Recycled) Water Systems	.249
1505.5	Initial Cross-Connection Test	.249
1505.6	Reclaimed (Recycled) Water System Materials	.250
1505.7	Reclaimed (Recycled) Water System Color and Marking Information	.250
1505.8	Valves	.250
1505.9	Hose Bibbs	.250
1505.10	Required Appurtenances	.250
1505.11	Same Trench as Potable Water Pipes	.250
1505.12	Signs	.250
1505.13	Inspection and Testing	.250
1506.0	On-Site Treated Nonpotable Water Systems	.250
1506.1	General	.250

1506.2	Plumbing Plan Submission	250	1602.8	Rainwater Catchment System Color and Marking Information . . .	255
1506.3	System Changes	250	1602.9	Design and Installation	255
1506.4	Connections to Potable or Reclaimed (Recycled) Water Systems	250	1603.0	Rainwater Storage Tanks	255
1506.5	Initial Cross-Connection Test . . .	250	1603.1	General	255
1506.6	On-Site Treated Nonpotable Water System Materials	250	1603.2	Construction	255
1506.7	On-Site Treated Nonpotable Water Devices and Systems . . .	250	1603.3	Location	255
1506.8	On-Site Treated Nonpotable Water System Color and Marking Information	250	1603.4	Above Grade	255
1506.9	Design and Installation	251	1603.5	Below Grade	255
1506.10	Valves	251	1603.6	Drainage and Overflow	255
1506.11	Signs	251	Table 1602.9.6	Minimum Water Quality	256
1506.12	Inspection and Testing	251	1603.7	Opening and Access Protection . .	256
CHAPTER 16	NONPOTABLE RAINWATER CATCHMENT SYSTEMS	253	1603.8	Marking	256
1601.0	General	253	1603.9	Storage Tank Venting	256
1601.1	Applicability	253	1603.10	Pumps	256
1601.2	System Design	253	1603.11	Roof Drains	256
1601.3	Permit	253	1603.12	Water Quality Devices and Equipment	256
1601.4	Component Identification	253	1603.13	Freeze Protection	256
1601.5	Maintenance and Inspection . . .	253	1603.14	Debris Removal	256
Table 1601.5	Minimum Alternate Water Source Testing, Inspection, and Maintenance Frequency . . .	253	1603.15	Required Filters	256
1601.6	Operation and Maintenance Manual	254	1603.16	Roof Gutters	256
1601.7	Minimum Water Quality Requirements	254	1604.0	Signs	256
1601.8	Material Compatibility	254	1604.1	General	256
1601.9	System Controls	254	1604.2	Commercial, Industrial, and Institutional Restroom Signs . . .	256
1601.10	Separation Requirements	254	1604.3	Equipment Room Signs	257
1601.11	Abandonment	254	1605.0	Inspection and Testing	257
1601.12	Sizing	254	1605.1	General	257
1602.0	Nonpotable Rainwater Catchment Systems	254	1605.2	Supply System Inspection and Test	257
1602.1	General	254	1605.3	Annual Cross-Connection Inspection and Testing	257
1602.2	Plumbing Plan Submission	254	CHAPTER 17	REFERENCED STANDARDS . . .	259
1602.3	System Changes	254	1701.0	General	259
1602.4	Connections to Potable or Reclaimed (Recycled) Water Systems	254	1701.1	Standards	259
1602.5	Initial Cross-Connection Test . . .	254	Table 1701.1	Referenced Standards	259
1602.6	Sizing	254	1701.2	Standards, Publications, Practices, and Guides	270
1602.7	Rainwater Catchment System Materials	254	Table 1701.2	Standards, Publications, Practices, and Guides	270
			APPENDICES	TABLE OF CONTENTS	277
			Appendix A	Recommended Rules for Sizing the Water Supply System	279
			Appendix B	Explanatory Notes on Combination Waste and Vent Systems	293

Appendix C	Alternate Plumbing Systems	295
Appendix D	Sizing Storm Water Drainage Systems	303
Appendix E	Manufactured/Mobile Home Parks and Recreational Vehicle Parks	311
Appendix F	Firefighter Breathing Air Replenishment Systems	321
Appendix G	Sizing of Venting Systems	325
Appendix H	Private Sewage Disposal Systems	335
Appendix I	Installation Standard for PEX Tubing Systems for Hot- and Cold-Water Distribution	345
Appendix J	Combination of Indoor and Outdoor Combustion and Ventilation Opening Design	353
Appendix K	Potable Rainwater Catchment Systems	355
Appendix L	Sustainable Practices	359
Appendix M	Peak Water Demand Calculator	375
INDEX	381