

FINAL VERSION

VERSION FINALE



**Mechanical standardization of semiconductor devices –
Part 4: Coding system and classification into forms of package outlines for
semiconductor device packages**

**Normalisation mécanique des dispositifs à semiconducteurs –
Partie 4: Système de codification et classification en formes des structures des
boîtiers pour dispositifs à semiconducteurs**

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Coding system of package outlines for semiconductor devices	5
3 Classification into forms of package outlines for semiconductor devices	5
4 Coding system for semiconductor-device packages.....	6
4.1 General	6
4.2 New descriptive codes	6
4.3 Descriptive designators.....	6
4.3.1 General remarks	6
4.3.2 Minimum descriptive designator	6
4.3.3 Terminal-position prefix.....	8
4.3.4 Package-body-material prefix.....	8
4.3.5 Package-specific feature prefix	9
4.3.6 Lead-form and terminal-count suffixes	9
4.3.7 Detailed information field	11
5 Coding system of package-outline styles.....	12
Annex A (informative) Examples of descriptive coding system application.....	15
Annex B (informative) Derivation and application of the descriptive coding system – Common package names.....	22
Annex C (informative) Terminology of semiconductor package outlines.....	25
Figure 1 – Descriptive coding for semiconductor device packages	7
Figure 2 – Relationship of codes to profile	10
Figure A.1 – Typical package styles and descriptive coding system (1 of 4)	17
Figure A.2 – Examples of lead forms (or terminal shapes)	21
Figure B.1 – Descriptive coding system for common name of semiconductor-device package.....	22
Table 1 – Package-outline-style codes.....	8
Table 2 – Terminal-position prefixes	9
Table 3 – Prefixes for predominant package-body material	10
Table 4 – Prefixes for package-specific features.....	10
Table 5 – Suffixes for lead form (or terminal shape).....	12
Table A.1 – Descriptive coding system application.....	16
Table B.1 – Basic package code and names.....	23
Table B.2 – Common package name and descriptive code examples	24
Table C.1 – Package name and parts name	26

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MECHANICAL STANDARDIZATION OF SEMICONDUCTOR DEVICES –

Part 4: Coding system and classification into forms of package outlines for semiconductor device packages

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 60191-4 bears the edition number 3.1. It consists of the third edition (2013-10) [documents 47D/837/FDIS and 47D/848/RVD] and its amendment 1 (2018-03) [documents 47D/897/CDV and 47D/904/RVC]. The technical content is identical to the base edition and its amendment.

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 60191-4 has been prepared by subcommittee 47D: Semiconductor devices packaging, of IEC technical committee 47: Semiconductor devices.

This third edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Material code "S" is added to indicate a silicon based package.
- b) Description of "WL" is added to be used for general use.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60191 series, published under the general title *Mechanical standardization of semiconductor devices*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

MECHANICAL STANDARDIZATION OF SEMICONDUCTOR DEVICES –

Part 4: Coding system and classification into forms of package outlines for semiconductor device packages

1 Scope

This part of IEC 60191 specifies a method for the designation of package outlines and for the classification of forms of package outlines for semiconductor devices and a systematic method for generating universal descriptive designators for semiconductor device packages.

The descriptive designator provides a useful communication tool but has no implied control for assuring package interchangeability.

2 Coding system of package outlines for semiconductor devices

The following coding system will be used in the publications concerning mechanical standardization:

- first: a three-digit serial number (000 to 999);
- second: a single reference letter indicating the form as shown in Table 1;
- third: a two-digit serial number (00 to 99) to indicate a variant of an outline drawing. The use of prefix P to indicate a provisional drawing remains unchanged.

Examples

- 101A00
- 050G13
- P 101F01

3 Classification into forms of package outlines for semiconductor devices

The package outline drawings for semiconductor devices are classified into forms according to the following scheme:

- form A: single-ended
- form B: heat-sink-mounted
- form C: stud-mounted
- form D: axial-leaded
- form E: surface-mounted
- form F: single-ended, heat-sink-mounted
- form G: dual and quad in-line
- form H: axial lead-less.