

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS C 8715-1 : 2018

(BAJ/JSA)

**Secondary lithium cells and batteries
for use in industrial applications—
Part 1: Tests and requirements of
performance**

ICS 29.220.99

Reference number : JIS C 8715-1 : 2018 (E)

Date of Establishment: 2012-11-20

Date of Revision: 2018-02-20

Date of Public Notice in Official Gazette: 2018-02-20

Investigated by: Japanese Industrial Standards Committee
Standards Board for IEC area

JIS C 8715-1:2018, First English edition published in 2018-05

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2018

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

AT

Contents

	Page
Introduction	1
1 Scope	1
2 Normative reference	2
3 Terms and definitions	2
4 Parameters measurement tolerances	4
5 Marking and designation	4
5.1 Marking	4
5.2 Cell designation	6
5.3 Battery designation	9
5.4 Cell or battery termination	11
6 Electrical tests	11
6.1 General	11
6.2 Charging procedure for test purposes	12
6.3 Discharge performance	12
6.4 Charge (capacity) retention and recovery	14
6.5 Cell and battery internal resistance	15
6.6 Endurance	17
7 Type test conditions	19
7.1 General	19
7.2 Test items and test sequence	19
7.3 Conditions for type approval	20
Annex A (informative) Battery structure information	22
Annex JA (informative) Comparison table between JIS and corresponding International Standard	27

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Battery Association of Japan (BAJ) and Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently **JIS C 8715-1:2012** is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

JIS C 8715 series consist of the following two parts under the general title “*Secondary lithium cells and batteries for use in industrial applications—*”

Part 1: Tests and requirements of performance

Part 2: Tests and requirements of safety

Secondary lithium cells and batteries for use in industrial applications— Part 1: Tests and requirements of performance

Introduction

This Japanese Industrial Standard has been prepared based on **IEC 62620**:2014, Edition 1, with some modifications of the technical contents, aimed at conformance with the relevant **JIS**.

The vertical lines on both sides and dotted underlines indicate changes from the corresponding International Standard. A list of modifications with the explanations is given in Annex JA.

1 Scope

This Standard specifies the requirements of performance and marking for lithium secondary cells and batteries (hereafter referred to as “cells” and “battery systems”, respectively) used in industrial applications including stationary applications.

When there exists a **JIS** or **IEC** standard specifying test conditions and requirements for cells used in special applications and which is in conflict with this Standard, the former takes precedence (e.g. **IEC 62660** series on road vehicles).

This Standard is applicable to the secondary lithium cells and batteries for stationary application and mobile application for industrial use. Practical examples for main applications are as follows.

- a) **Stationary applications:** telecom, uninterruptible power supplies (UPS), electrical energy storage system, utility switching, emergency power and similar applications.
- b) **Motive applications:** fork-lift truck, golf cart, automated guided vehicle (AGV), railway, and marine, excluding road vehicles.

NOTE 1 Some lithium secondary cells are intended for portable devices. The performances of such secondary lithium cells and batteries are specified in **JIS C 8711**.

Since this Standard covers batteries for various industrial applications, it includes those requirements, which are common and minimum to the various applications.

This Standard applies to cells and batteries. If the battery is divided into smaller units, the smaller unit can be tested as the representative of the battery. The manufacturer clearly declares the tested unit. The manufacturer may add functions, which are present in the final battery, to the tested unit.

The safety requirements for secondary lithium cells and batteries for use in industrial applications are specified in **JIS C 8715-2**.