

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Semiconductor devices – Micro-electromechanical devices –  
Part 35: Test method of electrical characteristics under bending deformation  
for flexible electromechanical devices**

**Dispositifs à semiconducteurs – Dispositifs microélectromécaniques –  
Partie 35: Méthode d'essai des caractéristiques électriques sous déformation  
par courbure de dispositifs électromécaniques souples**



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2019 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### **About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### **IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### **IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### **IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

---

#### **A propos de l'IEC**

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### **A propos des publications IEC**

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### **Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### **IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### **Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

#### **Electropedia - [www.electropedia.org](http://www.electropedia.org)**

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### **Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



---

**Semiconductor devices – Micro-electromechanical devices –  
Part 35: Test method of electrical characteristics under bending deformation  
for flexible electromechanical devices**

**Dispositifs à semiconducteurs – Dispositifs microélectromécaniques –  
Partie 35: Méthode d'essai des caractéristiques électriques sous déformation  
par courbure de dispositifs électromécaniques souples**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 31.080.99

ISBN 978-2-8322-7636-5

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms and definitions .....	7
3.1 General.....	7
3.2 Loading configurations .....	7
3.3 Measure of loading levels .....	8
4 Test piece .....	8
4.1 General.....	8
4.2 Shape of a test piece .....	8
5 Test method .....	9
5.1 Principle .....	9
5.2 Test apparatus.....	10
5.3 Procedure .....	10
5.3.1 Testing conditions .....	10
5.3.2 Selection of bending direction.....	11
5.3.3 Determination of bending axes .....	11
5.3.4 Measurement of test piece dimensions .....	11
5.3.5 Measurement of folding distance .....	12
5.3.6 Number of tests .....	12
5.3.7 Instrumentation.....	12
5.3.8 End of testing .....	13
6 Test report.....	13
6.1 General.....	13
6.2 Bending direction(s) and in-plane locations of bending axes .....	13
6.3 Dimensions of the test piece .....	14
6.4 Performance degradation characteristics with the folding distance .....	14
6.5 Distance at a defined operation limit .....	15
6.6 Testing conditions.....	15
Annex A (normative) Example of flexible MEMS device.....	16
Annex B (informative) Controls for appropriate performance instrumentation and setting of bending axis position.....	18
B.1 Loading wall design with electric accessing cavity and fine adjustment capability for bending axis location during the test .....	18
B.2 Special arrangement of the target parts of device to obtain a number of bending axis locations in a single testing .....	19
Annex C (informative) Loading principle for extremely thin soft devices .....	20
Annex D (informative) Issues related to local loading severity .....	21
D.1 Possible inhomogeneity in local curvature and parameter of loading .....	21
D.2 Possible variations of loading parameter.....	21
Figure 1 – Schematic illustration of a flexible MEMS test piece .....	9
Figure 2 – Principle of folding test.....	10
Figure 3 – Selection of bending axis .....	12
Figure 4 – Illustration of performance degradation in the test report.....	14

Figure A.1 – Target part and loading configuration of test piece for organic thin-film transistor device ..... 16

Figure A.2 – Device performance degradation behaviour and distances at defined operation limits for an organic thin-film effect transistor ..... 17

Figure B.1 – Loading point adjustment mechanism ..... 18

Figure B.2 – Cascade arrangement of target parts for efficient testing ..... 19

Figure C.1 – Bending configuration ..... 20

Figure D.1 – Possibility of inhomogeneous local curvature distribution..... 21

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SEMICONDUCTOR DEVICES –  
MICRO-ELECTROMECHANICAL DEVICES –  
Part 35: Test method of electrical characteristics under bending  
deformation for flexible electromechanical devices**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62047-35 has been prepared by subcommittee 47F: Micro-electromechanical devices, of IEC technical committee 47: Semiconductor devices.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
47F/344/FDIS	47F/352/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62047 series, published under the general title *Semiconductor devices – Micro-electromechanical devices*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

In the recent trend toward ubiquitous sensor society and the world of internet of things, demand and thus the market for softer electronic devices are quickly expanding. That is what flexible micro-electromechanical devices are for, some of which are already released into the market. Even a so-called foldable device is under development and will soon appear in the market. However, to operate trillions of such devices for the comfort and safety of human beings, the reliability of the individual devices is a critical concern. Especially in the case of flexible devices, robustness against bending deformation is an important issue which is shared among all the producers and users of such devices. In order to understand how safe a situation is, critical conditions for possible dangers should be thoroughly determined so that the potential risk can be for the first time managed. In this context, flexible devices should be folded in two at least once so that every possible critical failure actually appears. This standard procedure of testing is designed with the emphasis on such a point and with the applicability not only to already emerging flexible devices but also to so-called foldable devices which still function even when the device is folded.

# **SEMICONDUCTOR DEVICES – MICRO-ELECTROMECHANICAL DEVICES – Part 35: Test method of electrical characteristics under bending deformation for flexible electromechanical devices**

## **1 Scope**

This part of IEC 62047 specifies the test method of electrical characteristics under bending deformation for flexible electromechanical devices. These devices include passive micro components and/or active micro components on the flexible film or embedded in the flexible film. The desired in-plane dimensions of the device for the test method ranges typically from 1 mm to 300 mm and the thickness ranges from 10  $\mu\text{m}$  to 1 mm, but these are not limiting values. The test method is so designed as to bend devices in a quasi-static manner monotonically up to the maximum possible curvature, i.e. until the device is completely folded, so that the entire degradation behaviour of the electric property under bending deformation is obtained. This document is essential to estimate the safety margin under a certain bending deformation and indispensable for reliable design of the product employing these devices.

## **2 Normative references**

There are no normative references in this document.

## **3 Terms and definitions**

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### **3.1 General**

#### **3.1.1**

#### **flexible micro-electromechanical system flexible MEMS**

device with structured semiconductor and/or mechanical components electrically connected to each other, being assembled onto or embedded into flexible substrate and operated without unacceptable loss of its functions under bending deformation

EXAMPLE Organic transistors, thermistors, smart diapers with wet sensors and smart epidermal patches for health care, etc.

Note 1 to entry: This note applies to the French language only.

### **3.2 Loading configurations**

#### **3.2.1**

#### **bending axis**

line on a device around which the device is bent with the minimum radius of curvature

Note 1 to entry: Due to the characteristics of this document, the bending axis can be and should be placed at arbitrary positions in arbitrary directions in accordance with the requirements of the evaluation. The actual positions and directions shall be intentionally determined according to the structures on the test piece.