

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Fuel cell technologies –
Part 8-101: Energy storage systems using fuel cell modules in reverse mode –
Test procedures for the performance of solid oxide single cells and stacks,
including reversible operation**

**Technologies des piles à combustible –
Partie 8-101: Système de stockage de l'énergie utilisant des modules à piles
à combustible en mode inversé – Procédures d'essai pour la performance
des cellules élémentaires et des piles à oxyde solide, comprenant
le fonctionnement réversible**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Fuel cell technologies –
Part 8-101: Energy storage systems using fuel cell modules in reverse mode –
Test procedures for the performance of solid oxide single cells and stacks,
including reversible operation**

**Technologies des piles à combustible –
Partie 8-101: Système de stockage de l'énergie utilisant des modules à piles
à combustible en mode inversé – Procédures d'essai pour la performance
des cellules élémentaires et des piles à oxyde solide, comprenant
le fonctionnement réversible**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 27.070

ISBN 978-2-8322-7705-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references	10
3 Terms, definitions, abbreviated terms and symbols.....	11
3.1 Terms and definitions.....	11
3.2 Abbreviated terms and symbols	17
3.2.1 Abbreviated terms	17
3.2.2 Symbols	17
3.3 Flow rates	21
4 General safety conditions	21
5 Test environment.....	22
5.1 General.....	22
5.2 Cell.....	23
5.3 Stack	23
5.4 Experimental set-up	24
5.4.1 General	24
5.4.2 Electrode gas control equipment.....	25
5.4.3 Thermal management equipment.....	25
5.4.4 Electric power supply/load control equipment	25
5.4.5 Measurement and data acquisition equipment	25
5.4.6 Safety equipment.....	25
5.4.7 Compression force control equipment.....	25
5.4.8 Pressure control equipment	25
5.5 Interface between test object and experimental set-up.....	26
5.6 Parameter control and measurement	27
5.7 Measurement uncertainty of TIPs and TOPs	28
5.8 Mounting of the test object into the experimental set-up.....	28
5.9 Stability criteria	29
6 Measurement instruments and methods.....	29
6.1 General.....	29
6.2 Instrument uncertainty	29
6.3 Recommended measurement instruments and methods.....	30
6.3.1 Electrode inlet gas flow rate measurement	30
6.3.2 Electrode gas composition measurement.....	30
6.3.3 Electrode gas temperature measurement.....	31
6.3.4 Electrode gas pressure measurement.....	31
6.3.5 Electrode exhaust gas flow rate measurement.....	31
6.3.6 Cell/stack assembly unit voltage measurement.....	32
6.3.7 Cell/stack assembly unit current measurement	32
6.3.8 Cell/stack assembly unit temperature measurement	32
6.3.9 Compression force measurement.....	32
6.3.10 Total impedance measurement.....	32
6.3.11 Ambient condition measurement.....	32
6.4 Test conditions and manufacturer recommendations.....	33
6.4.1 Start-up and shut-down conditions.....	33

6.4.2	Range of test conditions	33
6.4.3	Stabilization, initialization conditions and stable state	33
6.4.4	Dwell time, equilibration time, acquisition time	33
6.5	Data acquisition method	34
7	Test procedures and computation of results	34
7.1	General	34
7.2	Current-voltage characteristics test	34
7.2.1	Objective of this test	34
7.2.2	Test method	34
7.2.3	Data post-processing	35
7.3	Effective reactant utilization test	35
7.3.1	Objective of this test	35
7.3.2	Test method	35
7.3.3	Data post-processing	36
7.4	Durability test	36
7.4.1	Objective of this test	36
7.4.2	Test method	37
7.4.3	Data post-processing	37
7.5	Temperature sensitivity test	37
7.5.1	Objective of this test	37
7.5.2	Test method	38
7.5.3	Data post-processing	38
7.6	Separation of resistance components test via electrochemical impedance spectroscopy	39
7.6.1	Objective of this test	39
7.6.2	Test method	39
7.6.3	Data post-processing	40
7.7	Current cycling durability test	40
7.7.1	Objective of this test	40
7.7.2	Test method	41
7.7.3	Data post-processing	41
7.8	Thermal cycling test	41
7.8.1	Objective	41
7.8.2	Test method	41
7.8.3	Data post-processing	42
7.9	Pressurized test	42
7.9.1	Objective of this test	42
7.9.2	Test method	42
7.9.3	Data post-processing	43
8	Test report	43
8.1	General	43
8.2	Report items	43
8.3	Test unit data description	43
8.4	Test condition description	44
8.5	Test data description	44
8.6	Uncertainty evaluation	44
Annex A (normative)	Detailed test procedures	45
A.1	Test objective	45
A.2	Test set-up	45

A.3	Current-voltage characteristics test (7.2)	46
A.3.1	Test input parameters (TIPs)	46
A.3.2	Test output parameters (TOPs)	46
A.3.3	Derived quantities	47
A.3.4	Measurement of current-voltage characteristics	47
A.4	Effective reactant utilization test (7.3)	49
A.4.1	Test input parameters (TIPs)	49
A.4.2	Test output parameters (TOPs)	51
A.4.3	Derived quantities	51
A.4.4	Measurement of effective reactant utilization	52
A.5	Durability test (7.4)	53
A.5.1	Test input parameters (TIPs)	53
A.5.2	Test output parameters (TOPs)	53
A.5.3	Derived quantities	54
A.5.4	Measurement of durability	54
A.6	Temperature sensitivity test (7.5)	55
A.6.1	Test input parameters (TIPs)	55
A.6.2	Test output parameters (TOPs)	56
A.6.3	Derived quantities	56
A.6.4	Measurement of temperature sensitivity	57
A.7	Separation of resistance components test via electrochemical impedance spectroscopy (7.6)	58
A.7.1	Test input parameters (TIPs)	58
A.7.2	Test output parameters (TOPs)	58
A.7.3	Derived quantities	59
A.7.4	Measurement of resistance components via EIS	59
A.7.5	Measuring range of frequencies	59
A.8	Current cycling durability test (7.7)	60
A.8.1	Test input parameters (TIPs)	60
A.8.2	Test output parameters (TOPs)	60
A.8.3	Derived quantities	61
A.8.4	Measurement of current cycling durability	61
A.9	Thermal cycling test (7.8)	64
A.9.1	Test input parameters (TIPs)	64
A.9.2	Test output parameters (TOPs)	65
A.9.3	Derived quantities	65
A.9.4	Measurement of thermal cycling	66
A.10	Pressurized test (7.9)	68
A.10.1	Test input parameters (TIPs)	68
A.10.2	Test output parameters (TOPs)	69
A.10.3	Derived quantities	69
A.10.4	Measurement of pressurized test	69
Annex B (informative)	Guidelines for electrochemical impedance spectroscopy (EIS)	71
B.1	General principles	71
B.2	EIS test equipment and set-up	72
B.3	Representation of results	73
B.4	Analysis and simulation of data	75
Annex C (normative)	Formulae for calculation of utilization values	76
C.1	Generic formulae	76

C.2	Degradation	76
C.3	Area-specific resistance (ASR)	77
C.4	Temperatures	77
	Bibliography.....	78
Figure 1	– Exploded schematic representation of a planar-type single cell test object consisting of a SOC in a cell housing	23
Figure 2	– Schematic representation of a planar-geometry SOC stack test object with N RU including supporting structure (top and bottom plates)	24
Figure 3	– Schematic representation of a test environment for a SOC cell/stack assembly unit.....	24
Figure 4	– Test environment with interfaces between SOC cell and experimental set-up.....	26
Figure 5	– Test environment with interfaces between SOC stack and experimental set-up	27
Figure A.1	– Qualitative representation of TIPs when carrying out a current-voltage characteristics test for combined (SOFC and SOEC) operation	48
Figure A.2	– Schematic representation of the current-voltage characteristics test procedure for two consecutive set points k and $k + 1$	48
Figure A.3	– Schematic representation of a J - V curve in both electrolysis and fuel cell modes.....	49
Figure A.4	– Qualitative representation of TIPs when carrying out an effective reactant utilization test varying the negative electrode reactant flow rate ($q_{V,neg,in}$), consisting of hydrogen and nitrogen	52
Figure A.5	– Qualitative representation of TIPs when carrying out a durability test (in galvanostatic mode).....	55
Figure A.6	– Qualitative representation of TIPs when carrying out a temperature sensitivity test.....	57
Figure A.7	– Qualitative representation of TIPs when carrying out a current cycling durability test	63
Figure A.8	– Current profile of a SOEC system with fast switch on/off at thermoneutral conditions	64
Figure A.9	– Current profile of a SOEC system with fast switch on/off at exothermal conditions	64
Figure A.10	– Current profile of a load-following SOEC system and thermoneutral conditions	64
Figure A.11	– Current profile of a load-following SOEC system and exothermal conditions	64
Figure A.12	– General evolution of TIPs during test: continuous thermal cycling above 600 °C (in this case with zero electric current)	67
Figure A.13	– General evolution of TIPs during test: thermal cycling below 600 °C with gas and current changes (coupling with operation at constant current for instance)	68
Figure B.1	– Input/output signals during electrochemical impedance spectroscopy (EIS) of a solid oxide fuel/electrolysis cell	72
Figure B.2	– Test set-up for electrochemical impedance spectroscopy of a planar solid oxide fuel cell/electrolysis stack with 5 RUs	73
Figure B.3	– Bode plot representing the modulus of impedance and phase angle against excitation frequency	74
Figure B.4	– Nyquist plot, representing conjugate imaginary part against real part of impedance	75

Table 1 – Symbols	18
Table 2 – Stability criteria for TIPs and TOPs as a reference	29
Table 3 – Instrument uncertainty for each quantity to be measured	30
Table A.1 – Test input parameters (TIPs) for current-voltage characteristics test	46
Table A.2 – Test output parameters (TOPs) for current-voltage characteristics test	47
Table A.3 – Derived quantities for current-voltage characteristics test	47
Table A.4 – Test input parameters (TIPs) for negative electrode reactant utilization test	50
Table A.5 – Test input parameters (TIPs) for positive electrode reactant utilization test	50
Table A.6 – Test output parameters (TOPs) for effective reactant utilization test.....	51
Table A.7 – Derived quantities for effective reactant utilization test.....	52
Table A.8 – Test input parameters (TIPs) for durability test.....	53
Table A.9 – Test output parameters (TOPs) for durability test	54
Table A.10 – Derived quantities for constant load durability test	54
Table A.11 – Test input parameters (TIPs) for temperature sensitivity test.....	55
Table A.12 – Test output parameters (TOPs) for temperature sensitivity test	56
Table A.13 – Derived quantities for temperature sensitivity test	56
Table A.14 – Test input parameters (TIPs) for EIS test	58
Table A.15 – Test output parameters (TOPs) for EIS test.....	59
Table A.16 – Derived quantities for EIS test.....	59
Table A.17 – Test input parameters (TIPs) for current cycling durability test within a single operating mode (fuel cell or electrolysis).....	60
Table A.18 – Test input parameters (TIPs) for current cycling durability test covering both operating modes (fuel cell and electrolysis).....	60
Table A.19 – Test output parameters (TOPs) for current cycling durability test	61
Table A.20 – Derived quantities for current cycling durability test.....	61
Table A.21 – Test input parameters (TIPs) for thermal cycling	65
Table A.22 – Test output parameters (TOPs) for thermal cycling.....	65
Table A.23 – Derived quantities for thermal cycling test	66
Table A.24 – Test input parameters (TIPs) for pressurized testing	69
Table A.25 – Test output parameters (TOPs) for pressurized testing.....	69
Table A.26 – Derived quantities for pressurized test	69
Table C.1 – Generic formulae	76

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FUEL CELL TECHNOLOGIES –

**Part 8-101: Energy storage systems using fuel cell modules
in reverse mode – Test procedures for the performance of solid oxide
single cells and stacks, including reversible operation**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62282-8-101 has been prepared by IEC technical committee 105: Fuel cell technologies.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
105/765/FDIS	105/779/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62282 series, published under the general title *Fuel cell technologies*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document describes test methods for a single cell or stack (denoted as "cell/stack" hereafter) that are intended for application to energy storage systems using solid oxide fuel cells (SOFC) in combination with solid oxide electrolysis cells (SOEC), or directly using reversible solid oxide cells (Re-SOC, see Note in Clause 1). The test methods aim to provide guidelines for the characterization of real-time performance and durability of the cell/stack.

SOFC, SOEC and Re-SOC have a broad range of geometries (e.g. planar, tubular and their variations) and size. As such, in general, peripherals like current collectors and gas manifolds are unique to each cell or stack and are often incorporated into a cell or stack to form one integrated unit. In addition, they tend to have a significant effect on the power generation characteristics of the cell or stack. This document therefore introduces as its subject "cell/stack assembly units", which are defined as those units containing not only a cell or a stack but also peripherals.

This document is generally applicable to all types or geometries of SOFC, SOEC and Re-SOC, unless where explicitly mentioned.

IEC 62282-8 (all parts) aims to develop performance test methods for power storage and buffering systems based on electrochemical modules (combining electrolysis and fuel cells, in particular reversible fuel cells), taking into consideration both options of re-electrification and substance (and heat) production for sustainable integration of renewable energy sources.

Under the general title "Energy storage systems using fuel cell modules in reverse mode", the IEC 62282-8 series will consist of the following parts:

- IEC 62282-8-101: *Test procedures for the performance of solid oxide single cells and stacks, including reversible operation*
- IEC 62282-8-102: *Test procedures for the performance of single cells and stacks with proton exchange membranes, including reversible operation*
- IEC 62282-8-103¹: *Alkaline single cell and stack performance including reversible operation*
- IEC 62282-8-201: *Test procedures for the performance of power-to-power systems*
- IEC 62282-8-202²: *Power-to-power systems – Safety*
- IEC 62282-8-300 series³: *Power-to-substance systems*

As a priority dictated by the emerging needs for industry and opportunities for technological development, IEC 62282-8-101, IEC 62282-8-102 and IEC 62282-8-201 have been initiated jointly and as a priority. These documents are presented as a package to highlight the need for an integrated approach as regards the system application (i.e. a solution for energy storage) and its fundamental constituent components (i.e. fuel cells operated in reverse or reversible mode).

IEC 62282-8-103, IEC 62282-8-202 and IEC 62282-8-300 (all parts) are suggested but are left for initiation at a later stage.

¹ Under consideration.

² Under consideration.

³ Under consideration.

FUEL CELL TECHNOLOGIES –

Part 8-101: Energy storage systems using fuel cell modules in reverse mode – Test procedures for the performance of solid oxide single cells and stacks, including reversible operation

1 Scope

This part of IEC 62282 addresses solid oxide cell (SOC) and stack assembly unit(s). It provides for testing systems, instruments and measuring methods to test the performance of SOC cell/stack assembly units for energy storage purposes. It assesses performance in fuel cell mode, in electrolysis mode and/or in reversible operation.

This document is not applicable to small button cells that are designed for SOC material testing and provide no practical means of reactant utilization measurement, or to single-chamber SOC. This document is not intended to be applied to fuel cell/stack assembly units for power generation purposes only, since this is covered in IEC TS 62282-7-2. Therefore, test methods are not included in this document that are applicable to fuel cell mode only and that are already described in IEC TS 62282-7-2.

This document is intended for data exchanges in commercial transactions between cell/stack manufacturers and system developers or for acquiring data on a cell or stack in order to estimate the performance of a system based on it. Users of this document may selectively execute test items suitable for their purposes from those described in this document. Users can also substitute selected test methods of this document with equivalent test methods of IEC TS 62282-7-2 for SOC operation in fuel cell mode only.

NOTE 1 In the context of this document, the term "reversible" does not refer to the thermodynamic meaning of an ideal process. It is common practice in the fuel cell community to call the operation mode of a solid oxide cell that alternates between fuel cell mode and electrolysis mode "reversible".

NOTE 2 This document considers only steam electrolysis. Other reactants in electrolysis mode can be used, provided appropriate measures are taken for handling the specific reactants and products, and the guidelines as regards the measurement, control and post-test analysis of results are adapted accordingly.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-485, *International Electrotechnical Vocabulary – Part 485: Fuel cell technologies* (available at www.electropedia.org)

IEC 61515:2016, *Mineral insulated metal-sheathed thermocouple cables and thermocouples*

IEC 60584-1, *Thermocouples – Part 1: EMF specifications and tolerances*

IEC 60584-3, *Thermocouples – Part 3: Extension and compensating cables – Tolerances and identification system*

ISO 5168, *Measurement of fluid flow – Procedures for the evaluation of uncertainties*

ISO 6141, *Gas analysis – Contents of certificates for calibration gas mixtures*