

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Connectors for electrical and electronic equipment – Product requirements –
Part 3-104: Detail specification for 8-way, shielded free and fixed connectors for
data transmissions with frequencies up to 2 000 MHz**

**Connecteurs pour équipements électriques et électroniques – Exigences de
produit –
Partie 3-104: Spécification particulière pour les fiches et les embases écrantées
à 8 voies pour la transmission de données à des fréquences jusqu'à 2 000 MHz**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Connectors for electrical and electronic equipment – Product requirements –
Part 3-104: Detail specification for 8-way, shielded free and fixed connectors for
data transmissions with frequencies up to 2 000 MHz**

**Connecteurs pour équipements électriques et électroniques – Exigences de
produit –
Partie 3-104: Spécification particulière pour les fiches et les embases écrantées
à 8 voies pour la transmission de données à des fréquences jusqu'à 2 000 MHz**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.120.10

ISBN 978-2-8322-8534-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	10
1 Scope.....	11
2 Normative references	11
3 Technical information	13
3.1 Terms and definitions.....	13
3.2 Levels of compatibility.....	14
3.2.1 Interchangeability level	14
3.2.2 Intermateabilty.....	14
3.2.3 Interoperability.....	14
3.3 Groups of related connectors	14
3.4 Classification into climate categories	15
3.5 Clearance and creepage distances	15
3.6 Current carrying capacity	15
3.7 Marking.....	15
3.7.1 General	15
3.7.2 Performance marking.....	15
4 Dimensional information	15
4.1 General.....	15
4.2 Isometric views and common features.....	16
4.2.1 General	16
4.2.2 Fixed connector variant 01 (cable outlet)	17
4.2.3 Fixed connector variant 02, (printed circuit board outlet).....	20
4.2.4 Free connector variant 03 (4-pair plug)	21
4.2.5 Free connector variant 04 (2-pair plug)	25
4.2.6 Free connector variant 05 (1-pair plug)	27
4.3 Terminations	30
4.3.1 General	30
4.3.2 Referenced solderless termination types	30
4.3.3 Non-referenced termination types	31
4.3.4 Solder terminations.....	31
4.4 Mounting information	31
4.4.1 General	31
4.4.2 Mounting information for fixed connectors.....	31
4.4.3 Mounting information for free connectors	31
4.5 Gauges	31
4.5.1 Sizing gauges and retention force gauges; mechanical function, engaging/separating/insertion/withdrawal force.....	31
4.6 Mechanical function, engaging/separating/insertion/withdrawal force gauges.....	38
4.7 Test panels	38
5 Characteristics	39
5.1 General.....	39
5.2 Pin and pair grouping assignment	39
5.3 Climatic categories	39
5.4 Electrical characteristics	40
5.4.1 Creepage and clearance distances	40
5.4.2 Voltage proof.....	40

5.4.3	Current carrying capacity	40
5.4.4	Initial contact and shield resistance	41
5.4.5	Input to output resistance	41
5.4.6	Input to output resistance unbalance	41
5.4.7	Insulation resistance	42
5.5	Transmission characteristics	42
5.5.1	General	42
5.5.2	Insertion loss	42
5.5.3	Return loss	42
5.5.4	Propagation delay	43
5.5.5	Delay skew	43
5.5.6	NEXT loss	43
5.5.7	Power sum NEXT loss (for information only)	43
5.5.8	FEXT loss	44
5.5.9	Power sum FEXT loss (for information only)	44
5.5.10	Transverse conversion loss	45
5.5.11	Transverse conversion transfer loss	45
5.5.12	Power sum alien (exogenous) NEXT loss	46
5.5.13	Power sum alien (exogenous) FEXT loss	46
5.5.14	Coupling attenuation	47
5.5.15	Transfer impedance	47
5.6	Mechanical characteristics	47
6	Test schedule	48
6.1	General	48
6.2	Test procedures and measuring methods	48
6.3	Preconditioning	48
6.4	Wiring and mounting of specimens	48
6.4.1	Wiring	48
6.4.2	Mounting	48
6.4.3	Arrangement for contact resistance measurement and procedure	49
6.4.4	Arrangement for dynamic stress tests (test phase CP1)	49
6.5	Test schedules	50
6.5.1	General	50
6.5.2	Basic (minimum) test schedule	50
6.5.3	Full test schedule	50
Annex A (normative)	Gauging procedure	59
A.1	Fixed connectors	59
A.2	Free connectors	59
Annex B (normative)	Locking device mechanical operation – test procedure and requirements	60
B.1	Object	60
B.2	Preparation of the specimens	60
B.3	Test method	60
B.4	Final measurements	60
Annex C (normative)	Plug and outlet interoperability qualification	61
C.1	Object	61
C.2	Test equipment	61
C.3	Test procedure	62
Annex D (normative)	General requirements for the measurement set-up	63

D.1	Test instrumentation	63
D.2	Coaxial cables and test leads for network analysers	63
D.3	Measurement precautions	63
D.4	Balun requirements	64
D.5	Reference components for calibration	65
D.5.1	Reference loads for calibration	65
D.5.2	Reference cables for calibration	65
D.6	Termination loads for termination of conductor pairs	65
D.7	Termination of screens	66
D.8	Test specimen and reference planes	67
Annex E	(normative) Insertion loss	68
E.1	Object	68
E.2	Test method	68
E.3	Test set up	68
E.4	Procedure	68
E.4.1	Calibration	68
E.4.2	Measurement	68
E.5	Test report	69
E.6	Accuracy	69
Annex F	(normative) Return loss	70
F.1	Object	70
F.2	Test method	70
F.3	Test set-up	70
F.4	Procedure	70
F.4.1	Calibration	70
F.4.2	Measurement	70
F.5	Test report	70
F.6	Accuracy	70
Annex G	(normative) Near end cross talk (NEXT)	72
G.1	Object	72
G.2	Test method	72
G.3	Test set-up	72
G.4	Procedure	73
G.4.1	Calibration	73
G.4.2	Establishment of noise floor	73
G.4.3	Measurement	73
G.5	Test report	74
G.6	Accuracy	74
Annex H	(normative) Far end cross talk (FEXT)	75
H.1	Object	75
H.2	Test method	75
H.3	Test set-up	75
H.4	Procedure	76
H.4.1	Calibration	76
H.4.2	Establishment of noise floor	76
H.5	Measurement	76
H.6	Test report	77
H.7	Accuracy	77

Annex I (normative) Transverse Conversion Loss (*TCL*) and Transverse Conversion Transfer Loss (*TCTL*) 78

- I.1 Object 78
- I.2 Test method 78
- I.3 Test set-up 78
- I.4 Procedure 79
 - I.4.1 Calibration 79
 - I.4.2 Noise floor 79
 - I.4.3 Measurement 80
- I.5 Test report 80
- I.6 Accuracy 80

Annex J (normative) Termination of balun 81

- J.1 Termination of balun with low return loss for common mode 81
- J.2 Centre tap connected to ground 81
- J.3 Centre tap open 81

Bibliography 83

Figure 1 – Isometric view of cable and PCB fixed connectors 16

Figure 2 – Isometric view showing free connector for 4, 2 and 1 pair 16

Figure 3 – Variant 01 drawing 1 17

Figure 4 – Variant 01 drawing 2 19

Figure 5 – Variant 02 drawing 20

Figure 6 – Variant 03 drawing 1 21

Figure 7 – Variant 03 drawing 2 22

Figure 8 – Variant 03 drawing 3 24

Figure 9 – Variant 04 drawing 1 25

Figure 10 – Variant 04 drawing 2 26

Figure 11 – Variant 05 drawing 1 27

Figure 12 – Variant 05 drawing 2 28

Figure 13 – Variant 05 drawing 3 29

Figure 14 – Fixed connector location "Go" gauge 32

Figure 15 – Fixed connector location "No-Go" gauge 32

Figure 16 – Fixed connector size "Go" gauge 33

Figure 17 – Fixed connector size "No-Go" gauge 34

Figure 18 – Free connector location "Go" gauge 35

Figure 19 – Free connector location "No-Go" gauge 36

Figure 20 – Free connector size "Go" gauge 37

Figure 21 – Free connector size "No-Go" gauge 38

Figure 22 – Fixed connector panel 39

Figure 23 – Schematic diagram of fixed connector 39

Figure 24 – Connector de-rating curve 41

Figure 25 – Arrangement for contact resistance measurement 49

Figure 26 – Arrangement for dynamic stress 50

Figure C.1 – Precision test fixtures (covers) 61

Figure D.1 – 180° hybrid used as a balun 64

Figure D.2 – Calibration of reference loads	65
Figure D.3 – Resistor load	66
Figure D.4 – Definition of reference planes	67
Figure E.1 – Calibration	68
Figure E.2 – Measuring set-up	69
Figure G.1 – NEXT measurement differential mode only terminations	72
Figure G.2 – NEXT measurement differential and common mode terminations.....	73
Figure H.1 – FEXT measurement differential mode only terminations.....	75
Figure H.2 – FEXT measurement differential and common mode terminations	76
Figure I.1 – <i>TCL</i> measurement.....	78
Figure I.2 – <i>TCTL</i> measurement.....	79
Figure J.1 – Balanced attenuator for balun centre tap grounded	81
Figure J.2 – Balanced attenuator for balun centre tap open	82
Table 1 – Variant 01 drawing 1 dimensions	18
Table 2 – Variant 01 drawing 2 dimensions	19
Table 3 – Variant 02 drawing dimensions	20
Table 4 – Variant 03 drawing 1 dimensions	22
Table 5 – Variant 03 drawing 2 dimensions	23
Table 6 – Variant 03 drawing 3 dimensions	24
Table 7 – Variant 04 drawing 1 dimensions	25
Table 8 – Variant 04 drawing 2 dimensions	26
Table 9 – Variant 05 drawing 1 dimensions	27
Table 10 – Variant 05 drawing 2 dimensions	28
Table 11 – Variant 05 drawing 3 dimensions	29
Table 12 – Climatic categories – Selected values	40
Table 13 – minimum creepage and clearance distances.....	40
Table 14 – Insertion loss.....	42
Table 15 – Return loss.....	43
Table 16 – NEXT loss	43
Table 17 – Power sum NEXT loss	44
Table 18 – FEXT loss	44
Table 19 – Power sum FEXT loss	45
Table 20 – Transverse conversion loss	45
Table 21 – Transverse conversion transfer loss	45
Table 22 – Power sum alien (exogenous) NEXT loss	46
Table 23 – Power sum alien (exogenous) FEXT loss.....	46
Table 24 – Coupling attenuation	47
Table 25 – Transfer impedance.....	47
Table 26 – Test group P	51
Table 27 – Test group AP	52
Table 28 – Test group BP	54
Table 29 – Test group CP	55

Table 30 – Test group DP 56

Table 31 – Test group EP 57

Table 32 – Test group FP 58

Table 33 – Test group GP 58

Table D.1 – Test balun performance characteristics 64

Table F.1 – Uncertainty band of return loss measurement at frequencies below
100 MHz 71

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT –
PRODUCT REQUIREMENTS –****Part 3-104: Detail specification for 8-way, shielded free and fixed
connectors for data transmissions with frequencies up to 2 000 MHz**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61076-3-104 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

This third edition of IEC 61076-3-104 cancels and replaces the second edition, published in 2006, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the title has been changed to incorporate transmissions with frequencies up to 2 000 MHz;
- b) the drawings of some styles have been corrected for clarification;
- c) Figures 23 and 24 have been updated;

- d) Figure 3 has been updated to include reference dimensions and dimensional format changes;
- e) the dimensions of Figure 7 have been updated;
- f) the type designation and ordering information has been removed for consistency with the most updated sectional specification;
- g) the test schedule was updated to include appropriate IEC 60512 Test Nos;
- h) the electrical performance requirements have been revised for 2 GHz level;
- i) interchangeability information has been added for performance categories.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
48B/2560/FDIS	48B/2565/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61076 series, published under the general title *Connectors for electronic equipment – Product requirements*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning connectors given in 4.2.2 and 4.2.4.

The IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he is willing to give free licences with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the IEC.

Information may be obtained from:

The Siemon Company
Siemon Business Park
101 Siemon Company Drive
Watertown, CT 06795-0400
USA

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

Part 3-104: Detail specification for 8-way, shielded free and fixed connectors for data transmissions with frequencies up to 2 000 MHz

1 Scope

This part of IEC 61076 establishes uniform specifications, type testing requirements for 8-way, shielded free and fixed connectors for data transmissions with frequencies up to 2 000 MHz, and used as category 7_A connectors in class F_A cabling systems specified in ISO/IEC 11801-1. It contains all test methods and sequences, severity and preferred values for dimensions and characteristics.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-581, *International Electrotechnical Vocabulary – Part 581: Electromechanical components for electronic equipment*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60169-15, *Radio-frequency connectors – Part 15: R.F. coaxial connectors with inner diameter of outer conductor 4.13 mm (0.163 in) with screw coupling – Character impedance 50 ohms (Type SMA)*

IEC 60352-2, *Solderless connections – Part 2: Crimped connections – General requirements, test methods and practical guidance*

IEC 60352-3, *Solderless connections – Part 3: Solderless accessible insulation displacement connections – General requirements, test methods and practical guidance*

IEC 60352-4, *Solderless connections – Part 4: Solderless non-accessible insulation displacement connections – General requirements, test methods and practical guidance*

IEC 60352-5, *Solderless connections – Part 5: Press-in connections – General requirements, test methods and practical guidance*

IEC 60352-6, *Solderless connections – Part 6: Insulation piercing connections – General requirements, test methods and practical guidance*

IEC 60352-7, *Solderless connections – Part 7: Spring clamp connections – General requirements, test methods and practical guidance*

IEC 60512-1-1, *Connectors for electronic equipment – Tests and measurements – Part 1-1: General examination – Test 1a: Visual examination*