

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Measurement method of half-wavelength voltage for Mach-Zehnder optical modulator in wireless communication and broadcasting systems

Méthode de mesure de la tension à une demi-longueur d'onde relative aux modulateurs optiques Mach-Zehnder dans les systèmes de communication et transmission radiofréquence



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Measurement method of half-wavelength voltage for Mach-Zehnder optical modulator in wireless communication and broadcasting systems

Méthode de mesure de la tension à une demi-longueur d'onde relative aux modulateurs optiques Mach-Zehnder dans les systèmes de communication et transmission radiofréquence

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.060.20; 33.180.99

ISBN 978-2-8322-8761-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions, symbols and abbreviated terms.....	7
3.1 Terms and definitions.....	7
3.2 Symbols and abbreviated terms	8
4 Electro-optic material based Mach-Zehnder optical modulator	9
4.1 Mach-Zehnder optical modulator	9
4.1.1 Component parts	9
4.1.2 Structure	9
4.2 Requirements for Mach-Zehnder optical modulator	10
4.2.1 General	10
4.2.2 Substrate material	10
4.2.3 Optical waveguide design	10
5 Sampling for quality control	10
5.1 Sampling.....	10
5.2 Sampling frequency	10
6 Measurement method of half wavelength voltage.....	10
6.1 Circuit diagram	10
6.2 Measurement conditions	11
6.2.1 Temperature and environment.....	11
6.2.2 Warming up of measurement equipment.....	11
6.3 Principle of measurement method	12
6.3.1 General	12
6.3.2 Measurement principle.....	12
6.4 Measurement procedure	14
6.4.1 General	14
6.4.2 Circuit diagram (Type A).....	15
6.4.3 Circuit diagram (Type B).....	16
Annex A (normative) Conventional measurement method of optical modulation index.....	18
A.1 Overview.....	18
A.2 Circuit diagram	18
A.3 Measurement procedure	19
A.3.1 Spectrum analyser method	19
A.3.2 Oscilloscope method	19
Annex B (informative) Calculation method of intermodulation distortions using driving voltage and half-wavelength voltage of Mach-Zehnder optical modulator	20
B.1 Overview.....	20
B.2 Explanation of calculation method.....	20
B.3 Conventional measurement methods of intermodulation distortion	26
B.3.1 General	26
B.3.2 Circuit diagram	26
B.3.3 Precautions to be observed	27
B.3.4 Measurement procedures	27
Annex C (informative) Characteristics of Mach-Zehnder optical modulator.....	29

C.1	Electrical and optical characteristics of Mach-Zehnder optical modulator	29
C.2	Mechanical and environmental characteristics	29
Annex D (informative)	Notes on measurement	31
D.1	Factors of measurement uncertainty	31
D.1.1	Measurement equipment	31
D.1.2	Measurement range	32
D.2	RF power source	33
D.2.1	Limitation from resolution of applied RF power	33
D.2.2	Limitation from the resolution of oscilloscope screen	34
D.3	Examples of measurement results	34
Bibliography	37
Figure 1	– Transfer curve of a Mach-Zehnder optical modulator	8
Figure 2	– Structure of Mach-Zehnder interferometer type optical modulator	9
Figure 3	– Schematic block diagram of the measurement setup	11
Figure 4	– Zero-order Bessel function	13
Figure 5	– Waveform change on the oscilloscope screen	13
Figure 6	– Driving voltage measurement setup	15
Figure 7	– Driving voltage measurement setup using a power divider	16
Figure 8	– Waveforms on the oscilloscope	17
Figure A.1	– Measurement setup referred in IEC 62007-2	18
Figure A.2	– Time variation of photo current	19
Figure B.1	– Mach-Zehnder interferometer type optical modulator	20
Figure B.2	– Quadrature points of a transfer curve for a Mach-Zehnder optical modulator	25
Figure B.3	– Dependency of IM2 on NOMI and bias voltage of a Mach-Zehnder optical modulator	25
Figure B.4	– Relation between IM3 and OMI of a Mach-Zehnder optical modulator	26
Figure B.5	– Conventional intermodulation method	27
Figure B.6	– IMD2 and IMD3	28
Figure D.1	– Errors of half-wavelength voltage measurements caused by limitations from the resolution of RF power	33
Figure D.2	– Relative errors of half-wavelength voltage measurement caused by limitations from the resolution of RF power	34
Figure D.3	– Relation between NOMI and IM3 for the Mach-Zehnder modulator (sample #1)	35
Figure D.4	– Relation between NOMI and IM3 for the Mach-Zehnder modulator (sample #2)	36
Figure D.5	– Relation between NOMI and IM2 for the Mach-Zehnder modulator (sample #1)	36
Table 1	– Symbols and abbreviated terms	9
Table C.1	– Characteristics of optical modulator	29
Table C.2	– Mechanical and environmental characteristics	30
Table D.1	– Spectrum analyser uncertainty	31
Table D.2	– Uncertainty budget of power meter at only 2 GHz	32
Table D.3	– Measurement results of half-wave voltages for Mach-Zehnder modulators	35

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MEASUREMENT METHOD OF HALF-WAVELENGTH VOLTAGE FOR MACH-ZEHNDER OPTICAL MODULATOR IN WIRELESS COMMUNICATION AND BROADCASTING SYSTEMS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62801 has been prepared by IEC technical committee 103: Transmitting equipment for radiocommunication.

The text of this International Standard is based on the following documents:

CDV	Report on voting
103/120/CDV	103/133/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

A variety of microwave-photonics devices may be used in wireless communication and broadcasting systems. An optical modulator is an interface which converts an electronic signal to an optical signal. In the field of optical fibre communication systems, the first editions of the IEC 62007 series "Semiconductor optoelectronic devices for fibre optic system applications" were published in 1997. In the field of wireless systems, specifications of intermodulation and composite distortion of modulators have been the important issue and have been typically negotiated between users and suppliers. During the International Meeting on Microwave Photonics, a proposal was announced to address standardizations for key devices for radio-over-fibre (RoF) systems.

An RoF system is comprised mainly of two parts; one is the RF to photonic converter (E/O), and the other is the photonic to RF converter (O/E). Radio waves are converted into an optical signal at E/O, and the signal is transferred through the optical fibre, and then the radio waves are regenerated at O/E. The nonlinear distortion characteristics of both E/O and O/E are important for the performance of the system. Semiconductor photodiodes are commonly used for O/E. Several types of optical modulator are used for E/O, such as Mach-Zehnder modulators (MZM), electro-absorption modulators and directly modulated laser diodes (LDs).

This document has been prepared to provide industry standard measurement methods for evaluating electro-optic material based Mach-Zehnder optical modulators, to be used in wireless communication and broadcasting systems. The nonlinear distortion characteristics are also important for the performance of the systems. The intermodulation distortion of the MZM is calculated from the driving voltage and the half-wavelength voltage. The details of calculations of the second-order intermodulation distortion (IM2) and the third-order intermodulation distortion (IM3) are described in Annex B. General characteristics of Mach-Zehnder optical modulators in wireless communication and broadcasting systems are described in Annex C. Notes on measurement of the half-wavelength voltage are described in Annex D.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent. IEC takes no position concerning the evidence, validity, and scope of this patent right.

The holder of this patent right has assured IEC that s/he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from the patent database available at <http://patents.iec.ch>.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those in the patent database. IEC shall not be held responsible for identifying any or all such patent rights.

MEASUREMENT METHOD OF HALF-WAVELENGTH VOLTAGE FOR MACH-ZEHNDER OPTICAL MODULATOR IN WIRELESS COMMUNICATION AND BROADCASTING SYSTEMS

1 Scope

This document specifies a measurement method of half-wavelength voltage applicable to Mach-Zehnder optical modulators in wireless communication and broadcasting systems. In addition, this method is also effective for the estimation of the intermodulation distortion of Mach-Zehnder optical modulators. The method applies for the following:

- frequency range: 10 MHz to 30 GHz;
- wavelength band: 0,8 μm to 2,0 μm ;
- electro-optic material based Mach-Zehnder optical modulators and their modules.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62007-1, *Semiconductor optoelectronic devices for fibre optic system applications – Part 1: Essential ratings and characteristics*

IEC 62007-2, *Semiconductor optoelectronic devices for fibre optic system applications – Part 2: Measurement methods*

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62007-1 and IEC 62007-2 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1

half-wavelength voltage

V_{π}

voltage required for a Pockels effect material based Mach-Zehnder optical modulator to induce a phase shift of one-half a wavelength between the lightwaves of two arms of the Mach-Zehnder interferometer

Note 1 to entry: It corresponds to an ON/OFF voltage of the Mach-Zehnder optical modulator as shown in Figure 1