

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 6-12: Application layer protocol specification – Type 12 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 6-12: Spécification du protocole de la couche application – Eléments
de type 12**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC online collection - oc.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Fieldbus specifications –
Part 6-12: Application layer protocol specification – Type 12 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 6-12: Spécification du protocole de la couche application – Eléments
de type 12**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-9324-9

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	10
1 Scope.....	11
1.1 General.....	11
1.2 Specifications	12
1.3 Conformance	12
2 Normative references	12
3 Terms, definitions, symbols, abbreviations and conventions	13
3.1 Reference model terms and definitions	13
3.2 Service convention terms and definitions	14
3.3 Application layer definitions	15
3.4 Common symbols and abbreviations	20
3.5 Additional symbols and abbreviations	21
3.6 Conventions.....	21
3.6.1 General concept	21
3.6.2 Convention for the encoding of reserved bits and octets	22
3.6.3 Conventions for the common codings of specific field octets	22
3.6.4 Abstract syntax conventions	23
3.6.5 State machine conventions	24
4 Application layer protocol specification	26
4.1 Operating principle.....	26
4.2 Node reference model.....	26
4.2.1 Mapping onto OSI basic reference model.....	26
4.2.2 Data Link Layer features.....	27
4.2.3 Application Layer structure	27
5 FAL syntax description	28
5.1 Coding principles	28
5.2 Data types and encoding rules.....	28
5.2.1 General description of data types and encoding rules	28
5.2.2 Encoding of a Boolean value	28
5.2.3 Encoding of a Time Of Day with and without date indication value	28
5.2.4 Encoding of a Time Difference with and without date indication value	29
5.2.5 Transfer syntax for bit sequences	29
5.2.6 Encoding of a Unsigned Integer value.....	29
5.2.7 Encoding of a Signed Integer value	30
5.2.8 Encoding of a Floating Point value.....	31
5.2.9 Encoding of a Visible String value.....	31
5.2.10 Encoding of a Unicode String value	31
5.2.11 Encoding of an Octet String value.....	31
5.2.12 Encoding of GUID.....	31
5.3 AR coding	31
5.3.1 AL Control Request (Indication)	31
5.3.2 AL Control Response (Confirmation).....	32
5.3.3 AL State Changed	34
5.3.4 AL AR Attributes	35
5.4 SII coding	37

5.5	Isochronous PDI coding	42
5.6	CoE coding	44
5.6.1	PDU structure	44
5.6.2	SDO	45
5.6.3	SDO Information	57
5.6.4	Emergency	66
5.6.5	Process Data	70
5.6.6	Command	71
5.6.7	Object Dictionary	72
5.7	EoE coding	82
5.7.1	Initiate EoE	82
5.7.2	EoE Fragment Data	84
5.7.3	Data element for EoE	85
5.7.4	Set IP Parameter	86
5.7.5	Set Address Filter	89
5.8	FoE Coding	91
5.8.1	Read Request	91
5.8.2	Write Request	92
5.8.3	Data Request	93
5.8.4	Ack Request	94
5.8.5	Error Request	95
5.8.6	Busy Request	96
6	FAL protocol state machines	97
6.1	Overall structure	97
6.1.1	Overview	97
6.1.2	Fieldbus Service Protocol Machines (FSPM)	98
6.1.3	Application Relationship Protocol Machines (ARPM)	98
6.1.4	DLL Mapping Protocol Machines (DMPM)	99
6.2	AP-Context state machine	99
6.3	FAL service protocol machine (FSPM)	99
6.4	Application Relationship Protocol Machines (ARPMs)	99
6.4.1	AL state machine	99
6.4.2	Mailbox handler state machine	118
6.4.3	CoE state machine	119
6.4.4	EoE state machine	130
6.4.5	FoE state machine	137
6.5	DLL mapping protocol machine (DMPM)	142
	Bibliography	143
	Figure 1 – Common structure of specific fields	22
	Figure 2 – Type description example	23
	Figure 3 – Slave Node Reference Model	27
	Figure 4 – Encoding of Time of Day value	28
	Figure 5 – Encoding of Time Difference value	29
	Figure 6 – AL Control Request structure	31
	Figure 7 – AL Control Response structure	32
	Figure 8 – AL State Changed structure	35

Figure 9 – PDI Control type description.....	35
Figure 10 – Sync Configuration type description	36
Figure 11 – Distributed Clock sync and latch type description	42
Figure 12 – CoE general structure	44
Figure 13 – SDO Download Expedited Request structure.....	45
Figure 14 – SDO Download Expedited Response structure	46
Figure 15 – SDO Download Normal Request structure	47
Figure 16 – Download SDO Segment Request structure	49
Figure 17 – Download SDO Segment Response structure.....	50
Figure 18 – SDO Upload Expedited Request structure	50
Figure 19 – SDO Upload Expedited Response structure	51
Figure 20 – SDO Upload Normal Response structure.....	53
Figure 21 – Upload SDO Segment Request structure.....	54
Figure 22 – Upload SDO Segment Response structure	54
Figure 23 – Abort SDO Transfer Request structure	55
Figure 24 – SDO Information Service structure	58
Figure 25 – Get OD List Request structure.....	59
Figure 26 – Get OD List Response structure	60
Figure 27 – Get Object Description Request structure.....	61
Figure 28 – Get Object Description Response structure	62
Figure 29 – Get Entry Description Request structure.....	63
Figure 30 – Get Entry Description Response structure	64
Figure 31 – SDO Info Error Request structure.....	65
Figure 32 – EoE general structure	82
Figure 33 – EoE Timestamp structure	83
Figure 34 – EoE Fragment Data structure	84
Figure 35 – Set IP Parameter Request structure	86
Figure 36 – Set IP Parameter Response structure	88
Figure 37 – Set MAC Filter Request structure	89
Figure 38 – Set MAC Filter Response structure	90
Figure 39 – Read Request structure.....	91
Figure 40 – Write Request structure.....	92
Figure 41 – Data Request structure	93
Figure 42 – Ack Request structure	94
Figure 43 – Error Request structure	95
Figure 44 – Busy Request structure	97
Figure 45 – Relationship among Protocol Machines	98
Figure 46 – AR Protocol machines	99
Figure 47 – ESM Diagramm	101
Table 1 – PDU element description example.....	23
Table 2 – Example attribute description	24
Table 3 – State machine description elements	25

Table 4 – Description of state machine elements	25
Table 5 – Conventions used in state machines	25
Table 6 – Transfer Syntax for bit sequences	29
Table 7 – Transfer syntax for data type Unsignedn	30
Table 8 – Transfer syntax for data type Integern	31
Table 9 – AL Control Description	32
Table 10 – AL Control Response	33
Table 11 – AL Status Codes	33
Table 12 – AL State Changed	35
Table 13 – PDI Control	36
Table 14 – PDI Configuration	36
Table 15 – Sync Configuration	36
Table 16 – Slave Information Interface Area	37
Table 17 – Slave Information Interface Categories	38
Table 18 – Mailbox Protocols Supported Types	38
Table 19 – Categories Types	38
Table 20 – Structure Category String	39
Table 21 – Structure Category General	39
Table 22 – Identification Methods	40
Table 23 – Structure Category FMMU	40
Table 24 – Structure Category SyncM for each Element	41
Table 25 – Structure Category TXPDO and RXPDO for each PDO	41
Table 26 – Structure PDO Entry	42
Table 27 – Distributed Clock sync parameter	43
Table 28 – Distributed Clock latch data	44
Table 29 – CoE elements	45
Table 30 – SDO Download Expedited Request	46
Table 31 – SDO Download Expedited Response	47
Table 32 – SDO Download Normal Request	48
Table 33 – Download SDO Segment Request	49
Table 34 – Download SDO Segment Response	50
Table 35 – SDO Upload Expedited Request	51
Table 36 – SDO Upload Expedited Response	52
Table 37 – SDO Upload Normal Response	53
Table 38 – Upload SDO Segment Request	54
Table 39 – Upload SDO Segment Response	55
Table 40 – Abort SDO Transfer Request	56
Table 41 – SDO Abort Codes	57
Table 42 – SDO Information Service	58
Table 43 – Get OD List Request	59
Table 44 – Get OD List Response	60
Table 45 – Get Object Description Request	61
Table 46 – Get Object Description Response	62

Table 47 – Get Entry Description Request	63
Table 48 – Get Entry Description Response.....	64
Table 49 – SDO Info Error Request.....	66
Table 50 – Emergency Request	67
Table 51 – Emergency Error Codes	68
Table 52 – Error Code	68
Table 53 – Diagnostic Data.....	69
Table 54 – Sync Manager Length Error.....	69
Table 55 – Sync Manager Address Error.....	69
Table 56 – Sync Manager Settings Error.....	69
Table 57 – RxPDO Transmission via mailbox.....	70
Table 58 – TxPDO Transmission via mailbox	70
Table 59 – RxPDO Remote Transmission Request	71
Table 60 – TxPDO Remote Transmission Request.....	71
Table 61 – Command object structure.....	72
Table 62 – Object Dictionary Structure.....	72
Table 63 – Object Code Definitions.....	72
Table 64 – Basic Data Type Area.....	73
Table 65 – Extended Data Type Area.....	74
Table 66 – Enumeration Definition	75
Table 67 – CoE Communication Area.....	75
Table 68 – Device Type	76
Table 69 – Error Register.....	77
Table 70 – Manufacturer Device Name	77
Table 71 – Manufacturer Hardware Version	78
Table 72 – Manufacturer Software Version	78
Table 73 – Identity Object.....	78
Table 74 – Receive PDO Mapping	79
Table 75 – Transmit PDO Mapping	79
Table 76 – Sync Manager Communication Type.....	80
Table 77 – Sync Manager Channel 0-31	81
Table 78 – Sync Manager Synchronization	81
Table 79 – Initiate EoE Request.....	82
Table 80 – Initiate EoE Response	83
Table 81 – EoE Fragment Data.....	85
Table 82 – EoE Data.....	86
Table 83 – Set IP Parameter Request.....	87
Table 84 – Set IP Parameter Response	88
Table 85 – EoE Result Parameter	89
Table 86 – Set MAC Filter Request.....	89
Table 87 – Set MAC Filter Response	91
Table 88 – Read Request	92
Table 89 – Write Request	93

Table 90 – Data Request	94
Table 91 – Ack Request	95
Table 92 – Error Request	96
Table 93 – Error codes of FoE	96
Table 94 – Busy Request	97
Table 95 – State transitions and local management services	101
Table 96 – Primitives issued by ESM to DL	102
Table 97 – Primitives issued by DL to ESM	103
Table 98 – Primitives issued by Application to ESM	103
Table 99 – Primitives issued by ESM to Application	103
Table 100 – ESM Variables	104
Table 101 – ESM macros	105
Table 102 – ESM functions	105
Table 103 – ESM state table	106
Table 104 – Primitives issued by Mailbox handler to DL	118
Table 105 – Primitives issued by DL to Mailbox handler	119
Table 106 – Primitives issued by Protocol handler to Mailbox handler	119
Table 107 – Primitives issued by Mailbox handler to Protocol handler	119
Table 108 – Primitives issued by Application to CoESM	120
Table 109 – Primitives issued by CoESM to Application	121
Table 110 – CoESM state table	122
Table 111 – Primitives issued by Application to EoESM	131
Table 112 – Primitives issued by EoESM to Application	132
Table 113 – EoESM state table	133
Table 114 – Primitives issued by Application to FoESM	137
Table 115 – Primitives issued by FoESM to Application	138
Table 116 – FoESM state table	139

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-12: Application layer protocol specification – Type 12 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-6-12 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This fourth edition cancels and replaces the third edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- technical corrections; and
- editorial improvements for clarification.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
65C/948/FDIS	65C/956/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This document is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this document is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This document is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this document together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-12: Application layer protocol specification – Type 12 elements

1 Scope

1.1 General

The Fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This part of IEC 61158 provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 12 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This International Standard defines in an abstract way the externally visible behavior provided by the different Types of the fieldbus Application Layer in terms of

- a) the abstract syntax defining the application layer protocol data units conveyed between communicating application entities,
- b) the transfer syntax defining the application layer protocol data units conveyed between communicating application entities,
- c) the application context state machine defining the application service behavior visible between communicating application entities; and
- d) the application relationship state machines defining the communication behavior visible between communicating application entities; and.

The purpose of this document is to define the protocol provided to

- a) define the wire-representation of the service primitives defined in IEC 61158-5-12, and
- b) define the externally visible behavior associated with their transfer.

This document specifies the protocol of the IEC fieldbus Application Layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI Application Layer Structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented Application Service Elements (ASEs) and a Layer Management Entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.

Although these services specify, from the perspective of applications, how request and responses are issued and delivered, they do not include a specification of what the requesting and responding applications are to do with them. That is, the behavioral aspects of the applications are not specified; only a definition of what requests and responses they can