

INTERNATIONAL STANDARD



**Laser displays –
Part 5-5: Optical measuring methods of raster-scanning retina direct projection
laser displays**





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC 62906-5-5

Edition 1.0 2022-01

INTERNATIONAL STANDARD



**Laser displays –
Part 5-5: Optical measuring methods of raster-scanning retina direct projection
laser displays**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.260

ISBN 978-2-8322-1068-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviated terms	7
3.1 Terms and definitions.....	7
3.2 Abbreviated terms.....	8
4 Standard measuring conditions.....	9
4.1 Standard measuring environmental conditions	9
4.2 Coordinate system.....	9
4.3 Standard conditions of RS-RDP laser displays and light measuring devices.....	10
4.3.1 General	10
4.3.2 Adjustment of RS-RDP laser display.....	10
4.3.3 Requirements for light measuring device	10
4.4 Laser-safety requirements for measurement	12
5 Optical measuring methods	12
5.1 General.....	12
5.2 Optical power at the primary colour wavelength	12
5.2.1 General	12
5.2.2 Measurement at exit window (measurement point 1).....	12
5.2.3 Measurement at focal point (measurement point 2).....	13
5.2.4 Elimination of the effect of other spectral powers	13
5.3 Eye-box	14
5.3.1 General	14
5.3.2 Eye-box measurement by 2D image sensor	15
5.3.3 Eye-box measurement by goniometric spectroradiometer	15
5.4 Field of view	16
5.4.1 General	16
5.4.2 FOV measurement by 2D image sensor.....	16
5.4.3 FOV measurement by goniometric spectroradiometer	17
5.5 Aspect ratio	17
5.6 Effective angular image resolution	18
5.6.1 General	18
5.6.2 Measuring methods of effective angular image resolution	19
5.7 Retinal free focus range.....	22
5.7.1 General	22
5.7.2 Retinal free focus range measured by direct method	23
5.7.3 Retinal free focus range measured by imaging method.....	24
5.8 Retinal white illuminance	24
5.8.1 General	24
5.8.2 Retinal white illuminance measurement using the method in 5.2.3.....	25
5.8.3 Retinal white illuminance measurement using spectral irradiance meter	25
5.9 Luminance and chromaticity of virtual image.....	25
5.9.1 General	25
5.9.2 Measurement procedure	25
5.10 White chromaticity nonuniformity	26
5.10.1 General	26
5.10.2 White chromaticity nonuniformity	26

5.10.3	Virtual image chromaticity nonuniformity.....	26
6	Report	27
Annex A (informative)	Structure of RS-RDP laser displays.....	28
A.1	General.....	28
A.2	Example of mechanical structure	28
A.3	Example of fundamental electro-optical structure of RS-RDP laser display	28
Annex B (informative)	Maxwellian view of RS-RDP laser displays	30
B.1	General.....	30
B.2	Maxwellian view.....	30
B.3	Pinhole image on the retina in the Maxwellian view.....	31
B.4	Laser image on the retina in the Maxwellian view.....	31
Annex C (informative)	Eyeball model and use of planar 2D sensor for measuring optical property	32
C.1	Human eyeball structure, its optics and modelling for practical measurement.....	32
C.2	Retinal sensor model	36
C.3	Optical measuring method with planar 2D image sensor	37
Annex D (informative)	Comparison of retinal illuminance with other displays.....	43
D.1	Projected area on retina.....	43
D.2	Retinal illuminance estimation for the conventional displays using natural viewing	45
D.3	Retinal illuminance estimation for RS-RDP laser display using Maxwellian viewing	46
D.4	Comparison of retinal illuminance between RS-RDP laser displays and the conventional displays.....	46
Bibliography.....		47
Figure 1	– Coordinate system and setup for planar measurements	10
Figure 2	– Two measurement points of optical power.....	14
Figure 3	– Measurement geometry of the eye-box.....	16
Figure 4	– Measurement geometry of the FOV.....	17
Figure 5	– Example of beam waist for Maxwellian view at the 2D image sensor plane.....	18
Figure 6	– Example of measurement locations for effective angular image resolution	19
Figure 7	– Setup for measuring effective angular image resolution and retinal free focus range.....	20
Figure 8	– Test patterns for resolution measurement	21
Figure 9	– Example of contrast modulation plot.....	22
Figure 10	– Example of the measured results of retinal free focus range.....	24
Figure 11	– Nonuniformity measurement locations and box patterns	27
Figure A.1	– Example of mechanical structure of RS-RDP laser display.....	28
Figure A.2	– Example of electro-optical structure of RS-RDP laser display	29
Figure B.1	– Maxwellian view (a) and normal viewing (b)	30
Figure B.2	– Pinhole (a) and laser beam (b) in the Maxwellian view.....	31
Figure C.1	– Cross-sectional human eyeball structure	32
Figure C.2	– Schematic of the eye with geometrical and optical information.....	33
Figure C.3	– Calculated refracted beam angle in the eye with respect to incident beam angle for blue (465 nm), green (520 nm) and red (640 nm)	33
Figure C.4	– Schematic eye optics.....	35

Figure C.5 – Example of beam spot radius calculation for the eye model as a function of incident beam diameter 36

Figure C.6 – Retinal sensor model with curved 2D image sensor 37

Figure C.7 – Geometrical relationship between point A on the retina and B on the fovea plane for the Cartesian coordinate system 38

Figure C.8 – Cross-sectional view of the plane consisting of the z -axis and the line segment OB in Figure C.7 38

Figure C.9 – Schematic diagrams of human eye 39

Figure C.10 – Geometrical relation of points A, B, C, and D 42

Figure D.1 – Projected area on the spherical retina 44

Figure D.2 – Spherical cap cut off by a circular plane, 3D-view (a) and y - z cross-section (b) 44

Figure D.3 – Strip-shaped region S_V cut off by the two spherical caps 45

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LASER DISPLAYS –

**Part 5-5: Optical measuring methods of raster-scanning
retina direct projection laser displays**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62906-5-5 has been prepared by IEC technical committee 110: Electronic displays. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
110/1374/FDIS	110/1392/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts of the IEC 62906 series, under the general title *Laser display devices*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

LASER DISPLAYS –

Part 5-5: Optical measuring methods of raster-scanning retina direct projection laser displays

1 Scope

This part of IEC 62906 specifies the standard measurement conditions and optical measuring methods for raster-scanning retina direct projection laser displays with light sources such as direct-emitting lasers, optionally equipped with higher-order harmonic generation devices. The hybrid light sources using both lasers and spontaneous-emission-based light sources are not considered.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TR 60825-14, *Safety of laser products – Part 14: A user's guide*

IEC 62595-2-4:2020, *Display lighting unit – Part 2-4: Electro-optical measuring methods of laser module*

IEC 63145-20-10:2019, *Eyewear displays – Part 20-10: Fundamental measurement methods – Optical properties*

IEC 63145-20-20:2019, *Eyewear displays – Part 20-20: Fundamental measurement methods – Image quality*

ISO/CIE 19476, *Characterization of the performance of illuminance and luminance meters*

CIE 233, *Calibration, Characterization and Use of Array Spectroradiometers*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>