



**IEEE**

**IEC/IEEE 62659**

Edition 1.0 2015-09

# **INTERNATIONAL STANDARD**

---

**Nanomanufacturing – Large scale manufacturing for nanoelectronics**





**THIS PUBLICATION IS COPYRIGHT PROTECTED**

**Copyright © 2015 IEC, Geneva, Switzerland**

**Copyright © 2015 IEEE**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing being secured. Requests for permission to reproduce should be addressed to either IEC at the address below or IEC's member National Committee in the country of the requester or from IEEE.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue  
New York, NY 10016-5997  
United States of America  
[stds.ipr@ieee.org](mailto:stds.ipr@ieee.org)  
[www.ieee.org](http://www.ieee.org)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About the IEEE**

IEEE is the world's largest professional association dedicated to advancing technological innovation and excellence for the benefit of humanity. IEEE and its members inspire a global community through its highly cited publications, conferences, technology standards, and professional and educational activities.

**About IEC/IEEE publications**

The technical content of IEC/IEEE publications is kept under constant review by the IEC and IEEE. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)**

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

**IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)**

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).



**IEEE**

**IEC/IEEE 62659**

Edition 1.0 2015-09

# **INTERNATIONAL STANDARD**

---

**Nanomanufacturing – Large scale manufacturing for nanoelectronics**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 07.030; 25.020

ISBN 978-2-8322-2915-6

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references .....	6
3 Terms and definitions .....	6
4 Abbreviations .....	8
5 Nanomaterials incorporation into electronics fabrication .....	9
5.1 General.....	9
5.2 Raw materials acquisition .....	10
5.3 Materials processing .....	11
5.4 Design .....	11
5.5 Fabrication.....	11
5.6 Test.....	11
5.7 End-use .....	11
6 Safety and environmental issues .....	11
Bibliography.....	12
Figure 1 – Relationship between bottom-up, top-down and hybrid device fabrication processes for nanoelectronics over length scales .....	9
Table 1 – Bottom-up process for nanoelectronics.....	9
Table 2 – Top-down process for nanoelectronics .....	9
Table 3 – Comparison of CMOS processes with exemplary CNT electronics process.....	10

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

# NANOMANUFACTURING – LARGE SCALE MANUFACTURING FOR NANOELECTRONICS

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation.

IEEE Standards documents are developed within IEEE Societies and Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of IEEE and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards. Use of IEEE Standards documents is wholly voluntary. IEEE documents are made available for use subject to important notices and legal disclaimers (see <http://standards.ieee.org/IPR/disclaimers.html> for more information).

IEC collaborates closely with IEEE in accordance with conditions determined by agreement between the two organizations.

- 2) The formal decisions of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. The formal decisions of IEEE on technical matters, once consensus within IEEE Societies and Standards Coordinating Committees has been reached, is determined by a balanced ballot of materially interested parties who indicate interest in reviewing the proposed standard. Final approval of the IEEE standards document is given by the IEEE Standards Association (IEEE-SA) Standards Board.
- 3) IEC/IEEE Publications have the form of recommendations for international use and are accepted by IEC National Committees/IEEE Societies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC/IEEE Publications is accurate, IEC or IEEE cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications (including IEC/IEEE Publications) transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC/IEEE Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and IEEE do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC and IEEE are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or IEEE or their directors, employees, servants or agents including individual experts and members of technical committees and IEC National Committees, or volunteers of IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board, for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC/IEEE Publication or any other IEC or IEEE Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that implementation of this IEC/IEEE Publication may require use of material covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. IEC or IEEE shall not be held responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

International Standard IEC/IEEE 62659 has been prepared by IEC technical committee 113, Nanotechnology standardization for electrical and electronic products and systems, in cooperation with the Standards Committee of the IEEE Nanotechnology Council<sup>1</sup>, under the IEC/IEEE Dual Logo Agreement.

The text of this standard is based on the following documents:

FDIS	Report on voting
113/271/FDIS	113/280/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The IEC Technical Committee and IEEE Technical Committee have decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

---

<sup>1</sup> A list of IEEE participants can be found at the following URL: [http://standards.ieee.org/downloads/62659/62659-2015/62659-2015\\_wg-participants.pdf](http://standards.ieee.org/downloads/62659/62659-2015/62659-2015_wg-participants.pdf)

## INTRODUCTION

In order to fully benefit from the cost, performance, and flexibility of new electronics products manufactured on a large-scale, industries accustomed to the purchase, use, and engineering of continuum materials need to grow to embrace appropriate new practices at the nanoscale. The purpose of this International Standard is to enable the quick, low-risk adoption of nanomaterials into large-scale electronics manufacturing. In addition a best set of common practices for use by semiconductor fabricators will be delineated.

The description of nanomaterials to be incorporated into the electronics process can be described in terms of: composition (material), density, purity, size/dimensions, properties such as electrical characteristics (conductive, non-conductive, and semiconductive), associated media (delivery medium), fabrication, surface functionalization, particle size distribution, surface area, shape, and degree of aggregation and agglomeration, etc.

These standards for the characterization of nanomaterials also provide an opportunity to help ensure consistency in metrics and measurement methods when specifying or producing nanomaterials for electronics applications. This is important when multiple vendors or technology partners are involved.

# NANOMANUFACTURING – LARGE SCALE MANUFACTURING FOR NANOELECTRONICS

## 1 Scope

This International Standard provides a framework for introducing nanoelectronics into large scale, high volume production in semiconductor manufacturing facilities through the incorporation of nanomaterials (e.g. carbon nanotubes, graphene, quantum dots, etc.). Since semiconductor manufacturing facilities need to incorporate practices that maintain high yields, there are very strict requirements for how manufacturing is performed. Nanomaterials represent a potential contaminant in semiconductor manufacturing facilities and need to be introduced in a structured and methodical way.

This International Standard provides steps employed to facilitate the introduction of nanomaterials into the semiconductor manufacturing facilities. This sequence is described below under the areas of raw materials acquisition, materials processing, design, IC fabrication, testing, and end-use. These activities represent the major stages of the supply chain in semiconductor manufacturing facilities.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

*None.*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

### 3.1

#### **nanoscale**

size range from approximately 1 nm to 100 nm

Note 1 to entry: Properties that are not extrapolations from a larger size will typically, but not exclusively, be exhibited in this size range. For such properties the size limits are considered approximate.

Note 2 to entry: The lower limit in this definition (approximately 1 nm) is introduced to avoid single and small groups of atoms from being designated as nano-objects or elements of nanostructures, which might be implied by the absence of a lower limit.

[SOURCE: ISO/TS 80004-1:2010, 2.1]

### 3.2

#### **nanotechnology**

application of scientific knowledge to manipulate and control matter in the **nanoscale** (3.1) in order to make use of size- and structure-dependent properties and phenomena, as distinct from those associated with individual atoms or molecules or with bulk materials

Note 1 to entry: Manipulation and control includes material synthesis.

[SOURCE: ISO/TS 80004-1:2010, 2.3]